

# MARCH 2026 PRICE LIST

Divi<sup>®</sup>

**PRODUCT INFORMATION**

Divi Statement of Line. . . . . 5  
 Divi Finish Options . . . . . 10  
 Divi Laminate Storage Details. . . . . 13

**MONOLITHIC PANELS**

Divi Monolithic Panel Product Details. . . . . 16  
 Divi Linear Hard Surface Permanent Monolithic Panels . . . . . 28  
 Divi Linear Tackable Surface Permanent Monolithic Panels . . . . . 30  
 Divi Linear Quarter Glass Permanent Monolithic Panels . . . . . 32  
 Divi Linear Air Flow / Wall Access Permanent Monolithic Panels, Non-Powered . . . . . 34  
 Divi Linear Air Flow / Wall Access Permanent Monolithic Panels, Powered . . . . . 35  
 Divi Linear Half Glass Permanent Monolithic Panels . . . . . 36  
 Divi Linear Full Glass Monolithic Panels . . . . . 37  
 Divi Linear Hard Surface ADA Panels. . . . . 38  
 Divi Linear Fabric and Glass Stack-On Kits for Permanent Monolithic Panels. . . . . 39  
 Divi Linear ADA Door Panels and Door Panel Shrouds. . . . . 40  
 Divi Linear Sliding Privacy Screens . . . . . 41  
 Divi Linear Sliding Privacy Screen Handles and Brackets . . . . . 42  
 Divi Linear Single End Gallery Panels. . . . . 43  
 Divi Linear Single End for Wing Gallery Panels . . . . . 45  
 Divi Linear Single End for Wing Facing Forward Gallery Panels . . . . . 46  
 Divi Linear Single End for Double Wing Gallery Panels . . . . . 47  
 Divi Linear Single Spine Gallery Panels. . . . . 48  
 Divi Linear Single Spine for Wing Gallery Panels . . . . . 50  
 Divi Linear Single Spine for Double Wing Gallery Panels . . . . . 51  
 Divi Linear Double End Gallery Panels . . . . . 52  
 Divi Linear Double Spine Gallery Panels . . . . . 53  
 Divi Linear Mid Mount End Gallery Panels . . . . . 54  
 Divi Linear Mid Mount End for Wing Gallery Panels . . . . . 56  
 Divi Linear Mid Mount End for Wing Facing Front Gallery Panels . . . . . 57  
 Divi Linear Mid Mount End for Double Wing Gallery Panels . . . . . 58  
 Divi Linear Mid Mount Spine Gallery Panels . . . . . 59  
 Divi Linear Mid Mount Spine for Wing Gallery Panels . . . . . 61  
 Divi Linear Mid Mount Spine for Double Wing Gallery Panels . . . . . 62  
 Divi Linear Wing Gallery Panels. . . . . 63  
 Divi Linear Gallery Panel HiLo Kits . . . . . 64  
 Brackets for Gallery Panels . . . . . 65  
 Wall Mounted Gallery Panels . . . . . 66  
 Wall Mounted Gallery Panel for Wings . . . . . 68

**INSERT PANELS**

Divi Insert Panel Product Details . . . . . 69  
 Divi Linear Monolithic Front/Back Inserts. . . . . 75  
 Divi Linear Monolithic Front/Segmented Back Inserts . . . . . 77  
 Divi Linear Segmented Front/Back Inserts . . . . . 79  
 Divi Linear Monolithic Front/Back Quarter Glass Inserts . . . . . 81  
 Divi Linear Monolithic Front/Segmented Back Quarter Glass Inserts . . . . . 82  
 Divi Linear Segmented Front/Back Quarter Glass Inserts . . . . . 83  
 Divi Linear Monolithic Front/Back Half Glass Inserts . . . . . 84

Divi Linear Monolithic Front/Segmented Back Half Glass Inserts . . . . . 85

Divi Linear Segmented Front/Back Half Glass Inserts . . . . . 86

Divi Linear Fabric and Glass Stack-On Kits for Insert Panels . . . . . 87

Replacement Fabric Inserts. . . . . 88

Replacement Laminate Inserts . . . . . 89

Fabric and Laminate Insert Upcharges . . . . . 90

**CONNECTORS**

Divi Connector Product Details . . . . . 92

Divi Linear Base Raceway Shrouds. . . . . 93

Wall Mount Kits and Wall Tracks . . . . . 94

Divi Linear Post Filler Kits. . . . . 95

Divi Linear Spacers, Retrofit Kits . . . . . 96

Divi 180 Spacer Post with Power Pole, Divi 4-Way Data Septum . . . . . 97

**ELECTRICAL**

Divi Electrical Product Details. . . . . 98

Panel-to-Panel and Lateral Pass Through Jumpers . . . . . 100

Duplex Outlets . . . . . 101

Infeeds . . . . . 103

Single Circuit Infeeds with Plug. . . . . 104

In-Line Power/Data Pole Combination Kits. . . . . 105

Retrofit Kits and In-Line Power/Data Pole Dividers and Extenders. . . . . 106

Retrofit Kits and Double Channel Power/Data Pole Kits . . . . . 107

Hubbell Premise Kits and Hardwire Junction Boxes . . . . . 108

**SUPPORT**

Cantilevers and Side Support/Rear Brackets . . . . . 109

End Panels . . . . . 110

Brackets, Divi Wing Panel Support Kit, Carpet Grippers . . . . . 111

Divi Panel Mounted A-Legs. . . . . 112

Divi Panel Mounted O-Legs. . . . . 113

**STORAGE**

Linear Mid-Height Shelf and Corner Shelf Units . . . . . 114

Type C Flipper Door Units. . . . . 115

Type C Raised Flipper Door Units . . . . . 116

Type D Flipper and Raised Flipper Door Units . . . . . 117

Sliding Door Units. . . . . 118

Raised Sliding Door Units. . . . . 119

Cabinet Door Units . . . . . 120

Raised Cabinet Door Units . . . . . 121

Divi Height BF Wardrobe Towers . . . . . 122

Divi Height BBF Wardrobe Towers . . . . . 124

Divi Height FF Wardrobe Towers . . . . . 126

Divi Height BF Pedestal Towers. . . . . 128

Divi Height BBF Pedestal Towers. . . . . 130

Divi Height FF Pedestal Towers. . . . . 132

Divi Height Single Door Towers . . . . . 134

**ACCESSORIES**

Tackboards, Tool Rail Kits and Panel Coat Hooks . . . . . 135  
Pre-Drilled Topcaps, Soft Close Mechanism for Hinged Door . . . . . 136  
Whiteboards. . . . . 137  
Locks and Keys . . . . . 138


**WARRANTY & TERMS AND CONDITIONS**

For Warranty & Terms and Conditions please visit:

<https://www.ais-inc.com>

**Note:** Please see Screens Price Lists for Divi specific screens.


**MONOLITHIC PANELS**



Hard Surface Permanent Monolithic Panels  
Powered or Non-Powered



Tackable Surface Permanent Monolithic Panels  
Powered or Non-Powered



Quarter Glass Permanent Monolithic Panels  
Powered or Non-Powered




Half Glass Permanent Monolithic Panels  
Powered or Non-Powered




Air Flow / Wall Access Permanent Monolithic Panels  
Powered or Non-Powered



Full Glass Monolithic Non-Powered Panels



Hard Surface ADA Panels



Stack-On Kits for Permanent Monolithic Panels



ADA Door Panels  
With or Without Glass,  
Left or Right Hand  
Left Hand Door Shown




Shrouds for Divi Doors  
2-Way or 3-Way  
2-Way Shroud Shown



66" High Divi Linear Sliding Privacy Screen




82" High Divi Linear Sliding Privacy Screen




Sliding Door Handle Kit




Single End Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single End for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single End for Wing Facing Forward Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single End for Double Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single Spine Gallery Panels




Single Spine for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown



Single Spine for Double Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Double End Gallery Panels




Double Spine Gallery Panels




Mid Mount End Gallery Panels  
Left or Right Hand  
Left Hand Shown



Mid Mount End for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Mid Mount End for Wing Facing Front Gallery Panels  
Left or Right Hand  
Left Hand Shown



Mid Mount End for Double Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Mid Mount Spine Gallery Panels




Mid Mount Spine for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Wing Gallery Panel



Gallery Panel HiLo Kits




Wall Mounted Gallery Panel




Wall Mounted Gallery Panel for Wing

**Divi Statement of Line**


**INSERT PANELS**




Monolithic Front / Monolithic Back  
Insert Panels  
Powered or Non-Powered




Monolithic Front / Segmented Back  
Insert Panels  
Powered or Non-Powered




Segmented Front / Segmented Back  
Insert Panels  
Powered or Non-Powered




Monolithic Front / Monolithic Back  
Quarter Glass Insert Panels  
Powered or Non-Powered




Monolithic Front / Segmented Back  
Quarter Glass Insert Panels  
Powered or Non-Powered




Segmented Front / Segmented Back  
Quarter Insert Panels  
Powered or Non-Powered




Monolithic Front / Monolithic Back  
Half Glass Insert Panels  
Powered or Non-Powered




Monolithic Front / Segmented Back  
Half Glass Insert Panels  
Powered or Non-Powered




Segmented Front / Segmented Back  
Half Glass Insert Panels  
Powered or Non-Powered




Fabric Stack-On Kits for Insert Panels




Glass Stack-On Kits for Insert Panels



Replacement Fabric Inserts



Replacement Laminate Inserts




Replacement Embossed Steel Inserts

**CONNECTORS**




90° 2-Way Base  
Raceway Shroud



120° / 60° 2-Way Base  
Raceway Shroud



135° / 45° 2-Way Base  
Raceway Shroud



90° 3-Way Base  
Raceway Shroud



End Base  
Raceway Shroud



Wall Mount Kits



Stack Panel Wall Mount Kit



Wall Tracks



2-Way Post Filler



3-Way Post Filler




4-Way Post Filler




End of Run Post Filler



Divi Linear Spacer 180



Divi Top Cap Retrofit Kit



Divi 4-Way Data Septum


ELECTRICAL




Panel-to-Panel Jumpers




Lateral Pass Through Jumpers




I-Connectors




Duplex Outlets




USB Outlets



Duplex Outlet Hole Covers



Side Mounted Base Infeed




Receptacle Mount Base Infeed



Ceiling Infeeds



Single Circuit Side Infeed with Plug




Single Circuit Receptacle Infeed with Plug



In-Line Power / Data Pole Combination Kits




In-Line Power / Data Pole Retrofit Kits




In-Line Power / Data Pole Divider




In-Line Power/Data Pole Extenders




Electrical Retrofit Kit



Double Channel Power / Data Pole Kit




Data Plate Kits




Hardwire Junction Box


SUPPORT




Standard Cantilevers




Shared Cantilevers




Side / Support Rear Brackets




Panel Mounted Shelf Cantilevers




Divi Wing Panel Support Kit



Carpet Grippers




Standard End Panels




Clear Access End Panels



Pedestal-to-Pedestal Attachment Brackets




Countertop Brackets



Panel Mounted A-Legs  
Left Hand, Right Hand  
or Freestanding  
Freestanding Legs Shown

**Divi Statement of Line**


**STORAGE**




Linear Mid-Height Shelf Units




Linear Mid-Height Corner Shelf Unit




Type C Flipper Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown




Type C Raised Flipper Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown




Type D Flipper Door Unit




Type D Raised Flipper Door Unit




Sliding Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown




Raised Sliding Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown



Cabinet Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown




Raised Cabinet Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown




Divi Height BF Wardrobe Tower w/ Open Front  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand  
On Glides or Feet  
Wardrobe Right in 50 High on Glides Shown




Divi Height BF Wardrobe Tower w/ Open Side  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand  
On Glides or Feet  
Wardrobe Right in 50 High on Glides Shown




Divi Height BF Wardrobe Tower with Cupboard  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand  
On Glides or Feet  
Wardrobe Right in 50 High on Glides Shown



Divi Height BBF Wardrobe Tower w/ Open Front  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand  
On Glides or Feet  
BBF Left, Door Right in 50 High on Glides Shown



Divi Height BBF Wardrobe Tower w/ Open Side  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand  
On Glides or Feet  
BBF Left, Door Right in 50 High Shown on Glides Shown




Divi Height BBF Wardrobe Tower w/ Cupboard  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand  
On Glides or Feet  
BBF Left, Door Right in 50 High Shown on Glides Shown




Divi Height FF Wardrobe Tower w/ Open Front  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand  
On Glides or Feet  
FF Left, Door Right in 50 High on Glides Shown




Divi Height FF Wardrobe Tower w/ Open Side  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand  
On Glides or Feet  
FF Left, Door Right in 50 High on Glides Shown




Divi Height FF Wardrobe Tower w/ Cupboard  
50, 58, 66 and 82 High, 24 Deep  
Right or Left Hand, On Glides or Feet  
FF Left, Door Right in 50 High on Glides Shown




Divi Height BF Pedestal Tower w/ Open Front  
50, 58, 66 and 82 High, 24 Deep  
On Glides or Feet  
50 High on Glides Shown



Divi Height BF Pedestal Tower w/ Open Side  
50, 58, 66 and 85 High, 24 Deep  
Open Left or Open Right  
On Glides or Feet  
Open Left in 50 High on Glides Shown



Divi Height BF Pedestal Tower w/ Cupboard  
50, 58, 66 and 85 High, 24 Deep  
Left or Right Hinge, On Glides or Feet  
Right-Hinge in 50 High on Glides Shown




Divi Height BBF Pedestal Tower w/ Open Front  
50, 58, 66 and 82 High, 24 Deep  
On Glides or Feet  
50 High on Glides Shown


**STORAGE**



**Divi Height BBF Pedestal Tower w/ Open Side**  
 50, 58, 66 and 85 High, 24 Deep  
 Open Left or Open Right,  
 On Glides or Feet  
*Open Left in 50 High on Glides Shown*




**Divi Height BBF Pedestal Tower w/ Cupboard**  
 50, 58, 66 and 85 High, 24 Deep  
 Left or Right Hinge, On Glides or Feet  
*Right-Hinge in 66 High on Glides Shown*



**Divi Height FF Pedestal Tower w/ Open Front**  
 50, 58, 66 and 82 High, 24 Deep  
 On Glides or Feet  
*50 High on Glides Shown*



**Divi Height FF Pedestal Tower w/ Open Side**  
 50, 58, 66 and 85 High, 24 Deep  
 Open Left or Open Right  
 On Glides or Feet  
*Open Left in 50 High on Glides Shown*




**Divi Height FF Pedestal Tower w/ Cupboard**  
 50, 58, 66 and 85 High, 24 Deep  
 Left or Right Hinge, On Glides or Feet  
*Right Hinge in 50 High on Glides Shown*




**Divi Height Single Door Towers**  
 42, 50, 58 and 66 High, 18 - 36 Depths  
 Open Left or Open Right  
 On Glides or Feet  
*Open Left in 50 High on Glides Shown*


**ACCESSORIES**




Tackboards




Tool Rail Kits




Tool Rail Kits



Divi Linear Pre-Drilled Topcaps  
 for Clip Screens



White Board w/ Marker Tray  
 Frameless



Soft Close Mechanism for  
 Hinged Door

## Fabric Options

### VERTICAL SURFACE FABRICS

| Name         | Grade |
|--------------|-------|
| Amaze        | A     |
| Avenue       | A     |
| Cape Cod     | A     |
| Engage       | A     |
| Mirador      | A     |
| New England  | A     |
| Rainfall     | A     |
| Simplicity   | A     |
| Theory       | A     |
| Twizzle      | A     |
| Lido         | B     |
| Marin        | B     |
| Nature       | B     |
| Off the Grid | B     |
| Purpose      | B     |
| Spinel       | B     |
| Sprite       | B     |

**Note:** 66" & 72" wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54" wide, any screen over 48" wide would need to have the fabric railroaded as well.

### C.O.M. Fabric Policy

All COM requests (including approvals, testing, authorizations, and shipping) must be coordinated through the AIS COM Team at [COM@ais-inc.com](mailto:COM@ais-inc.com).

#### Approvals & Testing

- Pre-approved COM fabrics for Seating and Lounge can be found in COM Resources on DealerNet.
- Contact the COM Team to confirm if a fabric is approved for vertical surfaces.
- To test a COM fabric, fill out COM Testing Form, available in COM Resources on DealerNet, and send it to the COM Team. They will confirm the amount of fabric needed, shipping address, number to tag the fabric with, and other details of the testing process.
- Sending fabrics without prior coordination may result in delays.

#### Ordering Process

- Before submitting an order with COM fabric, complete a Fabric Authorization (FA) form, available in COM Resources on DealerNet, and send it to the COM Team, who will provide a new document with an FA number.
- Include the FA document with your purchase order when submitting on eOrders.
- Orders will not be entered until the FA document with the FA number is received.
- Graded-in fabrics may not be used for COM.

#### Shipping Requirements

- All COM fabrics sent to AIS must include the FA document.
- If a third-party vendor is shipping directly, you are responsible for providing them with the form.
- AIS is not responsible for fabric shipped without proper documentation or to the wrong address.
- When shipping, send tracking information and the FA number to the COM Team.

#### Yardage & Lead Time

- Lead time begins when AIS receives the COM fabric.
- Yardage requirements listed in the price list assume 54" non-directional, usable width materials.
- Directional fabrics will be railroaded.
- Please note for 66" & 72" wide screens: if applying directional fabrics, they will need to be railroaded for application. If using a COM fabric that is 54" wide, any screen over 48" wide would need to have the fabric railroaded as well.
- Contact the COM Team for fabric yardage requirements. Dealers must send additional fabric if shortages occur. AIS is not responsible for shortages.

#### Fabric Performance & Liability

- AIS reserves the right to reject any fabric unsuitable for upholstery.
- COM approval confirms upholsteryability only. It is not a warranty of appearance, durability, or performance.
- AIS is not responsible for wrinkling, fading, stretching, dye lot variations, color inaccuracies, or flaws in COM upholstery materials. While AIS inspects for mill imperfections, not all flaws are detectable.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

**Paint and Edgeband Options**

**DIVI PAINT OPTIONS**

| Name                | Color Code | Divi Panel Grade | Divi Base Grade |
|---------------------|------------|------------------|-----------------|
| Black               | BK         | A                | A               |
| Chalk               | CK         | A                | -               |
| Dark Tone           | DT         | A                | -               |
| Grey Value 1        | GV1        | A                | A               |
| Innertone           | HT         | A                | -               |
| Light Tone          | LT         | A                | A               |
| Medium Tone         | MT         | A                | A               |
| Metallic Silver     | MS         | A                | -               |
| Satin White         | SW         | A                | A               |
| Warm Brown          | WB         | A                | A               |
| Champagne Metallic  | CHM        | B                | -               |
| Dark Grey Metallic  | DGM        | B                | -               |
| Flint Grey Metallic | FGM        | B                | -               |
| Light Grey          | LG         | B                | -               |
| Tan Value 1         | TV1        | B                | -               |
| Antique Gold        | AG         | C                | -               |
| Graphite Sky        | GS         | C                | -               |
| Burnt Orange        | BO         | C                | -               |
| Brown               | BR         | C                | -               |
| Steel Blue          | SB         | C                | -               |
| Baltic Blue         | BB         | C                | -               |
| Ruby Red            | RB         | C                | -               |
| Kelly Green         | KG         | C                | -               |

**Custom Paints**

**Special Paint Match Process & Ordering Instructions**

To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.

**Match Process & Fees:**

- A **non-refundable \$450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.

**Pricing:**

- Pricing begins at the **Grade C paint tier**.
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of \$100,000 List** is required for special paint orders.
- The **\$450 match fee will be waived** if the order is **\$150,000 List or more** (and placed using the approved color).

**Ordering Instructions (after color approval):**

1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:  
**“SPECIAL PAINT REQUIRED ON THIS ORDER”**  
 – either in the header or special instructions section.
3. When selecting finishes:  
 – Choose the **Grade C Paint option**.  
 – **Do not select a final paint color**.  
 – **Leave the paint code blank** and use the skip option.

**DIVI BASE COLOR OPTIONS**

| Name         |
|--------------|
| Black        |
| Grey Value 1 |
| Light Tone   |
| Medium Tone  |
| Satin White  |
| Warm Brown 1 |

**EDGEBOARD OPTIONS**

| Name                     | Color Code | Grade |
|--------------------------|------------|-------|
| Absolute Acajou          | AA         | A     |
| Aimtoo Savatre           | AS         | A     |
| Black                    | BK         | A     |
| Brazilwood               | BZ         | A     |
| Chalk                    | CK         | A     |
| Corporate Walnut         | CT         | A     |
| Dark Rum Cherry          | DR         | A     |
| Dark Tone                | DT         | A     |
| Field Elm                | FE         | A     |
| Grand Cherry             | GC         | A     |
| Grey Elm                 | GE         | A     |
| Grey Value 1             | GV1        | A     |
| Landmark                 | LM         | A     |
| Leave Likatre            | LV         | A     |
| Light Tone               | LT         | A     |
| Linen                    | LN         | A     |
| Looks Likatre            | LK         | A     |
| Maritime Dune            | MD         | A     |
| Medium Tone              | MT         | A     |
| Midwest Maple            | MM         | A     |
| Neo Walnut               | NW         | A     |
| Phantom Ecrú             | PE         | A     |
| Phantom Pearl            | PP         | A     |
| Satin White / True White | SW / TW    | A     |
| Storm                    | ST         | A     |
| Summer Drops             | SD         | A     |
| Trytoo Savatre           | TS         | A     |
| White Chocolate          | WC         | A     |

**Custom Edgeband Options**

- Custom match non-standard edgebands must be submitted as a special. Pricing varies based on edge thickness and finish.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.

**Laminate and Tempered Glass Options**

| <b>DIVI INSERTS LAMINATE OPTIONS</b> |              |
|--------------------------------------|--------------|
| <b>Name</b>                          | <b>Grade</b> |
| Absolute Acajou                      | B            |
| Aimtoo Savatre                       | B            |
| Black                                | B            |
| Brazilwood                           | B            |
| Chalk                                | B            |
| Corporate Walnut                     | B            |
| Dark Rum Cherry                      | B            |
| Field Elm                            | B            |
| Grand Cherry                         | B            |
| Grey Elm                             | B            |
| Landmark                             | B            |
| Leave Likatre                        | B            |
| Linen                                | B            |
| Looks Likatre                        | B            |
| Maritime Dune                        | B            |
| Midwest Maple                        | B            |
| Neo Walnut                           | B            |
| Phantom Ecu                          | B            |
| Phantom Pearl                        | B            |
| Storm                                | B            |
| Summer Drops                         | B            |
| Titanium EV                          | B            |
| True White                           | B            |
| Trytoo Savatre                       | B            |
| White Chocolate                      | B            |

| <b>TEMPERED GLASS OPTIONS</b> |  |                                       |                                       |
|-------------------------------|--|---------------------------------------|---------------------------------------|
| <b>Name</b>                   | <b>Panels/Frame/Tiles/<br/>Screens</b> | <b>1/4" Thick<br/>Frameless Glass</b> | <b>3/8" Thick<br/>Frameless Glass</b> |
| Clear                         | Y                                      | Y                                     | Y                                     |
| Frosted                       | Y                                      | Y                                     | Y                                     |
| Bronze Tint                   | Y                                      | Y                                     | N                                     |
| Grey Tint                     | Y                                      | Y                                     | N                                     |

All glass is tempered. The etched side of Frosted is always on Side A of the Frame or Panel. Side B of this glass options are smooth. Please see specific price list pages on each type of glass for list pricing and upcharges.

**Warranty:**

All glass in AIS' product lines is tempered glass. By tempering the glass, the result is a stronger material that, if broken, fractures into smaller, less dangerous pieces. Tempered glass is commonly referred to as 'safety glass' due to this breakage feature. While the glass is stronger through tempering, it is critical to still handle with extreme care and caution and avoid impact that could result in damage. While uncommon, small impurities in the glass introduced during the tempering process, or damages to the edges resulting from handling or use, can cause unpredictable and spontaneous glass breakage, which is excluded from the AIS warranty.

## Divi Laminate Storage Details

### General Construction Details

- Laminate drawer and door faces are  $\frac{3}{4}$ " thick.
- Leveling feet are adjustable up to 1" for all floor supported components.
- Units are finished all over, including the backs.
- Shelves will match body selection
- Laminate patterns such as grain or geometric shapes do not "match" face to face. However this is not noticeable on most laminate options with the exception of natural looking woods where cathedrals appear. AIS cannot guarantee that the woodgrain will match up on the different parts of the same surface.
- AIS recommends the use of mouse pads to protect longevity and integrity of worksurfaces.

### Handle Options

- Five handle options are available:
  1. Bar Pull\*
  2. Loop Pull\*
  3. Rectangular Pull\*
  4. L Pull\*
  5. Slim Pull\*\*
- All handles are available in any graded paint selection.
- The bar pull and rectangle pull are available in brushed nickel; the loop pull is available in bright metal. The slim and L Pull are only available with painted options.
- Laminate hinged doors may be configured with touch-to-open mechanism and no handles (not applicable to framed glass doors).
- Sliding doors include an option of no handle.
- Please see Product Detail: Drawer and Handles Guide for handle examples.

\*Symbols default with the Bar Pull but can be adjusted while applying your finishes.

The handle hole spread for Bar, Loop, Rectangular and L Pulls is 5" if you wish to supply your own handles.

\*\*The handle hole spread for the Slim Pull is specific to the drawer front size.

### Assembly Details

- Adjustable shelves are adjustable in 32mm increments.
- Easy assembly using CAM and PIN construction allows ease of disassembly.

### Storage

- AIS offers a wide variety of storage options and configurations that will work with your office needs. For more details please see below.
- Full depth units come with counterweights except for units with cut-outs.
- Partial depth units do not have counterweights. These units should be specified in a manner in which they are secured by a worksurface or ganged together with another storage unit using the Calibrate surface to support bracket.
- Framed doors are a silver vinyl wrapping with frosted acrylic.
- 18" deep towers and pull-out towers include a coat hook.
- 24" deep towers include a coat rod for hangers.
- Filing offered is side-to-side as standard for pencil lateral and file laterals that are 24" deep as well as partial depth laterals (22" deep and 29" deep).
- Front to back filing is an option that can be purchased as an accessory and will ship separately.
- All storage symbols will show the bar pull, however in worksheet you can swap the handle out as an option to one of the other standard offerings.
- 18" deep pedestals have 12" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- 24" deep pedestals have 20" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- 30" deep pedestals have 20" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- Pencil trays are included in the BBF and BF pedestals.
- Shelving counts: 42" high units have 2 shelves; 50" and 66" high units have 3 shelves; 74" and 82" high units have 4 shelves.
- Feet on storage are silver.

### Overheads and Hutches

- Available as wall mounted or as a surface mounted hutch.
- Tackboards are specified separately, they do not come with the hutches.
- Installation details: Hutches will be secured to the top of the desk shell with cam and bolts or with double sided tape and screws to the wall and the side units when available. Hutch Wall Brackets (C-XHWP) are required when hutch is offset from wall or when not ganged to an adjacent tower unit.
- Wall mounted items are secured using cleat mounts. Security screws need to run through the wall cleat to assure that overhead cannot dislodge.

## **Divi Laminate Storage Details**

### **Locks**

- Box/Box/Files (BBF) pedestals will only lock the file and the middle box drawer, not the top box.
- File/File (FF) pedestal locks will secure both drawers.
- For all lateral files, wardrobe and storage units the locks will secure the drawers/door for the entire unit.
- All drawers lock on 3, 4 and 5 drawer laterals.
- Units will come with 2 keys per lock.
- Key-alike options are available per storage unit, additional lock cores may be ordered (for an additional charge) to key-alike an entire office.
- Items with 2 or more locks per unit will be keyed alike.

### **Lock Guide**

Five lock options are offered:

- A - No lock required
- B - Black Lock
- C - Silver Lock
- D - No lock w/ black T-ring for keyed-alike or Digital Lock\*
- E - No lock w/ silver T-ring for keyed alike or Digital Lock\*

Lock cores and trim rings do not ship installed.

\*Keyed alike lock cores must be ordered separately.

### **Tackboards**

- Tackboards are designed to work with your stations need, with or without storage.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.
- Please see Product Detail for examples of tackboard fabric direction.

**Divi Laminate Storage Details**

**Drawer Handles Guide**

Five handle options are available:

- Bar
- Rectangular
- Loop
- L Pull
- Slim Pull\*

**Door Handles Guide**


Five handle options are available:

- Bar
- Rectangular
- Loop
- L Pull
- Touch to Open\*\*
- No Handle\*\*\*


\*The Slim Pull option incurs an upcharge of \$75 list per unit.

\*\*Available on laminate hinged doors only; not available on framed glass doors or sliding doors. Incurs an upcharge of \$50 per unit.


\*\*\*Available on sliding doors.




Bar




Rectangular



Loop



L Pull




Slim Pull

## Divi Monolithic Panel Product Details

### Permanent Monolithic Panel Availability

#### Fabric Covered - Hard Surface - Powered/Non-Powered:



**Nominal Heights:**


42", 50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**

24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")

\*72" wide available in 42", 50" and 58" high only

#### Fabric Covered - Tackable Surface - Powered/Non-Powered:



**Nominal Heights:**


50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**

24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")

\*72" wide available in 50" high only

#### Quarter Glass - Fabric Covered Hard Surface - Powered/Non-Powered:



**Nominal Heights:**

50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range


**Widths:**

24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")

\*72" wide available in 50", 58" and 66" high only

**Note:** Glass section on all quarter-glass panels are 14.5" high.

#### Half Glass - Fabric Covered Hard Surface - Powered/Non-Powered:



**Nominal Heights:**

58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**

24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")

\*72" wide available in 58" high only

**Note:** Glass sections on 58"H panels are 24" high; glass sections on 66" and 82"H panels are 32"H.

#### ADA Door Panels:



**Nominal Heights:**


82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**


48" (Actual Width = Nominal + 1/8")

Divi Monolithic Panel Product Details


**Permanent Monolithic Panel Profile**



Hanger frame has a slot pattern on a 1" standard increment for hang on components. Slots are 3/4" tall x approximately 1/8" wide. Hanger frame is factory installed and removal is not required for panel installation.




Hanger frame face is factory finished and requires no endcap or HiLo trim after panel installation.




Hanger frame topcap is field installed and remains easily removable to facilitate panel installation and reconfiguration.

Panel topcap is factory installed. Topcaps on permanent monolithic panels are fixed.



Panel polypropylene hinge inserts into hinge channels built into every hanger frame in order to connect panels together. A 21" length is inserted to the bottom and then an additional length for each panel height needed.




Alignment plate holds panels in vertical alignment and prevents panel shear.

8 wire 4 circuit powerway is included with every powered panel and is factory installed.


Raceway glides are adjustable up to 1 3/4" for installation on unlevel floors and include carpet grippers.

Outlets are located 10" on center from end of panel to center of outlet hole on all width panels.



Metal raceway divider (optional) separates low voltage data cables and high voltage electrical cables if desired. Divider attaches to raceway glides and is retrofitable on installed panels.

Base cover assembly ships separate as one piece and installs by sliding under panel after panel installation, hinging up and snapping to the underside of the panel. Non-powered or powered base covers are shipped with non-powered or powered panels, respectively. Base covers have a small "mud flap" for data cable egress.




Duplex outlets are ordered separately. Two outlets can be used per side, four total per panel. Outlets utilize top base cover holes.

Duplex outlet covers hide unused duplex outlet or data locations. Six are shipped with every panel. A 24"W gets three duplex outlet covers. Order extra as needed.

Snap-in data jack housing (order separately) accommodates six Hubbell or compatible data/voice jacks. Snap-in housings may not be used back to back on a spine wall.

Duplex Outlet Hole Dimensions:  
1.860"H x 3.012"W




Data cable raceway cavity is approximately 2" wide by 3" tall and can accommodate between 32 and 40 Cat 6 data cables, depending on how tightly they are packed.

Cat 5 and 6 data jacks extend beyond center line of raceway, preventing jack housings to be used back to back on a spine. Plan on using "cross corners" on panel to eliminate this issue.


**Divi Monolithic Panel Product Details**

**Panel Frame Creep Dimensions**



**Rules for Panel Stability without Components**



The guidelines outlined below should be followed when designing AIS Divi panels without components to ensure panel stability. Change in height will not effect panel stability.



**Divi Monolithic Panel Product Details**

**Rules for Panel Stability with Components without Floor Support**

Fully panel supported workstations are stations without floor support elements. The panels support the load from shelves and worksurfaces alone. The guidelines outlined below should be followed when designing AIS Divi panels in panel supported workstations to ensure panel stability. 90 Degree connections require corner connection brackets (included with panels).



**Guide Details:**


Calibrate laminate overheads cannot be stacked two high.  
Maximum shelf load is 125lb.  
Maximum cantilevered worksurface load is 200lb.

Raised Flipper Door Units are not allowed on 66" h and 82" h panels.  
90 Degree connections require corner connection brackets (included with panels).  
Carpet grippers to be installed on wing panels.

## Divi Monolithic Panel Product Details

### Rules for Panel Stability with Components and Floor Support

Partially panel supported workstations are stations where the worksurfaces are supported from structural lats, peds, A-legs, end panels, etc. in addition to panel supports. The panels support the loads from the overheads but share the load on the surfaces. The guidelines outlined below should be followed when designing AIS Divi panels in partially panel supported stations to ensure panel stability. 90 Degree connections require corner connection brackets (included with panels).



|  |  |  |  |
|--|--|--|--|
| <p>Unbalanced Load<br/>Partially Panel Supported</p> <p>24" Min<br/>60" Max<br/>Per Panel</p> <p>42"</p> <p>Spine Height: 42"<br/>Min. Wing Height: 42"</p>                      | <p>Unbalanced Load<br/>Partially Panel Supported</p> <p>24" Min<br/>60" Max<br/>Per Panel</p> <p>42"</p> <p>Spine Height: 50"<br/>Min. Wing Height: 42"</p>                    | <p>Unbalanced Load<br/>Partially Panel Supported</p> <p>24" Min<br/>48" Max<br/>Per Panel</p> <p>42"</p> <p>Spine Height: 66"<br/>Min. Wing Height: 42"</p>      | <p>Unbalanced Load<br/>Partially Panel Supported</p> <p>24" Min<br/>48" Max<br/>Per Panel</p> <p>50"</p> <p>Spine Height: 82"<br/>Min. Wing Height: 50"</p>      |
| <p>Unbalanced Load<br/>Partially Panel Supported<br/>Raised Overheads</p> <p>24" Min<br/>48" Max<br/>Per Panel</p> <p>50"</p> <p>Spine Height: 50"<br/>Min. Wing Height: 50"</p> | <p>Balanced Load<br/>Partially Panel Supported</p> <p>24" Min<br/>60" Max<br/>Per Panel</p> <p>42"</p> <p>Spine Height: 42"<br/>Min. Wing Height: 42"</p>                      | <p>Balanced Load<br/>Partially Panel Supported</p> <p>24" Min<br/>60" Max<br/>Per Panel</p> <p>42"</p> <p>Spine Height: 50"<br/>Min. Wing Height: 42"</p>        | <p>Balanced Load<br/>Partially Panel Supported</p> <p>24" Min<br/>60" Max<br/>Per Panel</p> <p>42"</p> <p>Spine Height: 66"<br/>Min. Wing Height: 42"</p>        |
| <p>Balanced Load<br/>Partially Panel Supported</p> <p>24" Min<br/>60" Max<br/>Per Panel</p> <p>50"</p> <p>Spine Height: 82"<br/>Min. Wing Height: 50"</p>                        | <p>Balanced Load<br/>Partially Panel Supported<br/>Raised Overheads</p> <p>24" Min<br/>60" Max<br/>Per Panel</p> <p>50"</p> <p>Spine Height: 50"<br/>Min. Wing Height: 50"</p> | <p>Balanced Load<br/>Fully Panel Supported</p> <p>24" Min<br/>48" Max<br/>Per Panel</p> <p>82"</p> <p>82"</p> <p>Spine Height: 82"<br/>Min. Wing Height: 82"</p> | <p>Balanced Load<br/>Fully Panel Supported</p> <p>24" Min<br/>48" Max<br/>Per Panel</p> <p>82"</p> <p>82"</p> <p>Spine Height: 82"<br/>Min. Wing Height: 82"</p> |

#### Guide Details:










Panel Mounted A-Legs, end panels, lateral files and pedestals are the only support types acceptable for fully floor supported Divi panel configurations. Calibrate laminate overheads cannot be stacked two high. Maximum shelf load is 125lb.

Maximum cantilevered worksurface load is 200lb. Raised Flipper Door Units are not allowed on 66"h and 82"h panels. 90 Degree connections require corner connection brackets (included with panels). Carpet grippers to be installed on wing panels.

**Divi Monolithic Panel Product Details**

**Rules for Panel Stability with Components with only Floor Storage**

Fully floor supported workstations are stations where the worksurfaces are supported from structural pedestals with panel attachment brackets, A-legs, or standard end panels. The panels support the loads from the overheads but share the load on the surfaces. The guidelines outlined below should be followed when designing AIS Divi panels in fully floor supported stations to ensure panel stability. 90 Degree connections require corner connection brackets (included with panels).



**Guide Details:**

Panel Mounted A-Legs, end panels, lateral files and pedestals are the only support types acceptable for fully floor supported Divi panel configurations. Calibrate laminate overheads cannot be stacked two high. Maximum shelf load is 125lb.


Maximum cantilevered worksurface load is 200lb. Raised Flipper Door Units are not allowed on 66"h and 82"h panels. 90 Degree connections require corner connection brackets (included with panels). Carpet grippers to be installed on wing panels.

## Divi Monolithic Panel Product Details

### Rules for Panel Stability with Components


#### 24" Deep Worksurfaces:

Use standard 24" deep cantilevers  
Install corner connection bracket (details below)




#### 30" Deep Worksurfaces:

Use standard 30" deep cantilevers  
Use side support / rear bracket at the front of the surface  
Install corner connection bracket (details below)




Corner connection brackets must be installed on 90 degree corners. Corner connection brackets are included with the panels and do not need to be specified separately.




Divi Monolithic Panel Product Details

72" Wide Panel Product Details


Only 24" depths can be fully cantilevered



Peds can be used on 24" - 30" depths



Side support brackets can be used on 24" and 30" depths




Notes:

- 1. Can not be used with suspended storage.
- 2. U-Channels are required.
- 3. Max weight: 150lbs.

**Divi Monolithic Panel Product Details**

**Directional Fabric Application Guidelines**

For aesthetic reasons, consider having fabric run in same direction on all panels. Note that 72" wide panels can only have horizontal direction, 82" high panels can only have vertical direction. In designs calling for mixing 72" wide and 82" high panels, consider using a non-directional fabric.




| 54" WIDE FABRIC ROLLS |                     |                     |                     |                     |                     |            |            |
|-----------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------------|------------|
| HEIGHT                | WIDTH               |                     |                     |                     |                     |            |            |
|                       | 24W                 | 30W                 | 36W                 | 42W                 | 48W                 | 60W        | 72W        |
| <b>16H (Stack)</b>    | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal | Horizontal |
| <b>24H (Stack)</b>    | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal | Horizontal |
| <b>42H</b>            | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal | Horizontal |
| <b>50H</b>            | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal | Horizontal |
| <b>58H</b>            | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal | Horizontal |
| <b>66H</b>            | Vertical            | Vertical            | Vertical            | Vertical            | Vertical            | N/A        | N/A        |
| <b>82H</b>            | Vertical            | Vertical            | Vertical            | Vertical            | Vertical            | N/A        | N/A        |

| 66" WIDE FABRIC ROLLS |                     |                     |                     |                     |                     |                     |            |
|-----------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------------|
| HEIGHT                | WIDTH               |                     |                     |                     |                     |                     |            |
|                       | 24W                 | 30W                 | 36W                 | 42W                 | 48W                 | 60W                 | 72W        |
| <b>16H (Stack)</b>    | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal |
| <b>24H (Stack)</b>    | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal |
| <b>42H</b>            | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal |
| <b>50H</b>            | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal |
| <b>58H</b>            | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal |
| <b>66H</b>            | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | N/A        |
| <b>82H</b>            | Vertical            | Vertical            | Vertical            | Vertical            | Vertical            | N/A                 | N/A        |


**Divi Monolithic Panel Product Details**

**Gallery Panel Examples**


**Single End**  
 24" - 90" Wide\*  
 Left or Right  
*\*Over 66" Wide needs support*




**Single End for Wing**  
 48" - 90" Wide  
 Left or Right




**Single End for Wing Facing Forward**  
 48" - 90" Wide  
 Left or Right




**Single End for Wing Front and Back**  
 48" - 90" Wide  
 Left or Right




**Single Spine**  
 24" - 90" Wide\*  
 Non-Handed  
*\*Over 66" Wide needs support*




**Single Spine for Wing**  
 48" - 90" Wide  
 Left or Right




**Single Spine for Wings Front and Back**  
 48" - 90" Wide  
 Non-Handed




**Double End**  
 48" - 90" Wide



**Double Spine**  
 48" - 90" Wide  
 Non-Handed




**Mid Mount End**  
 24" - 90" Wide\*  
 Left or Right  
*\*Over 66" Wide needs support*




**Divi Monolithic Panel Product Details**

**Gallery Panel Examples**


**Mid Mount End for Wing**  
48" - 90" Wide  
Left or Right




**Mid Mount End for Wing Facing Front**  
48" - 90" Wide  
Left or Right




**Mid Mount End for Wings Front and Back**  
48" - 90" Wide  
Left or Right




**Mid Mount Spine**  
24" - 90" Wide\*  
Non-Handed  
*\*Over 66" Wide needs support*



**Mid Mount Spine for Wing**  
60" - 90" Wide  
Left or Right



**Mid Mount Spine for Wings Front and Back**  
48" - 90" Wide  
Non-Handed



**Divi Monolithic Panel Product Details**

| <b>SINGLE END AND SINGLE SPINE LEFT AND RIGHT GRAIN DIRECTIONS</b> |              |             |             |             |             |             |            |            |            |            |            |            |
|--|--------------|-------------|-------------|-------------|-------------|-------------|------------|------------|------------|------------|------------|------------|
| <b>HEIGHT</b>  | <b>WIDTH</b> |             |             |             |             |             |            |            |            |            |            |            |
|  | <b>24</b>    | <b>30</b>   | <b>36</b>   | <b>42</b>   | <b>48</b>   | <b>54</b>   | <b>60</b>  | <b>66</b>  | <b>72</b>  | <b>78</b>  | <b>84</b>  | <b>90</b>  |
| <b>42</b>  | Vert./Horz.  | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| <b>50</b>  | Vert./Horz.  | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| <b>58</b>  | Vert./Horz.  | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| <b>66</b>  | Vertical     | Vertical    | Vertical    | Vertical    | Vertical    | Vertical    | N/A        | N/A        | N/A        | N/A        | N/A        | N/A        |

| <b>DOUBLE END AND DOUBLE SPINE GRAIN DIRECTIONS</b> |              |             |            |            |            |            |            |            |  |
|---|--------------|-------------|------------|------------|------------|------------|------------|------------|--|
| <b>HEIGHT</b>                                       | <b>WIDTH</b> |             |            |            |            |            |            |            |  |
|   | <b>48</b>    | <b>54</b>   | <b>60</b>  | <b>66</b>  | <b>72</b>  | <b>78</b>  | <b>84</b>  | <b>90</b>  |  |
| <b>42</b>   | Vert./Horz.  | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |  |
| <b>50</b>   | Vert./Horz.  | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |  |
| <b>58</b>   | Vert./Horz.  | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |  |
| <b>66</b>   | Vertical     | Vertical    | N/A        | N/A        | N/A        | N/A        | N/A        | N/A        |  |

| <b>MID MOUNT END AND MID MOUNT SPINE LEFT AND RIGHT GRAIN DIRECTIONS</b> |              |             |             |             |             |             |            |            |            |            |            |            |
|--|--------------|-------------|-------------|-------------|-------------|-------------|------------|------------|------------|------------|------------|------------|
| <b>HEIGHT</b>  | <b>WIDTH</b> |             |             |             |             |             |            |            |            |            |            |            |
|  | <b>24</b>    | <b>30</b>   | <b>36</b>   | <b>42</b>   | <b>48</b>   | <b>54</b>   | <b>60</b>  | <b>66</b>  | <b>72</b>  | <b>78</b>  | <b>84</b>  | <b>90</b>  |
| <b>42</b>  | Vert./Horz.  | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| <b>50</b>  | Vert./Horz.  | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| <b>58</b>  | Vert./Horz.  | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| <b>66</b>  | Vertical     | Vertical    | Vertical    | Vertical    | Vertical    | Vertical    | N/A        | N/A        | N/A        | N/A        | N/A        | N/A        |

| <b>WING PANEL LEFT AND RIGHT GRAIN DIRECTIONS</b> |              |             |             |
|---|--------------|-------------|-------------|
| <b>HEIGHT</b>                                     | <b>WIDTH</b> |             |             |
|   | <b>18</b>    | <b>24</b>   | <b>30</b>   |
| <b>42</b>   | Vert./Horz.  | Vert./Horz. | Vert./Horz. |
| <b>50</b>   | Vert./Horz.  | Vert./Horz. | Vert./Horz. |
| <b>58</b>   | Vert./Horz.  | Vert./Horz. | Vert./Horz. |
| <b>66</b>   | Vertical     | Vertical    | Vertical    |


## Divi Linear Hard Surface Permanent Monolithic Panels

### DIVI LINEAR HARD SURFACE PERMANENT MONOLITHIC NON-POWERED PANELS


| H  | W  | Model Number | List  | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|--------------|-------|--------------|----------------|----------------|
| 42 | 24 | P-DLFRPM4224 | 767   | -46          | +28            | +60            |
| 42 | 30 | P-DLFRPM4230 | 830   | -46          | +28            | +60            |
| 42 | 36 | P-DLFRPM4236 | 886   | -46          | +56            | +118           |
| 42 | 42 | P-DLFRPM4242 | 940   | -46          | +56            | +118           |
| 42 | 48 | P-DLFRPM4248 | 995   | -46          | +56            | +118           |
| 42 | 60 | P-DLFRPM4260 | 1,190 | -46          | +56            | +118           |
| 42 | 72 | P-DLFRPM4272 | 1,381 | -46          | +56            | +118           |
| 50 | 24 | P-DLFRPM5024 | 823   | -56          | +34            | +74            |
| 50 | 30 | P-DLFRPM5030 | 914   | -56          | +34            | +74            |
| 50 | 36 | P-DLFRPM5036 | 1,000 | -56          | +68            | +146           |
| 50 | 42 | P-DLFRPM5042 | 1,092 | -56          | +68            | +146           |
| 50 | 48 | P-DLFRPM5048 | 1,189 | -56          | +68            | +146           |
| 50 | 60 | P-DLFRPM5060 | 1,413 | -56          | +68            | +146           |
| 50 | 72 | P-DLFRPM5072 | 1,632 | -56          | +68            | +146           |
| 58 | 24 | P-DLFRPM5824 | 1,013 | -56          | +46            | +100           |
| 58 | 30 | P-DLFRPM5830 | 1,096 | -56          | +46            | +100           |
| 58 | 36 | P-DLFRPM5836 | 1,119 | -56          | +92            | +200           |
| 58 | 42 | P-DLFRPM5842 | 1,185 | -56          | +92            | +200           |
| 58 | 48 | P-DLFRPM5848 | 1,469 | -56          | +92            | +200           |
| 58 | 60 | P-DLFRPM5860 | 1,593 | -56          | +92            | +200           |
| 58 | 72 | P-DLFRPM5872 | 1,743 | -56          | +92            | +200           |

### DIVI LINEAR HARD SURFACE PERMANENT MONOLITHIC POWERED PANELS

| H  | W  | Model Number | List  | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|--------------|-------|--------------|----------------|----------------|
| 42 | 24 | P-DLFPPM4224 | 1,178 | -46          | +28            | +60            |
| 42 | 30 | P-DLFPPM4230 | 1,238 | -46          | +28            | +60            |
| 42 | 36 | P-DLFPPM4236 | 1,289 | -46          | +56            | +118           |
| 42 | 42 | P-DLFPPM4242 | 1,339 | -46          | +56            | +118           |
| 42 | 48 | P-DLFPPM4248 | 1,398 | -46          | +56            | +118           |
| 42 | 60 | P-DLFPPM4260 | 1,586 | -46          | +56            | +118           |
| 42 | 72 | P-DLFPPM4272 | 1,766 | -46          | +56            | +118           |
| 50 | 24 | P-DLFPPM5024 | 1,235 | -56          | +34            | +74            |
| 50 | 30 | P-DLFPPM5030 | 1,317 | -56          | +34            | +74            |
| 50 | 36 | P-DLFPPM5036 | 1,402 | -56          | +68            | +146           |
| 50 | 42 | P-DLFPPM5042 | 1,493 | -56          | +68            | +146           |
| 50 | 48 | P-DLFPPM5048 | 1,586 | -56          | +68            | +146           |
| 50 | 60 | P-DLFPPM5060 | 1,803 | -56          | +68            | +146           |
| 50 | 72 | P-DLFPPM5072 | 2,021 | -56          | +68            | +146           |
| 58 | 24 | P-DLFPPM5824 | 1,384 | -56          | +46            | +100           |
| 58 | 30 | P-DLFPPM5830 | 1,479 | -56          | +46            | +100           |
| 58 | 36 | P-DLFPPM5836 | 1,525 | -56          | +92            | +200           |
| 58 | 42 | P-DLFPPM5842 | 1,556 | -56          | +92            | +200           |
| 58 | 48 | P-DLFPPM5848 | 1,842 | -56          | +92            | +200           |
| 58 | 60 | P-DLFPPM5860 | 1,891 | -56          | +92            | +200           |
| 58 | 72 | P-DLFPPM5872 | 2,124 | -56          | +92            | +200           |



Divi Linear Trim



Divi Linear Trim

#### Specify

#### Notes

- Fabric Selection for Side A and B
  - Fabric Direction
  - Paint Selection for Panel Trim (Grade C +28)
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
  - Data Access Option (+15)
- Permanent Monolithic Non-Powered Panels are fabric covered hard surface panels.
  - Panels may be ordered with power/data access base covers and/or raceway divider.
  - Each panel includes all connection hinges needed for each panel.
  - 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
  - 82" high panels will always have a vertical fabric direction.
  - Features Divi Linear trim.

#### Specify

#### Notes

- Fabric Selection for Side A and B
  - Fabric Direction
  - Paint Selection for Panel Trim (Grade C +28)
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
- Permanent Monolithic Powered Panel are fabric covered hard surface panels.
  - Includes 8 wire 4 circuit powerway and power/data access base covers.
  - Panels may be ordered with a raceway divider.
  - Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
  - Each panel includes all connection hinges needed for each panel.
  - Duplex outlets and electrical jumpers are specified separately. See "Electrical".
  - 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
  - 82" high panels will always have a vertical fabric direction.
  - Features Divi Linear trim.


**Divi Linear Hard Surface Permanent Monolithic Panels**

**DIVI LINEAR HARD SURFACE PERMANENT MONOLITHIC NON-POWERED PANELS**


| H  | W  | Model Number | List  | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|--------------|-------|--------------|----------------|----------------|
| 66 | 24 | P-DLFRPM6624 | 946   | -56          | +46            | +100           |
| 66 | 30 | P-DLFRPM6630 | 1,046 | -56          | +46            | +100           |
| 66 | 36 | P-DLFRPM6636 | 1,136 | -56          | +92            | +200           |
| 66 | 42 | P-DLFRPM6642 | 1,233 | -56          | +92            | +200           |
| 66 | 48 | P-DLFRPM6648 | 1,326 | -56          | +92            | +200           |
| 66 | 60 | P-DLFRPM6660 | 1,588 | -56          | +92            | +200           |
| 82 | 24 | P-DLFRPM8224 | 1,075 | -94          | +60            | +128           |
| 82 | 30 | P-DLFRPM8230 | 1,185 | -94          | +60            | +128           |
| 82 | 36 | P-DLFRPM8236 | 1,301 | -94          | +118           | +254           |
| 82 | 42 | P-DLFRPM8242 | 1,402 | -94          | +118           | +254           |
| 82 | 48 | P-DLFRPM8248 | 1,537 | -94          | +118           | +254           |

**DIVI LINEAR HARD SURFACE PERMANENT MONOLITHIC POWERED PANELS**

| H  | W  | Model Number | List  | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|--------------|-------|--------------|----------------|----------------|
| 66 | 24 | P-DLFPPM6624 | 1,348 | -56          | +46            | +100           |
| 66 | 30 | P-DLFPPM6630 | 1,445 | -56          | +46            | +100           |
| 66 | 36 | P-DLFPPM6636 | 1,548 | -56          | +92            | +200           |
| 66 | 42 | P-DLFPPM6642 | 1,630 | -56          | +92            | +200           |
| 66 | 48 | P-DLFPPM6648 | 1,725 | -56          | +92            | +200           |
| 66 | 60 | P-DLFPPM6660 | 1,975 | -56          | +92            | +200           |
| 82 | 24 | P-DLFPPM8224 | 1,479 | -94          | +60            | +128           |
| 82 | 30 | P-DLFPPM8230 | 1,586 | -94          | +60            | +128           |
| 82 | 36 | P-DLFPPM8236 | 1,690 | -94          | +118           | +254           |
| 82 | 42 | P-DLFPPM8242 | 1,797 | -94          | +118           | +254           |
| 82 | 48 | P-DLFPPM8248 | 1,903 | -94          | +118           | +254           |



Divi Linear Trim



Divi Linear Trim

**Specify** **Notes**

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>• Fabric Selection for Side A and B</li> <li>• Fabric Direction</li> <li>• Paint Selection for Panel Trim (Grade C +28)</li> <li>• Color Selection for Base Cover</li> <li>• Raceway Divider Option (+50)</li> <li>• Data Access Option (+15)</li> </ul> | <ul style="list-style-type: none"> <li>• Permanent Monolithic Non-Powered Panels are fabric covered hard surface panels.</li> <li>• Panels may be ordered with power/data access base covers and/or raceway divider.</li> <li>• Each panel includes all connection hinges needed for each panel.</li> <li>• 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.</li> <li>• 82" high panels will always have a vertical fabric direction.</li> <li>• Features Divi Linear trim.</li> </ul> |
|---|--|

**Specify** **Notes**

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>• Fabric Selection for Side A and B</li> <li>• Fabric Direction</li> <li>• Paint Selection for Panel Trim (Grade C +28)</li> <li>• Color Selection for Base Cover</li> <li>• Raceway Divider Option (+50)</li> </ul> | <ul style="list-style-type: none"> <li>• Permanent Monolithic Powered Panel are fabric covered hard surface panels.</li> <li>• Includes 8 wire 4 circuit powerway and power/data access base covers.</li> <li>• Panels may be ordered with a raceway divider.</li> <li>• Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.</li> <li>• Each panel includes all connection hinges needed for each panel.</li> <li>• Duplex outlets and electrical jumpers are specified separately. See "Electrical".</li> <li>• 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.</li> <li>• 82" high panels will always have a vertical fabric direction.</li> <li>• Features Divi Linear trim.</li> </ul> |
|---|---|


**Divi Linear Tackable Surface Permanent Monolithic Panels**

**DIVI LINEAR TACKABLE SURFACE PERMANENT MONOLITHIC NON-POWERED PANELS**


| H  | W  | Model Number | List  | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|--------------|-------|--------------|----------------|----------------|
| 50 | 24 | P-DLTRPM5024 | 1,000 | -56          | +34            | +74            |
| 50 | 30 | P-DLTRPM5030 | 1,026 | -56          | +34            | +74            |
| 50 | 36 | P-DLTRPM5036 | 1,146 | -56          | +68            | +146           |
| 50 | 42 | P-DLTRPM5042 | 1,223 | -56          | +68            | +146           |
| 50 | 48 | P-DLTRPM5048 | 1,302 | -56          | +68            | +146           |
| 50 | 60 | P-DLTRPM5060 | 1,551 | -56          | +68            | +146           |
| 50 | 72 | P-DLTRPM5072 | 1,797 | -56          | +68            | +146           |
| 58 | 24 | P-DLTRPM5824 | 1,065 | -56          | +46            | +100           |
| 58 | 30 | P-DLTRPM5830 | 1,115 | -56          | +46            | +100           |
| 58 | 36 | P-DLTRPM5836 | 1,237 | -56          | +92            | +200           |
| 58 | 42 | P-DLTRPM5842 | 1,311 | -56          | +92            | +200           |
| 58 | 48 | P-DLTRPM5848 | 1,393 | -56          | +92            | +200           |
| 58 | 60 | P-DLTRPM5860 | 1,635 | -56          | +92            | +200           |

**DIVI LINEAR TACKABLE SURFACE PERMANENT MONOLITHIC POWERED PANELS**

| H  | W  | Model Number | List  | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|--------------|-------|--------------|----------------|----------------|
| 50 | 24 | P-DLTPPM5024 | 1,445 | -56          | +34            | +74            |
| 50 | 30 | P-DLTPPM5030 | 1,508 | -56          | +34            | +74            |
| 50 | 36 | P-DLTPPM5036 | 1,586 | -56          | +68            | +146           |
| 50 | 42 | P-DLTPPM5042 | 1,668 | -56          | +68            | +146           |
| 50 | 48 | P-DLTPPM5048 | 1,741 | -56          | +68            | +146           |
| 50 | 60 | P-DLTPPM5060 | 1,996 | -56          | +68            | +146           |
| 50 | 72 | P-DLTPPM5072 | 2,248 | -56          | +68            | +146           |
| 58 | 24 | P-DLTPPM5824 | 1,498 | -56          | +46            | +100           |
| 58 | 30 | P-DLTPPM5830 | 1,559 | -56          | +46            | +100           |
| 58 | 36 | P-DLTPPM5836 | 1,706 | -56          | +92            | +200           |
| 58 | 42 | P-DLTPPM5842 | 1,744 | -56          | +92            | +200           |
| 58 | 48 | P-DLTPPM5848 | 1,784 | -56          | +92            | +200           |
| 58 | 60 | P-DLTPPM5860 | 2,066 | -56          | +92            | +200           |



Divi Linear Trim



Divi Linear Trim

| Specify                             | Notes  |
|-------------------------------------|--|
| • Fabric Selection for Side A and B | <ul style="list-style-type: none"> <li>• Permanent Monolithic Non-Powered Panels - Tackable Surface are fabric covered, sound absorbing tackable panels.</li> <li>• Panels may be ordered with power/data access base covers and/or raceway divider.</li> <li>• Each panel includes all connection hinges needed for each panel.</li> <li>• 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.</li> <li>• 82" high panels will always have a vertical fabric direction.</li> <li>• Features Divi Linear trim.</li> </ul> |
| • Fabric Direction                  |  |
| • Paint Selection for Panel Trim    |  |
| • Color Selection for Base Cover    |  |
| • Raceway Divider Option (+50)      |  |
| • Data Access Option (+15)          |  |

| Specify                             | Notes  |
|-------------------------------------|--|
| • Fabric Selection for Side A and B | <ul style="list-style-type: none"> <li>• Permanent Monolithic Powered Panels - Tackable Surface are fabric covered, sound absorbing tackable panels.</li> <li>• Includes 8 wire 4 circuit powerway and power/data access base covers.</li> <li>• Panels may be ordered with a raceway divider.</li> <li>• Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.</li> <li>• Each panel includes all connection hinges needed for each panel.</li> <li>• Duplex outlets and electrical jumpers are specified separately. See "Electrical".</li> <li>• 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.</li> <li>• 82" high panels will always have a vertical fabric direction.</li> <li>• Features Divi Linear trim.</li> </ul> |
| • Fabric Direction                  |  |
| • Paint Selection for Panel Trim    |  |
| • Color Selection for Base Cover    |  |
| • Raceway Divider Option (+50)      |  |





**Divi Linear Quarter Glass Permanent Monolithic Panels**

**DIVI LINEAR QUARTER GLASS PERMANENT MONOLITHIC NON-POWERED PANELS**


| H  | W  | Model Number   | List  | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|----------------|-------|--------------|----------------|----------------|
| 50 | 24 | P-DLQGWPRM5024 | 1,594 | -32          | +22            | +46            |
| 50 | 30 | P-DLQGWPRM5030 | 1,746 | -32          | +22            | +46            |
| 50 | 36 | P-DLQGWPRM5036 | 1,904 | -32          | +42            | +92            |
| 50 | 42 | P-DLQGWPRM5042 | 2,059 | -32          | +42            | +92            |
| 50 | 48 | P-DLQGWPRM5048 | 2,210 | -32          | +42            | +92            |
| 50 | 60 | P-DLQGWPRM5060 | 2,505 | -32          | +42            | +92            |
| 50 | 72 | P-DLQGWPRM5072 | 2,802 | -32          | +42            | +92            |
| 58 | 24 | P-DLQGWPRM5824 | 1,715 | -56          | +34            | +74            |
| 58 | 30 | P-DLQGWPRM5830 | 1,816 | -56          | +34            | +74            |
| 58 | 36 | P-DLQGWPRM5836 | 2,063 | -56          | +68            | +146           |
| 58 | 42 | P-DLQGWPRM5842 | 2,238 | -56          | +68            | +146           |
| 58 | 48 | P-DLQGWPRM5848 | 2,407 | -56          | +68            | +146           |
| 58 | 60 | P-DLQGWPRM5860 | 2,644 | -56          | +68            | +146           |
| 58 | 72 | P-DLQGWPRM5872 | 2,973 | -56          | +68            | +146           |

**DIVI LINEAR QUARTER GLASS PERMANENT MONOLITHIC POWERED PANELS**

| H  | W  | Model Number   | List  | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|----------------|-------|--------------|----------------|----------------|
| 50 | 24 | P-DLQGWPPM5024 | 1,925 | -32          | +22            | +46            |
| 50 | 30 | P-DLQGWPPM5030 | 2,093 | -32          | +22            | +46            |
| 50 | 36 | P-DLQGWPPM5036 | 2,253 | -32          | +42            | +92            |
| 50 | 42 | P-DLQGWPPM5042 | 2,407 | -32          | +42            | +92            |
| 50 | 48 | P-DLQGWPPM5048 | 2,564 | -32          | +42            | +92            |
| 50 | 60 | P-DLQGWPPM5060 | 2,875 | -32          | +42            | +92            |
| 50 | 72 | P-DLQGWPPM5072 | 3,188 | -32          | +42            | +92            |
| 58 | 24 | P-DLQGWPPM5824 | 2,240 | -56          | +34            | +74            |
| 58 | 30 | P-DLQGWPPM5830 | 2,533 | -56          | +34            | +74            |
| 58 | 36 | P-DLQGWPPM5836 | 2,594 | -56          | +68            | +146           |
| 58 | 42 | P-DLQGWPPM5842 | 2,915 | -56          | +68            | +146           |
| 58 | 48 | P-DLQGWPPM5848 | 3,298 | -56          | +68            | +146           |
| 58 | 60 | P-DLQGWPPM5860 | 3,126 | -56          | +68            | +146           |
| 58 | 72 | P-DLQGWPPM5872 | 3,477 | -56          | +68            | +146           |



Divi Linear Trim



Divi Linear Trim

**Specify Notes**

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>• Style Selection for Glass Insert</li> <li>• Fabric Selection for Side A and B</li> <li>• Fabric Direction</li> <li>• Paint Selection for Panel Trim (Grade C +28)</li> <li>• Color Selection for Base Cover</li> <li>• Raceway Divider Option (+50)</li> <li>• Data Access Option (+15)</li> </ul> | <ul style="list-style-type: none"> <li>• Permanent Monolithic Non-Powered Quarter Glass Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.</li> <li>• Panels may be ordered with power/data access base covers and/or raceway divider.</li> <li>• Each panel includes all connection hinges needed for each panel. 33" fabric height for 50" high panels, 49" fabric height for 66" high panels, 65" fabric height for 82" high panels.</li> <li>• 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.</li> <li>• 82" high panels will always have a vertical fabric direction.</li> <li>• Features Divi Linear trim.</li> </ul> |
|---|---|

**Specify Notes**

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>• Style Selection for Glass Insert</li> <li>• Fabric Selection for Side A and B</li> <li>• Fabric Direction</li> <li>• Paint Selection for Panel Trim (Grade C +28)</li> <li>• Color Selection for Base Cover</li> <li>• Raceway Divider Option (+50)</li> </ul> | <ul style="list-style-type: none"> <li>• Permanent Monolithic Quarter Glass Powered Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.</li> <li>• Includes 8 wire 4 circuit powerway and power/data access base covers.</li> <li>• Panels may be ordered with a raceway divider.</li> <li>• Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.</li> <li>• Each panel includes all connection hinges needed for each panel.</li> <li>• Duplex outlets and electrical jumpers are specified separately. See "Electrical".</li> <li>• 33" fabric height for 50" high panels, 49" fabric height for 66" high panels, 65" fabric height for 82" high panels.</li> <li>• 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.</li> <li>• 82" high panels will always have a vertical fabric direction.</li> <li>• Features Divi Linear trim.</li> </ul> |
|---|--|



**Divi Linear Quarter Glass Permanent Monolithic Panels**

**DIVI LINEAR QUARTER GLASS PERMANENT MONOLITHIC NON-POWERED PANELS**


| H  | W  | Model Number   | List  | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|----------------|-------|--------------|----------------|----------------|
| 66 | 24 | P-DLQGWPRM6624 | 1,835 | -56          | +34            | +74            |
| 66 | 30 | P-DLQGWPRM6630 | 2,029 | -56          | +34            | +74            |
| 66 | 36 | P-DLQGWPRM6636 | 2,222 | -56          | +68            | +146           |
| 66 | 42 | P-DLQGWPRM6642 | 2,416 | -56          | +68            | +146           |
| 66 | 48 | P-DLQGWPRM6648 | 2,606 | -56          | +68            | +146           |
| 66 | 60 | P-DLQGWPRM6660 | 2,988 | -56          | +68            | +146           |
| 66 | 72 | P-DLQGWPRM6672 | 3,371 | -56          | +68            | +146           |
| 82 | 24 | P-DLQGWPRM8224 | 2,086 | -56          | +46            | +100           |
| 82 | 30 | P-DLQGWPRM8230 | 2,319 | -56          | +46            | +100           |
| 82 | 36 | P-DLQGWPRM8236 | 2,547 | -56          | +92            | +200           |
| 82 | 42 | P-DLQGWPRM8242 | 2,777 | -56          | +92            | +200           |
| 82 | 48 | P-DLQGWPRM8248 | 3,012 | -56          | +92            | +200           |

**DIVI LINEAR QUARTER GLASS PERMANENT MONOLITHIC POWERED PANELS**

| H  | W  | Model Number   | List  | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|----------------|-------|--------------|----------------|----------------|
| 66 | 24 | P-DLQGWPPM6624 | 2,187 | -56          | +34            | +74            |
| 66 | 30 | P-DLQGWPPM6630 | 2,388 | -56          | +34            | +74            |
| 66 | 36 | P-DLQGWPPM6636 | 2,581 | -56          | +68            | +146           |
| 66 | 42 | P-DLQGWPPM6642 | 2,781 | -56          | +68            | +146           |
| 66 | 48 | P-DLQGWPPM6648 | 2,979 | -56          | +68            | +146           |
| 66 | 60 | P-DLQGWPPM6660 | 3,372 | -56          | +68            | +146           |
| 66 | 72 | P-DLQGWPPM6672 | 3,768 | -56          | +68            | +146           |
| 82 | 24 | P-DLQGWPPM8224 | 2,445 | -56          | +46            | +100           |
| 82 | 30 | P-DLQGWPPM8230 | 2,681 | -56          | +46            | +100           |
| 82 | 36 | P-DLQGWPPM8236 | 2,913 | -56          | +92            | +200           |
| 82 | 42 | P-DLQGWPPM8242 | 3,151 | -56          | +92            | +200           |
| 82 | 48 | P-DLQGWPPM8248 | 3,393 | -56          | +92            | +200           |



Divi Linear Trim



Divi Linear Trim

**Specify**

**Notes**

- Style Selection for Glass Insert
  - Fabric Selection for Side A and B
  - Fabric Direction
  - Paint Selection for Panel Trim (Grade C +28)
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
  - Data Access Option (+15)
- Permanent Monolithic Non-Powered Quarter Glass Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
  - Panels may be ordered with power/data access base covers and/or raceway divider.
  - Each panel includes all connection hinges needed for each panel. 33" fabric height for 50" high panels, 49" fabric height for 66" high panels, 65" fabric height for 82" high panels.
  - 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
  - 82" high panels will always have a vertical fabric direction.
  - Features Divi Linear trim.

**Specify**

**Notes**

- Style Selection for Glass Insert
  - Fabric Selection for Side A and B
  - Fabric Direction
  - Paint Selection for Panel Trim (Grade C +28)
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
- Permanent Monolithic Quarter Glass Powered Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
  - Includes 8 wire 4 circuit powerway and power/data access base covers.
  - Panels may be ordered with a raceway divider.
  - Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
  - Each panel includes all connection hinges needed for each panel.
  - Duplex outlets and electrical jumpers are specified separately. See "Electrical".
  - 33" fabric height for 50" high panels, 49" fabric height for 66" high panels, 65" fabric height for 82" high panels.
  - 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
  - 82" high panels will always have a vertical fabric direction.
  - Features Divi Linear trim.


**Divi Linear Air Flow / Wall Access Permanent Monolithic Panels, Non-Powered**

**DIVI LINEAR AIR FLOW / WALL ACCESS PERMANENT MONOLITHIC NON-POWERED PANELS**

| H  | W  | Model Number | List  | Grade C Paint | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|--------------|-------|---------------|--------------|----------------|----------------|
| 42 | 24 | P-DLFROB4224 | 1,224 | +28           | -46          | +28            | +60            |
| 42 | 30 | P-DLFROB4230 | 1,311 | +28           | -46          | +28            | +60            |
| 42 | 36 | P-DLFROB4236 | 1,410 | +28           | -46          | +56            | +118           |
| 42 | 42 | P-DLFROB4242 | 1,486 | +28           | -46          | +56            | +118           |
| 42 | 48 | P-DLFROB4248 | 1,589 | +28           | -46          | +56            | +118           |
| 42 | 60 | P-DLFROB4260 | 1,903 | +28           | -46          | +56            | +118           |
| 50 | 24 | P-DLFROB5024 | 1,303 | +28           | -56          | +34            | +74            |
| 50 | 30 | P-DLFROB5030 | 1,460 | +28           | -56          | +34            | +74            |
| 50 | 36 | P-DLFROB5036 | 1,605 | +28           | -56          | +68            | +146           |
| 50 | 42 | P-DLFROB5042 | 1,746 | +28           | -56          | +68            | +146           |
| 50 | 48 | P-DLFROB5048 | 1,879 | +28           | -56          | +68            | +146           |
| 50 | 60 | P-DLFROB5060 | 2,238 | +28           | -56          | +68            | +146           |
| 58 | 24 | P-DLFROB5824 | 1,369 | +28           | -56          | +34            | +74            |
| 58 | 30 | P-DLFROB5830 | 1,523 | +28           | -56          | +34            | +74            |
| 58 | 36 | P-DLFROB5836 | 1,662 | +28           | -56          | +68            | +146           |
| 58 | 42 | P-DLFROB5842 | 1,808 | +28           | -56          | +68            | +146           |
| 58 | 48 | P-DLFROB5848 | 1,942 | +28           | -56          | +68            | +146           |
| 58 | 60 | P-DLFROB5860 | 2,319 | +28           | -56          | +68            | +146           |

**DIVI LINEAR AIR FLOW / WALL ACCESS PERMANENT MONOLITHIC NON-POWERED PANELS**

| H  | W  | Model Number | List  | Grade C Paint | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|--------------|-------|---------------|--------------|----------------|----------------|
| 66 | 24 | P-DLFROB6624 | 1,518 | +28           | -56          | +46            | +100           |
| 66 | 30 | P-DLFROB6630 | 1,677 | +28           | -56          | +46            | +100           |
| 66 | 36 | P-DLFROB6636 | 1,821 | +28           | -56          | +92            | +200           |
| 66 | 42 | P-DLFROB6642 | 1,979 | +28           | -56          | +92            | +200           |
| 66 | 48 | P-DLFROB6648 | 2,123 | +28           | -56          | +92            | +200           |
| 66 | 60 | P-DLFROB6660 | 2,539 | +28           | -56          | +92            | +200           |
| 82 | 24 | P-DLFROB8224 | 1,726 | +28           | -94          | +60            | +128           |
| 82 | 30 | P-DLFROB8230 | 1,901 | +28           | -94          | +60            | +128           |
| 82 | 36 | P-DLFROB8236 | 2,085 | +28           | -94          | +118           | +254           |
| 82 | 42 | P-DLFROB8242 | 2,250 | +28           | -94          | +118           | +254           |
| 82 | 48 | P-DLFROB8248 | 2,443 | +28           | -94          | +118           | +254           |



Divi Linear Trim

**Specify**

- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Data Access Option (+15)

**Notes**

- Permanent Monolithic Non-Powered Panels - Air Flow / Wall Access are fabric covered hard surface panels.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- Features Divi Linear trim.


**Divi Linear Air Flow / Wall Access Permanent Monolithic Panels, Powered**

**DIVI LINEAR AIR FLOW / WALL ACCESS PERMANENT MONOLITHIC POWERED PANELS**

| H  | W  | Model Number | List  | Grade C Paint | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|--------------|-------|---------------|--------------|----------------|----------------|
| 42 | 24 | P-DLFPOB4224 | 1,869 | +28           | -46          | +28            | +60            |
| 42 | 30 | P-DLFPOB4230 | 1,960 | +28           | -46          | +28            | +60            |
| 42 | 36 | P-DLFPOB4236 | 2,061 | +28           | -46          | +56            | +118           |
| 42 | 42 | P-DLFPOB4242 | 2,128 | +28           | -46          | +56            | +118           |
| 42 | 48 | P-DLFPOB4248 | 2,219 | +28           | -46          | +56            | +118           |
| 42 | 60 | P-DLFPOB4260 | 2,515 | +28           | -46          | +56            | +118           |
| 50 | 24 | P-DLFPOB5024 | 1,955 | +28           | -56          | +34            | +74            |
| 50 | 30 | P-DLFPOB5030 | 2,110 | +28           | -56          | +34            | +74            |
| 50 | 36 | P-DLFPOB5036 | 2,250 | +28           | -56          | +68            | +146           |
| 50 | 42 | P-DLFPOB5042 | 2,371 | +28           | -56          | +68            | +146           |
| 50 | 48 | P-DLFPOB5048 | 2,537 | +28           | -56          | +68            | +146           |
| 50 | 60 | P-DLFPOB5060 | 2,865 | +28           | -56          | +68            | +146           |
| 58 | 24 | P-DLFPOB5824 | 1,987 | +28           | -56          | +34            | +74            |
| 58 | 30 | P-DLFPOB5830 | 2,137 | +28           | -56          | +34            | +74            |
| 58 | 36 | P-DLFPOB5836 | 2,295 | +28           | -56          | +68            | +146           |
| 58 | 42 | P-DLFPOB5842 | 2,404 | +28           | -56          | +68            | +146           |
| 58 | 48 | P-DLFPOB5848 | 2,570 | +28           | -56          | +68            | +146           |
| 58 | 60 | P-DLFPOB5860 | 2,914 | +28           | -56          | +68            | +146           |

**DIVI LINEAR AIR FLOW / WALL ACCESS PERMANENT MONOLITHIC POWERED PANELS**

| H  | W  | Model Number | List  | Grade C Paint | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|--------------|-------|---------------|--------------|----------------|----------------|
| 66 | 24 | P-DLFPOB6624 | 2,138 | +28           | -56          | +46            | +100           |
| 66 | 30 | P-DLFPOB6630 | 2,293 | +28           | -56          | +46            | +100           |
| 66 | 36 | P-DLFPOB6636 | 2,479 | +28           | -56          | +92            | +200           |
| 66 | 42 | P-DLFPOB6642 | 2,581 | +28           | -56          | +92            | +200           |
| 66 | 48 | P-DLFPOB6648 | 2,759 | +28           | -56          | +92            | +200           |
| 66 | 60 | P-DLFPOB6660 | 3,137 | +28           | -56          | +92            | +200           |
| 82 | 24 | P-DLFPOB8224 | 2,345 | +28           | -94          | +60            | +128           |
| 82 | 30 | P-DLFPOB8230 | 2,515 | +28           | -94          | +60            | +128           |
| 82 | 36 | P-DLFPOB8236 | 2,688 | +28           | -94          | +118           | +254           |
| 82 | 42 | P-DLFPOB8242 | 2,847 | +28           | -94          | +118           | +254           |
| 82 | 48 | P-DLFPOB8248 | 3,016 | +28           | -94          | +118           | +254           |



Divi Linear Trim

**Specify**

- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)

**Notes**

- Fabric covered hard surface panels.
- Includes 8 wire 4 circuit powerway and power/data access base covers.
- Panels may be ordered with a raceway divider.
- Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- Air Flow / Wall Access Panels have a 3" fabric border around the opening that allows for air flow. The height of the opening is 16".
- Features Divi Linear trim.


## Divi Linear Half Glass Permanent Monolithic Panels

### DIVI LINEAR HALF GLASS PERMANENT MONOLITHIC NON-POWERED PANELS


| H  | W  | Model Number   | List  | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|----------------|-------|--------------|----------------|----------------|
| 58 | 24 | P-DLHGWRPM5824 | 1,712 | -32          | +22            | +46            |
| 58 | 30 | P-DLHGWRPM5830 | 1,719 | -32          | +22            | +46            |
| 58 | 36 | P-DLHGWRPM5836 | 2,060 | -32          | +42            | +92            |
| 58 | 42 | P-DLHGWRPM5842 | 2,238 | -32          | +42            | +92            |
| 58 | 48 | P-DLHGWRPM5848 | 2,452 | -32          | +42            | +92            |
| 58 | 60 | P-DLHGWRPM5860 | 2,833 | -32          | +42            | +92            |
| 58 | 72 | P-DLHGWRPM5872 | 3,213 | -32          | +42            | +92            |
| 66 | 24 | P-DLHGWRPM6624 | 1,835 | -32          | +22            | +46            |
| 66 | 30 | P-DLHGWRPM6630 | 2,029 | -32          | +22            | +46            |
| 66 | 36 | P-DLHGWRPM6636 | 2,222 | -32          | +42            | +92            |
| 66 | 42 | P-DLHGWRPM6642 | 2,416 | -32          | +42            | +92            |
| 66 | 48 | P-DLHGWRPM6648 | 2,606 | -32          | +42            | +92            |
| 66 | 60 | P-DLHGWRPM6660 | 2,988 | -32          | +42            | +92            |
| 82 | 24 | P-DLHGWRPM8224 | 2,086 | -56          | +34            | +74            |
| 82 | 30 | P-DLHGWRPM8230 | 2,319 | -56          | +34            | +74            |
| 82 | 36 | P-DLHGWRPM8236 | 2,547 | -56          | +68            | +146           |
| 82 | 42 | P-DLHGWRPM8242 | 2,777 | -56          | +68            | +146           |
| 82 | 48 | P-DLHGWRPM8248 | 3,012 | -56          | +68            | +146           |

### DIVI LINEAR HALF GLASS PERMANENT MONOLITHIC POWERED PANELS

| H  | W  | Model Number   | List  | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|----------------|-------|--------------|----------------|----------------|
| 58 | 24 | P-DLHGWPPM5824 | 2,360 | -32          | +22            | +46            |
| 58 | 30 | P-DLHGWPPM5830 | 2,477 | -32          | +22            | +46            |
| 58 | 36 | P-DLHGWPPM5836 | 2,417 | -32          | +42            | +92            |
| 58 | 42 | P-DLHGWPPM5842 | 2,595 | -32          | +42            | +92            |
| 58 | 48 | P-DLHGWPPM5848 | 2,788 | -32          | +42            | +92            |
| 58 | 60 | P-DLHGWPPM5860 | 3,134 | -32          | +42            | +92            |
| 58 | 72 | P-DLHGWPPM5872 | 3,479 | -32          | +42            | +92            |
| 66 | 24 | P-DLHGWPPM6624 | 2,388 | -32          | +22            | +46            |
| 66 | 30 | P-DLHGWPPM6630 | 2,537 | -32          | +22            | +46            |
| 66 | 36 | P-DLHGWPPM6636 | 2,581 | -32          | +42            | +92            |
| 66 | 42 | P-DLHGWPPM6642 | 2,781 | -32          | +42            | +92            |
| 66 | 48 | P-DLHGWPPM6648 | 2,979 | -32          | +42            | +92            |
| 66 | 60 | P-DLHGWPPM6660 | 3,372 | -32          | +42            | +92            |
| 82 | 24 | P-DLHGWPPM8224 | 2,445 | -56          | +34            | +74            |
| 82 | 30 | P-DLHGWPPM8230 | 2,655 | -56          | +34            | +74            |
| 82 | 36 | P-DLHGWPPM8236 | 2,913 | -56          | +68            | +146           |
| 82 | 42 | P-DLHGWPPM8242 | 3,151 | -56          | +68            | +146           |
| 82 | 48 | P-DLHGWPPM8248 | 3,358 | -56          | +68            | +146           |



Divi Linear Trim



Divi Linear Trim


| Specify  | Notes  |
|--|--|
| • Style Selection for Glass Insert             | • Permanent Monolithic Non-Powered Half Glass Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel. |
| • Fabric Selection for Side A and B            | • Panels may be ordered with power/data access base covers and/or raceway divider.   |
| • Fabric Direction                             | • Each panel includes all connection hinges needed for each panel.   |
| • Paint Selection for Panel Trim (Grade C +28) | • 33" fabric height for 66" high panels, 49" fabric height for 82" high panels.  |
| • Color Selection for Base Cover               | • 82" high panels will always have a vertical fabric direction.  |
| • Raceway Divider Option (+50)                 | • Features Divi Linear trim.   |
| • Data Access Option (+15)                     |  |

| Specify  | Notes  |
|--|--|
| • Style Selection for Glass Insert             | • Permanent Monolithic Half Glass Powered Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel. |
| • Fabric Selection for Side A and B            | • Includes 8 wire 4 circuit powerway and power/data access base covers.  |
| • Fabric Direction                             | • Panels may be ordered with a raceway divider.  |
| • Paint Selection for Panel Trim (Grade C +28) | • Includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.  |
| • Color Selection for Base Cover               | • Each panel includes all connection hinges needed for each panel.   |
| • Raceway Divider Option (+50)                 | • Duplex outlets and electrical jumpers are specified separately. See "Electrical".  |
|  | • 33" fabric height for 66" high panels, 49" fabric height for 82" high panels.  |
|  | • 82" high panels will always have a vertical fabric direction.  |
|  | • Features Divi Linear trim.   |

**Divi Linear Full Glass Monolithic Panels**

**DIVI LINEAR FULL GLASS MONOLITHIC NON-POWERED PANELS**

| <b>H</b> | <b>W</b> | <b>Model Number</b> | <b>Clear</b> | <b>Frosted</b> |
|----------|----------|---------------------|--------------|----------------|
| 42       | 24       | P-DLFG4224          | 2,306        | +276           |
| 42       | 30       | P-DLFG4230          | 2,452        | +344           |
| 42       | 36       | P-DLFG4236          | 2,603        | +413           |
| 50       | 24       | P-DLFG5024          | 2,452        | +341           |
| 50       | 30       | P-DLFG5030          | 2,603        | +425           |
| 50       | 36       | P-DLFG5036          | 2,750        | +510           |
| 66       | 24       | P-DLFG6624          | 2,603        | +470           |
| 66       | 30       | P-DLFG6630          | 2,750        | +587           |



Divi Linear Trim

**Specify**

**Notes**

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>• Style Selection for Glass Insert</li> <li>• Paint Selection for Panel Trim</li> <li>• Color Selection for Base Color</li> </ul> | <ul style="list-style-type: none"> <li>• Full Glass Monolithic Non-Powered Panels feature aluminum wrapped full glass inserts at the top section of the panel.</li> <li>• Panels may be ordered with power/data access base covers and/or raceway divider.</li> <li>• Each panel includes all connection hinges needed for each panel.</li> <li>• Features Divi Linear trim.</li> </ul> |
|--|---|



## Divi Linear Hard Surface ADA Panels

### DIVI LINEAR HARD SURFACE ADA NON-POWERED PANELS



| H  | W  | Model Number | List  | Grade B Paint | Grade B Base | C.O.M Fabric | Grade B Fabric | Grade C Fabric |
|----|----|--------------|-------|---------------|--------------|--------------|----------------|----------------|
| 32 | 24 | P-DLFRPM3224 | 680   | +28           | +20          | -46          | +28            | +60            |
| 32 | 30 | P-DLFRPM3230 | 738   | +28           | +20          | -46          | +28            | +60            |
| 32 | 36 | P-DLFRPM3236 | 787   | +28           | +20          | -46          | +56            | +118           |
| 32 | 42 | P-DLFRPM3242 | 837   | +28           | +20          | -46          | +56            | +118           |
| 32 | 48 | P-DLFRPM3248 | 892   | +28           | +20          | -46          | +56            | +118           |
| 32 | 60 | P-DLFRPM3260 | 1,088 | +28           | +20          | -46          | +56            | +118           |

### DIVI LINEAR HARD SURFACE ADA POWERED PANELS

| H  | W  | Model Number | List  | Grade B Paint | Grade B Base | C.O.M Fabric | Grade B Fabric | Grade C Fabric |
|----|----|--------------|-------|---------------|--------------|--------------|----------------|----------------|
| 32 | 24 | P-DLFPPM3224 | 1,062 | +28           | +20          | -46          | +28            | +60            |
| 32 | 30 | P-DLFPPM3230 | 1,117 | +28           | +20          | -46          | +28            | +60            |
| 32 | 36 | P-DLFPPM3236 | 1,165 | +28           | +20          | -46          | +56            | +118           |
| 32 | 42 | P-DLFPPM3242 | 1,215 | +28           | +20          | -46          | +56            | +118           |
| 32 | 48 | P-DLFPPM3248 | 1,253 | +28           | +20          | -46          | +56            | +118           |
| 32 | 60 | P-DLFPPM3260 | 1,442 | +28           | +20          | -46          | +56            | +118           |



Divi Linear Trim



Divi Linear Trim

#### Specify

#### Notes

- Fabric Selection for Side A and B
  - Paint Selection for Panel Trim
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
  - Data Access Option (+15)
- ADA Non-Powered Panels - Hard Surface are fabric covered hard surface panels.
  - Panels may be ordered with power/data access base covers and/or raceway divider.
  - Each panel includes all connection hinges needed for each panel.
  - Features Divi Linear trim.


#### Specify

#### Notes


- Fabric Selection for Side A and B
  - Paint Selection for Panel Trim
  - Color Selection for Base Cover
  - Raceway Divider Option (+50)
- ADA Powered Panels - Hard Surface are fabric covered hard surface panels.
  - Includes 8 wire 4 circuit powerway and power/data access base covers.
  - Panels may be ordered with a raceway divider. Includes six duplex outlet hole covers;
  - 24"W panels only include three duplex outlet hole covers.
  - Duplex outlets and electrical jumpers are specified separately, see "Electrical".
  - Each panel includes all connection hinges needed for each panel.
  - Duplex outlet hole dimensions are 1.860"H x 3.012"W.
  - Features Divi Linear trim.

#### ADA Panel Stability Notes


- ADA Panels may not be used as structural wing panels (see Rules for Panel Stability) (example 1)
- ADA Panels may not be used with cantilevers. (example 2)
- ADA Panels may be used with Side Support / Rear Brackets, Panel Mounted A Legs or storage elements for surface support. (example 3)




EXAMPLE 1 - UNSTABLE  
32"H Structural Wing




EXAMPLE 2 - UNSTABLE  
32"H Panel with Cantilever




EXAMPLE 3 - UNSTABLE  
32"H Panel with Cantilevers



EXAMPLE 1 - STABLE  
Standard Structural Wing



EXAMPLE 2 - STABLE  
32"H Panel with Floor Support



EXAMPLE 3 - STABLE  
32"H Panel with Panel Mounted A-Legs



**Divi Linear Fabric and Glass Stack-On Kits for Permanent Monolithic Panels**

**DIVI LINEAR FABRIC STACK-ON KITS FOR PERMANENT MONOLITHIC PANELS**



| H  | W  | Model Number | List | Grade C Fabric | Grade D Fabric | Grade C Paint | Grade C Retainer |
|----|----|--------------|------|----------------|----------------|---------------|------------------|
| 16 | 24 | P-DLSOFM1624 | 462  | +7             | +14            | +5            | +5               |
| 16 | 30 | P-DLSOFM1630 | 501  | +7             | +14            | +5            | +5               |
| 16 | 36 | P-DLSOFM1636 | 535  | +13            | +27            | +5            | +5               |
| 16 | 42 | P-DLSOFM1642 | 574  | +13            | +27            | +5            | +5               |
| 16 | 48 | P-DLSOFM1648 | 614  | +13            | +27            | +5            | +5               |
| 16 | 60 | P-DLSOFM1660 | 693  | +13            | +27            | +5            | +5               |
| 16 | 72 | P-DLSOFM1672 | 776  | +13            | +27            | +5            | +5               |
| 24 | 24 | P-DLSOFM2424 | 554  | +7             | +14            | +5            | +5               |
| 24 | 30 | P-DLSOFM2430 | 599  | +7             | +14            | +5            | +5               |
| 24 | 36 | P-DLSOFM2436 | 641  | +13            | +27            | +5            | +5               |
| 24 | 42 | P-DLSOFM2442 | 688  | +13            | +27            | +5            | +5               |
| 24 | 48 | P-DLSOFM2448 | 739  | +13            | +27            | +5            | +5               |
| 24 | 60 | P-DLSOFM2460 | 833  | +13            | +27            | +5            | +5               |
| 24 | 72 | P-DLSOFM2472 | 929  | +13            | +27            | +5            | +5               |

**DIVI LINEAR GLASS STACK-ON KITS FOR PERMANENT MONOLITHIC PANELS**

| H  | W  | Model Number | List  | Grade C Paint |
|----|----|--------------|-------|---------------|
| 16 | 24 | P-DLSOGW1624 | 986   | +5            |
| 16 | 30 | P-DLSOGW1630 | 1,110 | +5            |
| 16 | 36 | P-DLSOGW1636 | 1,148 | +5            |
| 16 | 42 | P-DLSOGW1642 | 1,267 | +5            |
| 16 | 48 | P-DLSOGW1648 | 1,370 | +5            |
| 16 | 60 | P-DLSOGW1660 | 1,565 | +5            |
| 16 | 72 | P-DLSOGW1672 | 1,761 | +5            |
| 24 | 24 | P-DLSOGW2424 | 1,338 | +5            |
| 24 | 30 | P-DLSOGW2430 | 1,476 | +5            |
| 24 | 36 | P-DLSOGW2436 | 1,631 | +5            |
| 24 | 42 | P-DLSOGW2442 | 2,072 | +5            |
| 24 | 48 | P-DLSOGW2448 | 2,225 | +5            |
| 24 | 60 | P-DLSOGW2460 | 2,475 | +5            |



Divi Linear Trim



Divi Linear Trim

**Specify**

**Notes**

- Fabric Selection for Side A and B
- Paint Selection for Panel Trim

- Fabric Stack-On Kits for Permanent Monolithic Panels are a solid stack panel that can be retrofitted to any installed or un-installed DiVi permanent monolithic panel for the purpose of increasing panel height for visual/sound privacy.
- Stack-on kits are not load bearing and add exactly 16" to panel height (i.e. making a 50" tall panel equal to a 66" tall panel).
- Kits include alignment hardware, mounting brackets, and connection hinges.
- Stack-on kits may not be stacked on top of another stack-on kit.
- Features Divi Linear trim.

**Specify**

**Notes**

- Style Selection for Glass Insert
- Paint Selection for Panel Trim

- Glass Stack-On Kits for Permanent Monolithic Panels are a solid glass stack panel that can be retrofitted to any installed or un-installed DiVi permanent monolithic panel for the purpose of increasing panel height for visual/sound privacy.
- Stack-on kits are not load bearing and add exactly 16" to panel height (i.e. making a 50" tall panel equal to a 66" tall panel).
- Kits include alignment hardware, mounting brackets, and connection hinges.
- Stack-on kits may not be stacked on top of another stack-on kit.
- Features Divi Linear Trim.

**Divi Linear ADA Door Panels and Door Panel Shrouds**

**DIVI LINEAR ADA DOOR PANELS**


| H  | W  | Type  | Model Number | List  | Grade C Panel Trim | Grade C Door Paint |
|----|----|-------|--------------|-------|--------------------|--------------------|
| 82 | 48 | Left  | P-DL8248     | 4,403 | +10                | +5                 |
| 82 | 48 | Right | P-DL8248R    | 4,403 | +10                | +5                 |



Left Hand



Right Hand



Divi Linear Trim

| Specify  | Notes   |
|--|---|
| <ul style="list-style-type: none"> <li>• Paint Selection for Door and Door Frame</li> <li>• Style Selection for Tempered Glass Insert</li> </ul> | <ul style="list-style-type: none"> <li>• ADA Door Panels use a steel tube frame with hollow core door, stainless steel threshold, locking ADA door handle and full height transparent window.</li> <li>• Includes one panel, one locking ADA lockset, and two keys.</li> <li>• Lockset is field installed.</li> <li>• Features Divi Linear trim.</li> </ul> |

**DIVI LINEAR ADA GLASS WINDOW DOOR PANELS**


| H  | W  | Type  | Model Number | List  | Grade C Panel Trim | Grade C Door Paint |
|----|----|-------|--------------|-------|--------------------|--------------------|
| 82 | 48 | Left  | P-DLGL8248   | 6,779 | +10                | +100               |
| 82 | 48 | Right | P-DLGL8248R  | 6,779 | +10                | +100               |



Left Hand



Right Hand



Divi Linear Trim

| Specify  | Notes  |
|--|--|
| <ul style="list-style-type: none"> <li>• Paint Selection for Door and Door Frame</li> <li>• Style Selection for Tempered Glass Insert</li> </ul> | <ul style="list-style-type: none"> <li>• ADA Glass Window Door Panels use a steel tube frame with hollow core door, stainless steel threshold, locking ADA door handle and full height transparent window.</li> <li>• Includes one panel, one locking ADA lockset, and two keys.</li> <li>• Lockset is field installed.</li> <li>• Door has a 5" wood painted border around the glass.</li> <li>• Metallic paints not available on actual door.</li> <li>• Features Divi Linear trim.</li> <li>• Glass doors must be placed next to 90° return panel or wall mount, can not be used in middle of run.</li> </ul> |

**2-WAY AND 3-WAY SHROUDS FOR DIVI DOORS**

| Usage            | Model Number | List | Grade C Paint |
|------------------|--------------|------|---------------|
| 2-Way Left Hand  | P-DVBSL90    | 95   | +5            |
| 2 Way Right Hand | P-DVBSR90    | 95   | +5            |
| 3-Way            | P-DVBS3W     | 95   | +5            |



2-Way (Left Hand Shown)



3-Way

| Specify   | Notes   |
|---|---|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• 2-Way and 3-Way Shrouds for Divi Doors are painted metal shrouds for use only with Divi doors where standard plastic shrouds will not work.</li> <li>• Important: Door shrouds do not have a finished top, order post fillers separately to complete the configuration.</li> </ul> |


Divi Linear Sliding Privacy Screens

DIVI LINEAR SLIDING PRIVACY SCREEN


| Panel H | Doorway W | Adjacent Panel W | Left Hand     |               | Right Hand |     | Grade C Paint |
|---------|-----------|------------------|---------------|---------------|------------|-----|---------------|
|         |           |                  | Model Number  | Model Number  | List       |     |               |
| 66      | 36        | 36               | P-DVLS6636L   | P-DVLS6636R   | 3,823      | +25 |               |
| 66      | 36        | 42               | P-DVLS663642L | P-DVLS663642R | 3,911      | +25 |               |
| 66      | 36        | 48               | P-DVLS663648L | P-DVLS663648R | 3,996      | +25 |               |
| 66      | 42        | 42               | P-DVLS6642L   | P-DVLS6642R   | 3,832      | +25 |               |
| 66      | 42        | 48               | P-DVLS664248L | P-DVLS664248R | 3,917      | +25 |               |
| 66      | 48        | 48               | P-DVLS6648L   | P-DVLS6648R   | 4,073      | +25 |               |
| 82      | 36        | 36               | P-DVLS8236L   | P-DVLS8236R   | 3,988      | +25 |               |
| 82      | 36        | 42               | P-DVLS823642L | P-DVLS823642R | 4,073      | +25 |               |
| 82      | 36        | 48               | P-DVLS823648L | P-DVLS823648R | 4,164      | +25 |               |
| 82      | 42        | 42               | P-DVLS8242L   | P-DVLS8242R   | 4,004      | +25 |               |
| 82      | 42        | 48               | P-DVLS824248L | P-DVLS824248R | 4,094      | +25 |               |
| 82      | 48        | 48               | P-DVLS8248L   | P-DVLS8248R   | 4,138      | +25 |               |

DIVI LINEAR LOCKING SLIDING PRIVACY SCREEN

| Panel H | Doorway W | Adjacent Panel W | Left Hand      |                | Right Hand |     | Grade C Paint |
|---------|-----------|------------------|----------------|----------------|------------|-----|---------------|
|         |           |                  | Model Number   | Model Number   | List       |     |               |
| 66      | 36        | 36               | P-DVLS6636LL   | P-DVLS6636RL   | 4,054      | +25 |               |
| 66      | 36        | 42               | P-DVLS663642LL | P-DVLS663642RL | 4,140      | +25 |               |
| 66      | 36        | 48               | P-DVLS663648LL | P-DVLS663648RL | 4,226      | +25 |               |
| 66      | 42        | 42               | P-DVLS6642LL   | P-DVLS6642RL   | 4,059      | +25 |               |
| 66      | 42        | 48               | P-DVLS664248LL | P-DVLS664248RL | 4,145      | +25 |               |
| 66      | 48        | 48               | P-DVLS6648LL   | P-DVLS6648RL   | 4,305      | +25 |               |
| 82      | 36        | 36               | P-DVLS8236LL   | P-DVLS8236RL   | 4,217      | +25 |               |
| 82      | 36        | 42               | P-DVLS823642LL | P-DVLS823642RL | 4,305      | +25 |               |
| 82      | 36        | 48               | P-DVLS823648LL | P-DVLS823648RL | 4,392      | +25 |               |
| 82      | 42        | 42               | P-DVLS8242LL   | P-DVLS8242RL   | 4,232      | +25 |               |
| 82      | 42        | 48               | P-DVLS824248LL | P-DVLS824248RL | 4,321      | +25 |               |
| 82      | 48        | 48               | P-DVLS8248LL   | P-DVLS8248RL   | 4,365      | +25 |               |



Right Hand with Optional Handle Shown



Right Hand with Optional Handle Shown



Right Hand with Lock and Handle Shown



Right Hand with Lock and Handle Shown

Specify

• Paint Selection for Sliding Door Frame


Notes

- The Linear Sliding Privacy Screen attaches to frame face at either left or right, outside or inside of an opening.
- Select a Sliding Privacy Screen based upon the dimensions of the opening it will cover and the adjacent panel that it will be installed to.
- Linear Sliding Privacy Screens are available to accommodate 36", 42" or 48" wide by 66" or 82" high openings and adjacent panels.
- All doors come with a top track bar kit for added stability; only 82" high units extend over the doorway.
- Lightweight, aluminum frame, painted as specified, with a ribbed Lexan insert.
- The sliding door extends 6" into opening when fully open, and stands a total of 2-1/2" off panel face. These dimensions should be taken into consideration when planning for ADA door openings and aisle dimensional requirements if door is mounted on outside of office.
- Actual door thickness is 5/8". Actual door width is opening size +6".
- Only mount externally.
- Doors can only be locked from the outside, when user is out of office.
- Optional handles and wall termination brackets are available separately

**Divi Linear Sliding Privacy Screen Handles and Brackets**

**DIVI LINEAR SLIDING PRIVACY SCREEN HANDLE KIT**


| Model Number | List |
|--------------|------|
| P-UNSLDHK    | 97   |



**Specify** \_\_\_\_\_ **Notes**

**DIVI LINEAR SLIDING PRIVACY SCREEN WALL BRACKET KIT**

| Model Number | List | Grade C Paint |
|--------------|------|---------------|
| A-RPSLWATB   | 91   | +25           |



**Specify** \_\_\_\_\_ **Notes**

- Use this bracket where the top guide rail of the Linear Sliding Privacy Screen extends over the doorway and terminates against a wall instead of a panel.
- Fasteners for top rail included, fasteners for wall are not included.

**Divi Linear Single End Gallery Panels**

**DIVI LINEAR SINGLE END GALLERY PANELS**


| H  | W  | Grain      | Left           | Right         | List  |
|----|----|------------|----------------|---------------|-------|
|    |    |            | Model Number   | Model Number  |       |
| 42 | 24 | Horizontal | P-DLGPSEL4224H | P-DLGPSE4224H | 653   |
| 42 | 30 | Horizontal | P-DLGPSEL4230H | P-DLGPSE4230H | 706   |
| 42 | 36 | Horizontal | P-DLGPSEL4236H | P-DLGPSE4236H | 752   |
| 42 | 42 | Horizontal | P-DLGPSEL4242H | P-DLGPSE4242H | 798   |
| 42 | 48 | Horizontal | P-DLGPSEL4248H | P-DLGPSE4248H | 846   |
| 42 | 54 | Horizontal | P-DLGPSEL4254H | P-DLGPSE4254H | 891   |
| 42 | 60 | Horizontal | P-DLGPSEL4260  | P-DLGPSE4260  | 1,011 |
| 42 | 66 | Horizontal | P-DLGPSEL4266  | P-DLGPSE4266  | 1,088 |
| 42 | 72 | Horizontal | P-DLGPSEL4272  | P-DLGPSE4272  | 1,132 |
| 42 | 78 | Horizontal | P-DLGPSEL4278  | P-DLGPSE4278  | 1,179 |
| 42 | 84 | Horizontal | P-DLGPSEL4284  | P-DLGPSE4284  | 1,222 |
| 42 | 90 | Horizontal | P-DLGPSEL4290  | P-DLGPSE4290  | 1,267 |
| 42 | 24 | Vertical   | P-DLGPSEL4224  | P-DLGPSE4224  | 653   |
| 42 | 30 | Vertical   | P-DLGPSEL4230  | P-DLGPSE4230  | 706   |
| 42 | 36 | Vertical   | P-DLGPSEL4236  | P-DLGPSE4236  | 752   |
| 42 | 42 | Vertical   | P-DLGPSEL4242  | P-DLGPSE4242  | 798   |
| 42 | 48 | Vertical   | P-DLGPSEL4248  | P-DLGPSE4248  | 846   |
| 42 | 54 | Vertical   | P-DLGPSEL4254  | P-DLGPSE4254  | 891   |

**DIVI LINEAR SINGLE END GALLERY PANELS**

| H  | W  | Grain      | Left           | Right         | List  |
|----|----|------------|----------------|---------------|-------|
|    |    |            | Model Number   | Model Number  |       |
| 50 | 24 | Horizontal | P-DLGPSEL5024H | P-DLGPSE5024H | 700   |
| 50 | 30 | Horizontal | P-DLGPSEL5030H | P-DLGPSE5030H | 776   |
| 50 | 36 | Horizontal | P-DLGPSEL5036H | P-DLGPSE5036H | 850   |
| 50 | 42 | Horizontal | P-DLGPSEL5042H | P-DLGPSE5042H | 929   |
| 50 | 48 | Horizontal | P-DLGPSEL5048H | P-DLGPSE5048H | 1,010 |
| 50 | 54 | Horizontal | P-DLGPSEL5054H | P-DLGPSE5054H | 1,093 |
| 50 | 60 | Horizontal | P-DLGPSEL5060  | P-DLGPSE5060  | 1,202 |
| 50 | 66 | Horizontal | P-DLGPSEL5066  | P-DLGPSE5066  | 1,307 |
| 50 | 72 | Horizontal | P-DLGPSEL5072  | P-DLGPSE5072  | 1,572 |
| 50 | 78 | Horizontal | P-DLGPSEL5078  | P-DLGPSE5078  | 1,371 |
| 50 | 84 | Horizontal | P-DLGPSEL5084  | P-DLGPSE5084  | 1,404 |
| 50 | 90 | Horizontal | P-DLGPSEL5090  | P-DLGPSE5090  | 1,435 |
| 50 | 24 | Vertical   | P-DLGPSEL5024  | P-DLGPSE5024  | 700   |
| 50 | 30 | Vertical   | P-DLGPSEL5030  | P-DLGPSE5030  | 776   |
| 50 | 36 | Vertical   | P-DLGPSEL5036  | P-DLGPSE5036  | 850   |
| 50 | 42 | Vertical   | P-DLGPSEL5042  | P-DLGPSE5042  | 929   |
| 50 | 48 | Vertical   | P-DLGPSEL5048  | P-DLGPSE5048  | 1,010 |
| 50 | 54 | Vertical   | P-DLGPSEL5054  | P-DLGPSE5054  | 1,093 |




Left Hand Shown



Left Hand Shown



Left Hand Shown



Left Hand Shown

**Specify**

- Laminate with matching edge

**Notes**

- Single End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Single End Gallery Panels over 66" wide must be attached to storage units for support.
- HiLo kits are required if gallery panel is lower than standard panels.


**Divi Linear Single End Gallery Panels**

| DIVI LINEAR SINGLE END GALLERY PANELS |    |            |                |               |       |  |
|---------------------------------------|----|------------|----------------|---------------|-------|--|
| H                                     | W  | Grain      | Left           | Right         | List  |  |
|                                       |    |            | Model Number   | Model Number  |       |  |
| 58                                    | 24 | Horizontal | P-DLGPSEL5824H | P-DLGPSE5824H | 785   |  |
| 58                                    | 30 | Horizontal | P-DLGPSEL5830H | P-DLGPSE5830H | 861   |  |
| 58                                    | 36 | Horizontal | P-DLGPSEL5836H | P-DLGPSE5836H | 933   |  |
| 58                                    | 42 | Horizontal | P-DLGPSEL5842H | P-DLGPSE5842H | 1,009 |  |
| 58                                    | 48 | Horizontal | P-DLGPSEL5848H | P-DLGPSE5848H | 1,065 |  |
| 58                                    | 54 | Horizontal | P-DLGPSEL5854H | P-DLGPSE5854H | 1,124 |  |
| 58                                    | 60 | Horizontal | P-DLGPSEL5860  | P-DLGPSE5860  | 1,229 |  |
| 58                                    | 66 | Horizontal | P-DLGPSEL5866  | P-DLGPSE5866  | 1,332 |  |
| 58                                    | 72 | Horizontal | P-DLGPSEL5872  | P-DLGPSE5872  | 1,433 |  |
| 58                                    | 78 | Horizontal | P-DLGPSEL5878  | P-DLGPSE5878  | 1,537 |  |
| 58                                    | 84 | Horizontal | P-DLGPSEL5884  | P-DLGPSE5884  | 1,642 |  |
| 58                                    | 90 | Horizontal | P-DLGPSEL5890  | P-DLGPSE5890  | 1,744 |  |
| 58                                    | 24 | Vertical   | P-DLGPSEL5824  | P-DLGPSE5824  | 785   |  |
| 58                                    | 30 | Vertical   | P-DLGPSEL5830  | P-DLGPSE5830  | 861   |  |
| 58                                    | 36 | Vertical   | P-DLGPSEL5836  | P-DLGPSE5836  | 933   |  |
| 58                                    | 42 | Vertical   | P-DLGPSEL5842  | P-DLGPSE5842  | 1,009 |  |
| 58                                    | 48 | Vertical   | P-DLGPSEL5848  | P-DLGPSE5848  | 1,065 |  |
| 58                                    | 54 | Vertical   | P-DLGPSEL5854  | P-DLGPSE5854  | 1,124 |  |

| DIVI LINEAR SINGLE END GALLERY PANELS |    |          |               |              |       |  |
|---------------------------------------|----|----------|---------------|--------------|-------|--|
| H                                     | W  | Grain    | Left          | Right        | List  |  |
|                                       |    |          | Model Number  | Model Number |       |  |
| 66                                    | 24 | Vertical | P-DLGPSEL6624 | P-DLGPSE6624 | 806   |  |
| 66                                    | 30 | Vertical | P-DLGPSEL6630 | P-DLGPSE6630 | 890   |  |
| 66                                    | 36 | Vertical | P-DLGPSEL6636 | P-DLGPSE6636 | 967   |  |
| 66                                    | 42 | Vertical | P-DLGPSEL6642 | P-DLGPSE6642 | 1,047 |  |
| 66                                    | 48 | Vertical | P-DLGPSEL6648 | P-DLGPSE6648 | 1,127 |  |
| 66                                    | 54 | Vertical | P-DLGPSEL6654 | P-DLGPSE6654 | 1,205 |  |



Left Hand Shown



Left Hand Shown

**Specify**

- Laminate with matching edge

**Notes**

- Single End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Single End Gallery Panels over 66" wide must be attached to storage units for support.
- HiLo kits are required if gallery panel is lower than standard panels.


**Divi Linear Single End for Wing Gallery Panels**

**DIVI LINEAR SINGLE END FOR WING GALLERY PANEL**


| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 42 | 48 | Horizontal | P-DLGSEWL4248H | P-DLGSEWR4248H | 882   |
| 42 | 54 | Horizontal | P-DLGSEWL4254H | P-DLGSEWR4254H | 928   |
| 42 | 60 | Horizontal | P-DLGSEWL4260  | P-DLGSEWR4260  | 1,046 |
| 42 | 66 | Horizontal | P-DLGSEWL4266  | P-DLGSEWR4266  | 1,124 |
| 42 | 72 | Horizontal | P-DLGSEWL4272  | P-DLGSEWR4272  | 1,168 |
| 42 | 78 | Horizontal | P-DLGSEWL4278  | P-DLGSEWR4278  | 1,215 |
| 42 | 84 | Horizontal | P-DLGSEWL4284  | P-DLGSEWR4284  | 1,259 |
| 42 | 90 | Horizontal | P-DLGSEWL4290  | P-DLGSEWR4290  | 1,303 |
| 42 | 48 | Vertical   | P-DLGSEWL4248  | P-DLGSEWR4248  | 882   |
| 42 | 54 | Vertical   | P-DLGSEWL4254  | P-DLGSEWR4254  | 928   |
| 50 | 48 | Horizontal | P-DLGSEWL5048H | P-DLGSEWR5048H | 1,045 |
| 50 | 54 | Horizontal | P-DLGSEWL5054H | P-DLGSEWR5054H | 1,128 |
| 50 | 60 | Horizontal | P-DLGSEWL5060  | P-DLGSEWR5060  | 1,237 |
| 50 | 66 | Horizontal | P-DLGSEWL5066  | P-DLGSEWR5066  | 1,345 |
| 50 | 72 | Horizontal | P-DLGSEWL5072  | P-DLGSEWR5072  | 1,377 |
| 50 | 78 | Horizontal | P-DLGSEWL5078  | P-DLGSEWR5078  | 1,409 |
| 50 | 84 | Horizontal | P-DLGSEWL5084  | P-DLGSEWR5084  | 1,441 |
| 50 | 90 | Horizontal | P-DLGSEWL5090  | P-DLGSEWR5090  | 1,470 |
| 50 | 48 | Vertical   | P-DLGSEWL5048  | P-DLGSEWR5048  | 1,045 |
| 50 | 54 | Vertical   | P-DLGSEWL5054  | P-DLGSEWR5054  | 1,128 |

**DIVI LINEAR SINGLE END FOR WING GALLERY PANEL**


| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 58 | 48 | Horizontal | P-DLGSEWL5848H | P-DLGSEWR5848H | 1,100 |
| 58 | 54 | Horizontal | P-DLGSEWL5854H | P-DLGSEWR5854H | 1,159 |
| 58 | 60 | Horizontal | P-DLGSEWL5860  | P-DLGSEWR5860  | 1,264 |
| 58 | 66 | Horizontal | P-DLGSEWL5866  | P-DLGSEWR5866  | 1,367 |
| 58 | 72 | Horizontal | P-DLGSEWL5872  | P-DLGSEWR5872  | 1,469 |
| 58 | 78 | Horizontal | P-DLGSEWL5878  | P-DLGSEWR5878  | 1,572 |
| 58 | 84 | Horizontal | P-DLGSEWL5884  | P-DLGSEWR5884  | 1,677 |
| 58 | 90 | Horizontal | P-DLGSEWL5890  | P-DLGSEWR5890  | 1,778 |
| 58 | 48 | Vertical   | P-DLGSEWL5848  | P-DLGSEWR5848  | 1,100 |
| 58 | 54 | Vertical   | P-DLGSEWL5854  | P-DLGSEWR5854  | 1,159 |
| 66 | 48 | Vertical   | P-DLGSEWL6648  | P-DLGSEWR6648  | 1,162 |
| 66 | 54 | Vertical   | P-DLGSEWL6654  | P-DLGSEWR6654  | 1,240 |




Left Hand Shown



Left Hand Shown



Left Hand Shown



Left Hand Shown

**Specify**

- Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.


**Divi Linear Single End for Wing Facing Forward Gallery Panels**

| DIVI LINEAR SINGLE END FOR WING FACING FORWARD GALLERY PANELS |    |            |                |                |       |
|---|----|------------|----------------|----------------|-------|
| H   | W  | Grain      | Left           | Right          | List  |
|   |    |            | Model Number   | Model Number   |       |
| 42  | 48 | Vertical   | P-DGSEWFL4248  | P-DGSEWFR4248  | 882   |
| 42  | 54 | Vertical   | P-DGSEWFL4254  | P-DGSEWFR4254  | 928   |
| 42  | 48 | Horizontal | P-DGSEWFL4248H | P-DGSEWFR4248H | 882   |
| 42  | 54 | Horizontal | P-DGSEWFL4254H | P-DGSEWFR4254H | 928   |
| 42  | 60 | Horizontal | P-DGSEWFL4260  | P-DGSEWFR4260  | 1,046 |
| 42  | 66 | Horizontal | P-DGSEWFL4266  | P-DGSEWFR4266  | 1,124 |
| 42  | 72 | Horizontal | P-DGSEWFL4272  | P-DGSEWFR4272  | 1,168 |
| 42  | 78 | Horizontal | P-DGSEWFL4278  | P-DGSEWFR4278  | 1,215 |
| 42  | 84 | Horizontal | P-DGSEWFL4284  | P-DGSEWFR4284  | 1,259 |
| 42  | 90 | Horizontal | P-DGSEWFL4290  | P-DGSEWFR4290  | 1,303 |
| 50  | 48 | Vertical   | P-DGSEWFL5048  | P-DGSEWFR5048  | 1,045 |
| 50  | 54 | Vertical   | P-DGSEWFL5054  | P-DGSEWFR5054  | 1,128 |
| 50  | 48 | Horizontal | P-DGSEWFL5048H | P-DGSEWFR5048H | 1,045 |
| 50  | 54 | Horizontal | P-DGSEWFL5054H | P-DGSEWFR5054H | 1,128 |
| 50  | 60 | Horizontal | P-DGSEWFL5060  | P-DGSEWFR5060  | 1,237 |
| 50  | 66 | Horizontal | P-DGSEWFL5066  | P-DGSEWFR5066  | 1,345 |
| 50  | 72 | Horizontal | P-DGSEWFL5072  | P-DGSEWFR5072  | 1,377 |
| 50  | 78 | Horizontal | P-DGSEWFL5078  | P-DGSEWFR5078  | 1,409 |
| 50  | 84 | Horizontal | P-DGSEWFL5084  | P-DGSEWFR5084  | 1,441 |
| 50  | 90 | Horizontal | P-DGSEWFL5090  | P-DGSEWFR5090  | 1,470 |


| DIVI LINEAR SINGLE END FOR WING FACING FORWARD GALLERY PANELS |    |            |                |                |       |
|---|----|------------|----------------|----------------|-------|
| H   | W  | Grain      | Left           | Right          | List  |
|   |    |            | Model Number   | Model Number   |       |
| 58  | 48 | Vertical   | P-DGSEWFL5848  | P-DGSEWFR5848  | 1,100 |
| 58  | 54 | Vertical   | P-DGSEWFL5854  | P-DGSEWFR5854  | 1,159 |
| 58  | 48 | Horizontal | P-DGSEWFL5848H | P-DGSEWFR5848H | 1,100 |
| 58  | 54 | Horizontal | P-DGSEWFL5854H | P-DGSEWFR5854H | 1,159 |
| 58  | 60 | Horizontal | P-DGSEWFL5860  | P-DGSEWFR5860  | 1,264 |
| 58  | 66 | Horizontal | P-DGSEWFL5866  | P-DGSEWFR5866  | 1,367 |
| 58  | 72 | Horizontal | P-DGSEWFL5872  | P-DGSEWFR5872  | 1,469 |
| 58  | 78 | Horizontal | P-DGSEWFL5878  | P-DGSEWFR5878  | 1,572 |
| 58  | 84 | Horizontal | P-DGSEWFL5884  | P-DGSEWFR5884  | 1,677 |
| 58  | 90 | Horizontal | P-DGSEWFL5890  | P-DGSEWFR5890  | 1,778 |
| 66  | 48 | Vertical   | P-DGSEWFL6648  | P-DGSEWFR6648  | 1,162 |
| 66  | 54 | Vertical   | P-DGSEWFL6654  | P-DGSEWFR6654  | 1,240 |



Left Hand Shown



Left Hand Shown



Right Hand Shown

**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.


**Divi Linear Single End for Double Wing Gallery Panels**

**DIVI LINEAR SINGLE END FOR DOUBLE WING GALLERY PANELS**


| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 42 | 48 | Vertical   | P-DGSEWDL4248  | P-DGSEWDR4248  | 917   |
| 42 | 54 | Vertical   | P-DGSEWDL4254  | P-DGSEWDR4254  | 963   |
| 42 | 48 | Horizontal | P-DGSEWDL4248H | P-DGSEWDR4248H | 917   |
| 42 | 54 | Horizontal | P-DGSEWDL4254H | P-DGSEWDR4254H | 963   |
| 42 | 60 | Horizontal | P-DGSEWDL4260  | P-DGSEWDR4260  | 1,083 |
| 42 | 66 | Horizontal | P-DGSEWDL4266  | P-DGSEWDR4266  | 1,159 |
| 42 | 72 | Horizontal | P-DGSEWDL4272  | P-DGSEWDR4272  | 1,204 |
| 42 | 78 | Horizontal | P-DGSEWDL4278  | P-DGSEWDR4278  | 1,249 |
| 42 | 84 | Horizontal | P-DGSEWDL4284  | P-DGSEWDR4284  | 1,295 |
| 42 | 90 | Horizontal | P-DGSEWDL4290  | P-DGSEWDR4290  | 1,339 |
| 50 | 48 | Vertical   | P-DGSEWDL5048  | P-DGSEWDR5048  | 1,082 |
| 50 | 54 | Vertical   | P-DGSEWDL5054  | P-DGSEWDR5054  | 1,163 |
| 50 | 48 | Horizontal | P-DGSEWDL5048H | P-DGSEWDR5048H | 1,082 |
| 50 | 54 | Horizontal | P-DGSEWDL5054H | P-DGSEWDR5054H | 1,163 |
| 50 | 60 | Horizontal | P-DGSEWDL5060  | P-DGSEWDR5060  | 1,272 |
| 50 | 66 | Horizontal | P-DGSEWDL5066  | P-DGSEWDR5066  | 1,381 |
| 50 | 72 | Horizontal | P-DGSEWDL5072  | P-DGSEWDR5072  | 1,413 |
| 50 | 78 | Horizontal | P-DGSEWDL5078  | P-DGSEWDR5078  | 1,444 |
| 50 | 84 | Horizontal | P-DGSEWDL5084  | P-DGSEWDR5084  | 1,475 |
| 50 | 90 | Horizontal | P-DGSEWDL5090  | P-DGSEWDR5090  | 1,506 |

**DIVI LINEAR SINGLE END FOR DOUBLE WING GALLERY PANELS**

| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 58 | 48 | Vertical   | P-DGSEWDL5848  | P-DGSEWDR5848  | 1,136 |
| 58 | 54 | Vertical   | P-DGSEWDL5854  | P-DGSEWDR5854  | 1,194 |
| 58 | 48 | Horizontal | P-DGSEWDL5848H | P-DGSEWDR5848H | 1,136 |
| 58 | 54 | Horizontal | P-DGSEWDL5854H | P-DGSEWDR5854H | 1,194 |
| 58 | 60 | Horizontal | P-DGSEWDL5860  | P-DGSEWDR5860  | 1,300 |
| 58 | 66 | Horizontal | P-DGSEWDL5866  | P-DGSEWDR5866  | 1,402 |
| 58 | 72 | Horizontal | P-DGSEWDL5872  | P-DGSEWDR5872  | 1,505 |
| 58 | 78 | Horizontal | P-DGSEWDL5878  | P-DGSEWDR5878  | 1,607 |
| 58 | 84 | Horizontal | P-DGSEWDL5884  | P-DGSEWDR5884  | 1,713 |
| 58 | 90 | Horizontal | P-DGSEWDL5890  | P-DGSEWDR5890  | 1,813 |
| 66 | 48 | Vertical   | P-DGSEWDL6648  | P-DGSEWDR6648  | 1,200 |
| 66 | 54 | Vertical   | P-DGSEWDL6654  | P-DGSEWDR6654  | 1,275 |



Left Hand Shown



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.


**Divi Linear Single Spine Gallery Panels**

**DIVI LINEAR SINGLE SPINE GALLERY PANELS**

| H  | W  | Grain      | Model Number  | List  |
|----|----|------------|---------------|-------|
| 42 | 24 | Horizontal | P-DLGPSS4224H | 689   |
| 42 | 30 | Horizontal | P-DLGPSS4230H | 741   |
| 42 | 36 | Horizontal | P-DLGPSS4236H | 789   |
| 42 | 42 | Horizontal | P-DLGPSS4242H | 835   |
| 42 | 48 | Horizontal | P-DLGPSS4248H | 882   |
| 42 | 54 | Horizontal | P-DLGPSS4254H | 928   |
| 42 | 60 | Horizontal | P-DLGPSS4260  | 1,046 |
| 42 | 66 | Horizontal | P-DLGPSS4266  | 1,124 |
| 42 | 72 | Horizontal | P-DLGPSS4272  | 1,168 |
| 42 | 78 | Horizontal | P-DLGPSS4278  | 1,215 |
| 42 | 84 | Horizontal | P-DLGPSS4284  | 1,259 |
| 42 | 90 | Horizontal | P-DLGPSS4290  | 1,303 |
| 42 | 24 | Vertical   | P-DLGPSS4224  | 689   |
| 42 | 30 | Vertical   | P-DLGPSS4230  | 741   |
| 42 | 36 | Vertical   | P-DLGPSS4236  | 789   |
| 42 | 42 | Vertical   | P-DLGPSS4242  | 835   |
| 42 | 48 | Vertical   | P-DLGPSS4248  | 882   |
| 42 | 54 | Vertical   | P-DLGPSS4254  | 928   |

**DIVI LINEAR SINGLE SPINE GALLERY PANELS**

| H  | W  | Grain      | Model Number  | List  |
|----|----|------------|---------------|-------|
| 50 | 24 | Horizontal | P-DLGPSS5024H | 737   |
| 50 | 30 | Horizontal | P-DLGPSS5030H | 810   |
| 50 | 36 | Horizontal | P-DLGPSS5036H | 886   |
| 50 | 42 | Horizontal | P-DLGPSS5042H | 964   |
| 50 | 48 | Horizontal | P-DLGPSS5048H | 1,045 |
| 50 | 54 | Horizontal | P-DLGPSS5054H | 1,128 |
| 50 | 60 | Horizontal | P-DLGPSS5060  | 1,237 |
| 50 | 66 | Horizontal | P-DLGPSS5066  | 1,345 |
| 50 | 72 | Horizontal | P-DLGPSS5072  | 1,377 |
| 50 | 78 | Horizontal | P-DLGPSS5078  | 1,409 |
| 50 | 84 | Horizontal | P-DLGPSS5084  | 1,441 |
| 50 | 90 | Horizontal | P-DLGPSS5090  | 1,470 |
| 50 | 24 | Vertical   | P-DLGPSS5024  | 737   |
| 50 | 30 | Vertical   | P-DLGPSS5030  | 810   |
| 50 | 36 | Vertical   | P-DLGPSS5036  | 886   |
| 50 | 42 | Vertical   | P-DLGPSS5042  | 964   |
| 50 | 48 | Vertical   | P-DLGPSS5048  | 1,045 |
| 50 | 54 | Vertical   | P-DLGPSS5054  | 1,128 |



**Specify**

- Laminate with matching edge

**Notes**

- Single Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- HiLo kits are required if gallery panel is lower than standard panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


**Divi Linear Single Spine Gallery Panels**

**DIVI LINEAR SINGLE SPINE GALLERY PANELS**

| H  | W  | Grain      | Model Number  | List  |
|----|----|------------|---------------|-------|
| 58 | 24 | Horizontal | P-DLGPSS5824H | 821   |
| 58 | 30 | Horizontal | P-DLGPSS5830H | 898   |
| 58 | 36 | Horizontal | P-DLGPSS5836H | 968   |
| 58 | 42 | Horizontal | P-DLGPSS5842H | 1,044 |
| 58 | 48 | Horizontal | P-DLGPSS5848H | 1,100 |
| 58 | 54 | Horizontal | P-DLGPSS5854H | 1,159 |
| 58 | 60 | Horizontal | P-DLGPSS5860  | 1,264 |
| 58 | 66 | Horizontal | P-DLGPSS5866  | 1,367 |
| 58 | 72 | Horizontal | P-DLGPSS5872  | 1,469 |
| 58 | 78 | Horizontal | P-DLGPSS5878  | 1,572 |
| 58 | 84 | Horizontal | P-DLGPSS5884  | 1,677 |
| 58 | 90 | Horizontal | P-DLGPSS5890  | 1,778 |
| 58 | 24 | Vertical   | P-DLGPSS5824  | 821   |
| 58 | 30 | Vertical   | P-DLGPSS5830  | 898   |
| 58 | 36 | Vertical   | P-DLGPSS5836  | 968   |
| 58 | 42 | Vertical   | P-DLGPSS5842  | 1,044 |
| 58 | 48 | Vertical   | P-DLGPSS5848  | 1,100 |
| 58 | 54 | Vertical   | P-DLGPSS5854  | 1,159 |

**DIVI LINEAR SINGLE SPINE GALLERY PANELS**

| H  | W  | Grain    | Model Number | List  |
|----|----|----------|--------------|-------|
| 66 | 24 | Vertical | P-DLGPSS6624 | 842   |
| 66 | 30 | Vertical | P-DLGPSS6630 | 926   |
| 66 | 36 | Vertical | P-DLGPSS6636 | 1,002 |
| 66 | 42 | Vertical | P-DLGPSS6642 | 1,084 |
| 66 | 48 | Vertical | P-DLGPSS6648 | 1,162 |
| 66 | 54 | Vertical | P-DLGPSS6654 | 1,240 |



**Specify**

**Notes**


• Laminate with matching edge

- Single Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- HiLo kits are required if gallery panel is lower than standard panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


**Divi Linear Single Spine for Wing Gallery Panels**

| DIVI LINEAR SINGLE SPINE FOR WING GALLERY PANEL |    |            |                |                |       |  |
|---|----|------------|----------------|----------------|-------|--|
| H   | W  | Grain      | Left           | Right          | List  |  |
|   |    |            | Model Number   | Model Number   |       |  |
| 42  | 48 | Horizontal | P-DLGSSWL4248H | P-DLGSSWR4248H | 917   |  |
| 42  | 54 | Horizontal | P-DLGSSWL4254H | P-DLGSSWR4254H | 963   |  |
| 42  | 60 | Horizontal | P-DLGSSWL4260  | P-DLGSSWR4260  | 1,083 |  |
| 42  | 66 | Horizontal | P-DLGSSWL4266  | P-DLGSSWR4266  | 1,159 |  |
| 42  | 72 | Horizontal | P-DLGSSWL4272  | P-DLGSSWR4272  | 1,204 |  |
| 42  | 78 | Horizontal | P-DLGSSWL4278  | P-DLGSSWR4278  | 1,249 |  |
| 42  | 84 | Horizontal | P-DLGSSWL4284  | P-DLGSSWR4284  | 1,295 |  |
| 42  | 90 | Horizontal | P-DLGSSWL4290  | P-DLGSSWR4290  | 1,339 |  |
| 42  | 48 | Vertical   | P-DLGSSWL4248  | P-DLGSSWR4248  | 917   |  |
| 42  | 54 | Vertical   | P-DLGSSWL4254  | P-DLGSSWR4254  | 963   |  |
| 50  | 48 | Horizontal | P-DLGSSWL5048H | P-DLGSSWR5048H | 1,082 |  |
| 50  | 54 | Horizontal | P-DLGSSWL5054H | P-DLGSSWR5054H | 1,163 |  |
| 50  | 60 | Horizontal | P-DLGSSWL5060  | P-DLGSSWR5060  | 1,272 |  |
| 50  | 66 | Horizontal | P-DLGSSWL5066  | P-DLGSSWR5066  | 1,381 |  |
| 50  | 72 | Horizontal | P-DLGSSWL5072  | P-DLGSSWR5072  | 1,413 |  |
| 50  | 78 | Horizontal | P-DLGSSWL5078  | P-DLGSSWR5078  | 1,444 |  |
| 50  | 84 | Horizontal | P-DLGSSWL5084  | P-DLGSSWR5084  | 1,475 |  |
| 50  | 90 | Horizontal | P-DLGSSWL5090  | P-DLGSSWR5090  | 1,506 |  |
| 50  | 48 | Vertical   | P-DLGSSWL5048  | P-DLGSSWR5048  | 1,082 |  |
| 50  | 54 | Vertical   | P-DLGSSWL5054  | P-DLGSSWR5054  | 1,163 |  |


| DIVI LINEAR SINGLE SPINE FOR WING GALLERY PANEL |    |            |                |                |       |  |
|---|----|------------|----------------|----------------|-------|--|
| H   | W  | Grain      | Left           | Right          | List  |  |
|   |    |            | Model Number   | Model Number   |       |  |
| 58  | 48 | Horizontal | P-DLGSSWL5848H | P-DLGSSWR5848H | 1,136 |  |
| 58  | 54 | Horizontal | P-DLGSSWL5854H | P-DLGSSWR5854H | 1,194 |  |
| 58  | 60 | Horizontal | P-DLGSSWL5860  | P-DLGSSWR5860  | 1,300 |  |
| 58  | 66 | Horizontal | P-DLGSSWL5866  | P-DLGSSWR5869  | 1,402 |  |
| 58  | 72 | Horizontal | P-DLGSSWL5872  | P-DLGSSWR5872  | 1,505 |  |
| 58  | 78 | Horizontal | P-DLGSSWL5878  | P-DLGSSWR5878  | 1,607 |  |
| 58  | 84 | Horizontal | P-DLGSSWL5884  | P-DLGSSWR5884  | 1,713 |  |
| 58  | 90 | Horizontal | P-DLGSSWL5890  | P-DLGSSWR5890  | 1,813 |  |
| 58  | 48 | Vertical   | P-DLGSSWL5848  | P-DLGSSWR5848  | 1,136 |  |
| 58  | 54 | Vertical   | P-DLGSSWL5854  | P-DLGSSWR5854  | 1,194 |  |
| 66  | 48 | Vertical   | P-DLGSSWL6648  | P-DLGSSWR6648  | 1,200 |  |
| 66  | 54 | Vertical   | P-DLGSSWL6654  | P-DLGSSWR6654  | 1,275 |  |




Left Hand Shown



Left Hand Shown



Left Hand Shown



Left Hand Shown

**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



**Divi Linear Single Spine for Double Wing Gallery Panels**

**DIVI LINEAR SINGLE SPINE FOR DOUBLE WING GALLERY PANELS**

| H  | W  | Grain      | Model Number | List  |
|----|----|------------|--------------|-------|
| 42 | 48 | Vertical   | P-DGSDW4248  | 953   |
| 42 | 54 | Vertical   | P-DGSDW4254  | 999   |
| 42 | 48 | Horizontal | P-DGSDW4248H | 953   |
| 42 | 54 | Horizontal | P-DGSDW4254H | 999   |
| 42 | 60 | Horizontal | P-DGSDW4260  | 1,119 |
| 42 | 66 | Horizontal | P-DGSDW4266  | 1,194 |
| 42 | 72 | Horizontal | P-DGSDW4272  | 1,239 |
| 42 | 76 | Horizontal | P-DGSDW4278  | 1,286 |
| 42 | 84 | Horizontal | P-DGSDW4284  | 1,331 |
| 42 | 90 | Horizontal | P-DGSDW4290  | 1,375 |
| 50 | 48 | Vertical   | P-DGSDW5048  | 1,117 |
| 50 | 54 | Vertical   | P-DGSDW5054  | 1,201 |
| 50 | 48 | Horizontal | P-DGSDW5048H | 1,117 |
| 50 | 54 | Horizontal | P-DGSDW5054H | 1,201 |
| 50 | 60 | Horizontal | P-DGSDW5060  | 1,307 |
| 50 | 66 | Horizontal | P-DGSDW5066  | 1,415 |
| 50 | 72 | Horizontal | P-DGSDW5072  | 1,449 |
| 50 | 78 | Horizontal | P-DGSDW5078  | 1,479 |
| 50 | 84 | Horizontal | P-DGSDW5084  | 1,510 |
| 50 | 90 | Horizontal | P-DGSDW5090  | 1,541 |

**DIVI LINEAR SINGLE SPINE FOR DOUBLE WING GALLERY PANELS**

| H  | W  | Grain      | Model Number | List  |
|----|----|------------|--------------|-------|
| 58 | 48 | Vertical   | P-DGSDW5848  | 1,172 |
| 58 | 54 | Vertical   | P-DGSDW5854  | 1,232 |
| 58 | 48 | Horizontal | P-DGSDW5848H | 1,172 |
| 58 | 54 | Horizontal | P-DGSDW5854H | 1,232 |
| 58 | 60 | Horizontal | P-DGSDW5860  | 1,335 |
| 58 | 66 | Horizontal | P-DGSDW5866  | 1,440 |
| 58 | 72 | Horizontal | P-DGSDW5872  | 1,540 |
| 58 | 78 | Horizontal | P-DGSDW5878  | 1,645 |
| 58 | 84 | Horizontal | P-DGSDW5884  | 1,748 |
| 58 | 90 | Horizontal | P-DGSDW5890  | 1,850 |
| 66 | 48 | Vertical   | P-DGSDW6648  | 1,235 |
| 66 | 54 | Vertical   | P-DGSDW6654  | 1,312 |



**Specify**

- Laminate with matching edge





**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

**Divi Linear Double End Gallery Panels**

| DIVI LINEAR DOUBLE END GALLERY PANELS |    |            |               |       |
|---------------------------------------|----|------------|---------------|-------|
| H                                     | W  | Grain      | Model Number  | List  |
| 42                                    | 48 | Vertical   | P-DLGPDE4248  | 846   |
| 42                                    | 54 | Vertical   | P-DLGPDE4254  | 891   |
| 42                                    | 48 | Horizontal | P-DLGPDE4248H | 846   |
| 42                                    | 54 | Horizontal | P-DLGPDE4254H | 891   |
| 42                                    | 60 | Horizontal | P-DLGPDE4260  | 1,011 |
| 42                                    | 66 | Horizontal | P-DLGPDE4266  | 1,088 |
| 42                                    | 72 | Horizontal | P-DLGPDE4272  | 1,132 |
| 42                                    | 76 | Horizontal | P-DLGPDE4278  | 1,179 |
| 42                                    | 84 | Horizontal | P-DLGPDE4284  | 1,222 |
| 42                                    | 90 | Horizontal | P-DLGPDE4290  | 1,267 |
| 50                                    | 48 | Vertical   | P-DLGPDE5048  | 1,010 |
| 50                                    | 54 | Vertical   | P-DLGPDE5054  | 1,093 |
| 50                                    | 48 | Horizontal | P-DLGPDE5048H | 1,010 |
| 50                                    | 54 | Horizontal | P-DLGPDE5054H | 1,093 |
| 50                                    | 60 | Horizontal | P-DLGPDE5060  | 1,202 |
| 50                                    | 66 | Horizontal | P-DLGPDE5066  | 1,307 |
| 50                                    | 72 | Horizontal | P-DLGPDE5072  | 1,342 |
| 50                                    | 78 | Horizontal | P-DLGPDE5078  | 1,371 |
| 50                                    | 84 | Horizontal | P-DLGPDE5084  | 1,404 |
| 50                                    | 90 | Horizontal | P-DLGPDE5090  | 1,435 |

| DIVI LINEAR DOUBLE END GALLERY PANELS |    |            |               |       |
|---------------------------------------|----|------------|---------------|-------|
| H                                     | W  | Grain      | Model Number  | List  |
| 58                                    | 48 | Vertical   | P-DLGPDE5848  | 1,065 |
| 58                                    | 54 | Vertical   | P-DLGPDE5854  | 1,124 |
| 58                                    | 48 | Horizontal | P-DLGPDE5848H | 1,065 |
| 58                                    | 54 | Horizontal | P-DLGPDE5854H | 1,124 |
| 58                                    | 60 | Horizontal | P-DLGPDE5860  | 1,229 |
| 58                                    | 66 | Horizontal | P-DLGPDE5866  | 1,332 |
| 58                                    | 72 | Horizontal | P-DLGPDE5872  | 1,433 |
| 58                                    | 78 | Horizontal | P-DLGPDE5878  | 1,537 |
| 58                                    | 84 | Horizontal | P-DLGPDE5884  | 1,642 |
| 58                                    | 90 | Horizontal | P-DLGPDE5890  | 1,744 |
| 66                                    | 48 | Vertical   | P-DLGPDE6648  | 1,127 |
| 66                                    | 54 | Vertical   | P-DLGPDE6654  | 1,205 |



**Specify**

- Laminate with matching edge

**Notes**

- Double End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Double End Gallery Panels are connected to the spine in the center of the gallery panel.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.

**Divi Linear Double Spine Gallery Panels**

**DIVI LINEAR DOUBLE SPINE GALLERY PANELS**

| H  | W  | Grain      | Model Number  | List  |
|----|----|------------|---------------|-------|
| 42 | 48 | Vertical   | P-DLGPSD4248  | 882   |
| 42 | 54 | Vertical   | P-DLGPSD4254  | 928   |
| 42 | 48 | Horizontal | P-DLGPSD4248H | 882   |
| 42 | 54 | Horizontal | P-DLGPSD4254H | 928   |
| 42 | 60 | Horizontal | P-DLGPSD4260  | 1,046 |
| 42 | 66 | Horizontal | P-DLGPSD4266  | 1,124 |
| 42 | 72 | Horizontal | P-DLGPSD4272  | 1,168 |
| 42 | 78 | Horizontal | P-DLGPSD4278  | 1,215 |
| 42 | 84 | Horizontal | P-DLGPSD4284  | 1,259 |
| 42 | 90 | Horizontal | P-DLGPSD4290  | 1,303 |
| 50 | 48 | Vertical   | P-DLGPSD5048  | 1,045 |
| 50 | 54 | Vertical   | P-DLGPSD5054  | 1,128 |
| 50 | 48 | Horizontal | P-DLGPSD5048H | 1,045 |
| 50 | 54 | Horizontal | P-DLGPSD5054H | 1,128 |
| 50 | 60 | Horizontal | P-DLGPSD5060  | 1,237 |
| 50 | 66 | Horizontal | P-DLGPSD5066  | 1,345 |
| 50 | 72 | Horizontal | P-DLGPSD5072  | 1,377 |
| 50 | 78 | Horizontal | P-DLGPSD5078  | 1,409 |
| 50 | 84 | Horizontal | P-DLGPSD5084  | 1,441 |
| 50 | 90 | Horizontal | P-DLGPSD5090  | 1,470 |

**DIVI LINEAR DOUBLE SPINE GALLERY PANELS**

| H  | W  | Grain      | Model Number  | List  |
|----|----|------------|---------------|-------|
| 58 | 48 | Vertical   | P-DLGPSD5848  | 1,100 |
| 58 | 54 | Vertical   | P-DLGPSD5854  | 1,159 |
| 58 | 48 | Horizontal | P-DLGPSD5848H | 1,100 |
| 58 | 54 | Horizontal | P-DLGPSD5854H | 1,159 |
| 58 | 60 | Horizontal | P-DLGPSD5860  | 1,264 |
| 58 | 66 | Horizontal | P-DLGPSD5866  | 1,367 |
| 58 | 72 | Horizontal | P-DLGPSD5872  | 1,469 |
| 58 | 78 | Horizontal | P-DLGPSD5878  | 1,572 |
| 58 | 84 | Horizontal | P-DLGPSD5884  | 1,677 |
| 58 | 90 | Horizontal | P-DLGPSD5890  | 1,778 |
| 66 | 48 | Vertical   | P-DLGPSD6648  | 1,162 |
| 66 | 54 | Vertical   | P-DLGPSD6654  | 1,240 |



**Specify**

- Laminate with matching edge

**Notes**

- Double Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Double End Gallery Panels are connected to the spine in the center of the gallery panel.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


**Divi Linear Mid Mount End Gallery Panels**

| DIVI LINEAR MID MOUNT END GALLERY PANELS |    |            |                 |                |       |
|--|----|------------|-----------------|----------------|-------|
| H  | W  | Grain      | Left            | Right          | List  |
|  |    |            | Model Number    | Model Number   |       |
| 42                                       | 24 | Vertical   | P-DLGPMMML4224  | P-DLGPMMR4224  | 653   |
| 42                                       | 30 | Vertical   | P-DLGPMMML4230  | P-DLGPMMR4230  | 706   |
| 42                                       | 36 | Vertical   | P-DLGPMMML4236  | P-DLGPMMR4236  | 752   |
| 42                                       | 42 | Vertical   | P-DLGPMMML4242  | P-DLGPMMR4242  | 798   |
| 42                                       | 48 | Vertical   | P-DLGPMMML4248  | P-DLGPMMR4248  | 846   |
| 42                                       | 54 | Vertical   | P-DLGPMMML4254  | P-DLGPMMR4254  | 891   |
| 42                                       | 24 | Horizontal | P-DLGPMMML4224H | P-DLGPMMR4224H | 653   |
| 42                                       | 30 | Horizontal | P-DLGPMMML4230H | P-DLGPMMR4230H | 706   |
| 42                                       | 36 | Horizontal | P-DLGPMMML4236H | P-DLGPMMR4236H | 752   |
| 42                                       | 42 | Horizontal | P-DLGPMMML4242H | P-DLGPMMR4242H | 798   |
| 42                                       | 48 | Horizontal | P-DLGPMMML4248H | P-DLGPMMR4248H | 846   |
| 42                                       | 54 | Horizontal | P-DLGPMMML4254H | P-DLGPMMR4254H | 891   |
| 42                                       | 60 | Horizontal | P-DLGPMMML4260  | P-DLGPMMR4260  | 1,011 |
| 42                                       | 66 | Horizontal | P-DLGPMMML4266  | P-DLGPMMR4266  | 1,088 |
| 42                                       | 72 | Horizontal | P-DLGPMMML4272  | P-DLGPMMR4272  | 1,132 |
| 42                                       | 78 | Horizontal | P-DLGPMMML4278  | P-DLGPMMR4278  | 1,179 |
| 42                                       | 84 | Horizontal | P-DLGPMMML4284  | P-DLGPMMR4284  | 1,222 |
| 42                                       | 90 | Horizontal | P-DLGPMMML4290  | P-DLGPMMR4290  | 1,267 |


| DIVI LINEAR MID MOUNT END GALLERY PANELS |    |            |                 |                |       |
|--|----|------------|-----------------|----------------|-------|
| H  | W  | Grain      | Left            | Right          | List  |
|  |    |            | Model Number    | Model Number   |       |
| 50                                       | 24 | Vertical   | P-DLGPMMML5024  | P-DLGPMMR5024  | 700   |
| 50                                       | 30 | Vertical   | P-DLGPMMML5030  | P-DLGPMMR5030  | 776   |
| 50                                       | 36 | Vertical   | P-DLGPMMML5036  | P-DLGPMMR5036  | 850   |
| 50                                       | 42 | Vertical   | P-DLGPMMML5042  | P-DLGPMMR5042  | 929   |
| 50                                       | 48 | Vertical   | P-DLGPMMML5048  | P-DLGPMMR5048  | 1,010 |
| 50                                       | 54 | Vertical   | P-DLGPMMML5054  | P-DLGPMMR5054  | 1,093 |
| 50                                       | 24 | Horizontal | P-DLGPMMML5024H | P-DLGPMMR5024H | 700   |
| 50                                       | 30 | Horizontal | P-DLGPMMML5030H | P-DLGPMMR5030H | 776   |
| 50                                       | 36 | Horizontal | P-DLGPMMML5036H | P-DLGPMMR5036H | 850   |
| 50                                       | 42 | Horizontal | P-DLGPMMML5042H | P-DLGPMMR5042H | 929   |
| 50                                       | 48 | Horizontal | P-DLGPMMML5048H | P-DLGPMMR5048H | 1,010 |
| 50                                       | 54 | Horizontal | P-DLGPMMML5054H | P-DLGPMMR5054H | 1,093 |
| 50                                       | 60 | Horizontal | P-DLGPMMML5060  | P-DLGPMMR5060  | 1,202 |
| 50                                       | 66 | Horizontal | P-DLGPMMML5066  | P-DLGPMMR5066  | 1,307 |
| 50                                       | 72 | Horizontal | P-DLGPMMML5072  | P-DLGPMMR5072  | 1,342 |
| 50                                       | 78 | Horizontal | P-DLGPMMML5078  | P-DLGPMMR5078  | 1,371 |
| 50                                       | 84 | Horizontal | P-DLGPMMML5084  | P-DLGPMMR5084  | 1,404 |
| 50                                       | 90 | Horizontal | P-DLGPMMML5090  | P-DLGPMMR5090  | 1,435 |



Left Hand Shown



Left Hand Shown



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.

**Divi Linear Mid Mount End Gallery Panels**

**DIVI LINEAR MID MOUNT END GALLERY PANELS**


| H  | W  | Grain      | Left            | Right          | List  |
|----|----|------------|-----------------|----------------|-------|
|    |    |            | Model Number    | Model Number   |       |
| 58 | 24 | Vertical   | P-DLGPMMML5824  | P-DLGPMMR5824  | 785   |
| 58 | 30 | Vertical   | P-DLGPMMML5830  | P-DLGPMMR5830  | 861   |
| 58 | 36 | Vertical   | P-DLGPMMML5836  | P-DLGPMMR5836  | 933   |
| 58 | 42 | Vertical   | P-DLGPMMML5842  | P-DLGPMMR5842  | 1,009 |
| 58 | 48 | Vertical   | P-DLGPMMML5848  | P-DLGPMMR5848  | 1,065 |
| 58 | 54 | Vertical   | P-DLGPMMML5854  | P-DLGPMMR5854  | 1,124 |
|    |    |            |                 |                |       |
| 58 | 24 | Horizontal | P-DLGPMMML5824H | P-DLGPMMR5824H | 785   |
| 58 | 30 | Horizontal | P-DLGPMMML5830H | P-DLGPMMR5830H | 861   |
| 58 | 36 | Horizontal | P-DLGPMMML5836H | P-DLGPMMR5836H | 933   |
| 58 | 42 | Horizontal | P-DLGPMMML5842H | P-DLGPMMR5842H | 1,009 |
| 58 | 48 | Horizontal | P-DLGPMMML5848H | P-DLGPMMR5848H | 1,065 |
| 58 | 54 | Horizontal | P-DLGPMMML5854H | P-DLGPMMR5854H | 1,124 |
| 58 | 60 | Horizontal | P-DLGPMMML5860  | P-DLGPMMR5860  | 1,229 |
| 58 | 66 | Horizontal | P-DLGPMMML5866  | P-DLGPMMR5866  | 1,332 |
| 58 | 72 | Horizontal | P-DLGPMMML5872  | P-DLGPMMR5872  | 1,433 |
| 58 | 78 | Horizontal | P-DLGPMMML5878  | P-DLGPMMR5878  | 1,537 |
| 58 | 84 | Horizontal | P-DLGPMMML5884  | P-DLGPMMR5884  | 1,642 |
| 58 | 90 | Horizontal | P-DLGPMMML5890  | P-DLGPMMR5890  | 1,744 |

**DIVI LINEAR MID MOUNT END GALLERY PANELS**


| H  | W  | Grain    | Left           | Right         | List  |
|----|----|----------|----------------|---------------|-------|
|    |    |          | Model Number   | Model Number  |       |
| 66 | 24 | Vertical | P-DLGPMMML6624 | P-DLGPMMR6624 | 806   |
| 66 | 30 | Vertical | P-DLGPMMML6630 | P-DLGPMMR6630 | 890   |
| 66 | 36 | Vertical | P-DLGPMMML6636 | P-DLGPMMR6636 | 967   |
| 66 | 42 | Vertical | P-DLGPMMML6642 | P-DLGPMMR6642 | 1,047 |
| 66 | 48 | Vertical | P-DLGPMMML6648 | P-DLGPMMR6648 | 1,127 |
| 66 | 54 | Vertical | P-DLGPMMML6654 | P-DLGPMMR6654 | 1,205 |



Left Hand Shown



Left Hand Shown



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.


## Divi Linear Mid Mount End for Wing Gallery Panels

### DIVI LINEAR MID MOUNT END FOR WING GALLERY PANELS


| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 42 | 48 | Vertical   | P-DLGMMWL4248  | P-DLGMMWR4248  | 882   |
| 42 | 54 | Vertical   | P-DLGMMWL4254  | P-DLGMMWR4254  | 928   |
| 42 | 48 | Horizontal | P-DLGMMWL4248H | P-DLGMMWR4248H | 882   |
| 42 | 54 | Horizontal | P-DLGMMWL4254H | P-DLGMMWR4254H | 928   |
| 42 | 60 | Horizontal | P-DLGMMWL4260  | P-DLGMMWR4260  | 1,046 |
| 42 | 66 | Horizontal | P-DLGMMWL4266  | P-DLGMMWR4266  | 1,124 |
| 42 | 72 | Horizontal | P-DLGMMWL4272  | P-DLGMMWR4272  | 1,168 |
| 42 | 78 | Horizontal | P-DLGMMWL4278  | P-DLGMMWR4278  | 1,215 |
| 42 | 84 | Horizontal | P-DLGMMWL4284  | P-DLGMMWR4284  | 1,259 |
| 42 | 90 | Horizontal | P-DLGMMWL4290  | P-DLGMMWR4290  | 1,303 |
| 50 | 48 | Vertical   | P-DLGMMWL5048  | P-DLGMMWR5048  | 1,045 |
| 50 | 54 | Vertical   | P-DLGMMWL5054  | P-DLGMMWR5054  | 1,128 |
| 50 | 48 | Horizontal | P-DLGMMWL5048H | P-DLGMMWR5048H | 1,045 |
| 50 | 54 | Horizontal | P-DLGMMWL5054H | P-DLGMMWR5054H | 1,128 |
| 50 | 60 | Horizontal | P-DLGMMWL5060  | P-DLGMMWR5060  | 1,237 |
| 50 | 66 | Horizontal | P-DLGMMWL5066  | P-DLGMMWR5066  | 1,345 |
| 50 | 72 | Horizontal | P-DLGMMWL5072  | P-DLGMMWR5072  | 1,377 |
| 50 | 78 | Horizontal | P-DLGMMWL5078  | P-DLGMMWR5078  | 1,409 |
| 50 | 84 | Horizontal | P-DLGMMWL5084  | P-DLGMMWR5084  | 1,441 |
| 50 | 90 | Horizontal | P-DLGMMWL5090  | P-DLGMMWR5090  | 1,470 |

### DIVI LINEAR MID MOUNT END FOR WING GALLERY PANELS

| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 58 | 48 | Vertical   | P-DLGMMWL5848  | P-DLGMMWR5848  | 1,100 |
| 58 | 54 | Vertical   | P-DLGMMWL5854  | P-DLGMMWR5854  | 1,159 |
| 58 | 48 | Horizontal | P-DLGMMWL5848H | P-DLGMMWR5848H | 1,100 |
| 58 | 54 | Horizontal | P-DLGMMWL5854H | P-DLGMMWR5854H | 1,159 |
| 58 | 60 | Horizontal | P-DLGMMWL5860  | P-DLGMMWR5860  | 1,264 |
| 58 | 66 | Horizontal | P-DLGMMWL5866  | P-DLGMMWR5866  | 1,367 |
| 58 | 72 | Horizontal | P-DLGMMWL5872  | P-DLGMMWR5872  | 1,469 |
| 58 | 78 | Horizontal | P-DLGMMWL5878  | P-DLGMMWR5878  | 1,572 |
| 58 | 84 | Horizontal | P-DLGMMWL5884  | P-DLGMMWR5884  | 1,677 |
| 58 | 90 | Horizontal | P-DLGMMWL5890  | P-DLGMMWR5890  | 1,778 |
| 66 | 48 | Vertical   | P-DLGMMWL6648  | P-DLGMMWR6648  | 1,162 |
| 66 | 54 | Vertical   | P-DLGMMWL6654  | P-DLGMMWR6654  | 1,240 |



Left Hand Shown



#### Specify

- Laminate with matching edge

#### Notes

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.


**Divi Linear Mid Mount End for Wing Facing Front Gallery Panels**

**DIVI LINEAR MID MOUNT END FOR WING FACING FRONT GALLERY PANELS**


| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 42 | 48 | Vertical   | P-DGMMWFL4248  | P-DGMMWFR4248  | 917   |
| 42 | 54 | Vertical   | P-DGMMWFL4254  | P-DGMMWFR4254  | 963   |
| 42 | 48 | Horizontal | P-DGMMWFL4248H | P-DGMMWFR4248H | 917   |
| 42 | 54 | Horizontal | P-DGMMWFL4254H | P-DGMMWFR4254H | 963   |
| 42 | 60 | Horizontal | P-DGMMWFL4260  | P-DGMMWFR4260  | 1,083 |
| 42 | 66 | Horizontal | P-DGMMWFL4266  | P-DGMMWFR4266  | 1,159 |
| 42 | 72 | Horizontal | P-DGMMWFL4272  | P-DGMMWFR4272  | 1,204 |
| 42 | 78 | Horizontal | P-DGMMWFL4278  | P-DGMMWFR4278  | 1,249 |
| 42 | 84 | Horizontal | P-DGMMWFL4284  | P-DGMMWFR4284  | 1,295 |
| 42 | 90 | Horizontal | P-DGMMWFL4290  | P-DGMMWFR4290  | 1,339 |
| 50 | 48 | Vertical   | P-DGMMWFL5048  | P-DGMMWFR5048  | 1,082 |
| 50 | 54 | Vertical   | P-DGMMWFL5054  | P-DGMMWFR5054  | 1,163 |
| 50 | 48 | Horizontal | P-DGMMWFL5048H | P-DGMMWFR5048H | 1,082 |
| 50 | 54 | Horizontal | P-DGMMWFL5054H | P-DGMMWFR5054H | 1,163 |
| 50 | 60 | Horizontal | P-DGMMWFL5060  | P-DGMMWFR5060  | 1,272 |
| 50 | 66 | Horizontal | P-DGMMWFL5066  | P-DGMMWFR5066  | 1,381 |
| 50 | 72 | Horizontal | P-DGMMWFL5072  | P-DGMMWFR5072  | 1,413 |
| 50 | 78 | Horizontal | P-DGMMWFL5078  | P-DGMMWFR5078  | 1,444 |
| 50 | 84 | Horizontal | P-DGMMWFL5084  | P-DGMMWFR5084  | 1,475 |
| 50 | 90 | Horizontal | P-DGMMWFL5090  | P-DGMMWFR5090  | 1,506 |

**DIVI LINEAR MID MOUNT END FOR WING FACING FRONT GALLERY PANELS**

| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 58 | 48 | Vertical   | P-DGMMWFL5848  | P-DGMMWFR5848  | 1,136 |
| 58 | 54 | Vertical   | P-DGMMWFL5854  | P-DGMMWFR5854  | 1,194 |
| 58 | 48 | Horizontal | P-DGMMWFL5848H | P-DGMMWFR5848H | 1,136 |
| 58 | 54 | Horizontal | P-DGMMWFL5854H | P-DGMMWFR5854H | 1,194 |
| 58 | 60 | Horizontal | P-DGMMWFL5860  | P-DGMMWFR5860  | 1,300 |
| 58 | 66 | Horizontal | P-DGMMWFL5866  | P-DGMMWFR5866  | 1,402 |
| 58 | 72 | Horizontal | P-DGMMWFL5872  | P-DGMMWFR5872  | 1,505 |
| 58 | 78 | Horizontal | P-DGMMWFL5878  | P-DGMMWFR5878  | 1,607 |
| 58 | 84 | Horizontal | P-DGMMWFL5884  | P-DGMMWFR5884  | 1,713 |
| 58 | 90 | Horizontal | P-DGMMWFL5890  | P-DGMMWFR5890  | 1,813 |
| 66 | 48 | Vertical   | P-DGMMWFL6648  | P-DGMMWFR6648  | 1,200 |
| 66 | 54 | Vertical   | P-DGMMWFL6654  | P-DGMMWFR6654  | 1,275 |



Left Hand Shown



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.


**Divi Linear Mid Mount End for Double Wing Gallery Panels**

**DIVI LINEAR MID MOUNT END FOR DOUBLE WING GALLERY PANELS**


| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 42 | 48 | Vertical   | P-DGMMWDL4248  | P-DGMMWDR4248  | 917   |
| 42 | 54 | Vertical   | P-DGMMWDL4254  | P-DGMMWDR4254  | 963   |
| 42 | 48 | Horizontal | P-DGMMWDL4248H | P-DGMMWDR4248H | 917   |
| 42 | 54 | Horizontal | P-DGMMWDL4254H | P-DGMMWDR4254H | 963   |
| 42 | 60 | Horizontal | P-DGMMWDL4260  | P-DGMMWDR4260  | 1,083 |
| 42 | 66 | Horizontal | P-DGMMWDL4266  | P-DGMMWDR4266  | 1,159 |
| 42 | 72 | Horizontal | P-DGMMWDL4272  | P-DGMMWDR4272  | 1,204 |
| 42 | 78 | Horizontal | P-DGMMWDL4278  | P-DGMMWDR4278  | 1,249 |
| 42 | 84 | Horizontal | P-DGMMWDL4284  | P-DGMMWDR4284  | 1,295 |
| 42 | 90 | Horizontal | P-DGMMWDL4290  | P-DGMMWDR4290  | 1,339 |
| 50 | 48 | Vertical   | P-DGMMWDL5048  | P-DGMMWDR5048  | 1,082 |
| 50 | 54 | Vertical   | P-DGMMWDL5054  | P-DGMMWDR5054  | 1,163 |
| 50 | 48 | Horizontal | P-DGMMWDL5048H | P-DGMMWDR5048H | 1,082 |
| 50 | 54 | Horizontal | P-DGMMWDL5054H | P-DGMMWDR5054H | 1,163 |
| 50 | 60 | Horizontal | P-DGMMWDL5060  | P-DGMMWDR5060  | 1,272 |
| 50 | 66 | Horizontal | P-DGMMWDL5066  | P-DGMMWDR5066  | 1,381 |
| 50 | 72 | Horizontal | P-DGMMWDL5072  | P-DGMMWDR5072  | 1,413 |
| 50 | 78 | Horizontal | P-DGMMWDL5078  | P-DGMMWDR5078  | 1,444 |
| 50 | 84 | Horizontal | P-DGMMWDL5084  | P-DGMMWDR5084  | 1,475 |
| 50 | 90 | Horizontal | P-DGMMWDL5090  | P-DGMMWDR5090  | 1,506 |

**DIVI LINEAR MID MOUNT END FOR DOUBLE WING GALLERY PANELS**

| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 58 | 48 | Vertical   | P-DGMMWDL5848  | P-DGMMWDR5848  | 1,136 |
| 58 | 54 | Vertical   | P-DGMMWDL5854  | P-DGMMWDR5854  | 1,194 |
| 58 | 48 | Horizontal | P-DGMMWDL5848H | P-DGMMWDR5848H | 1,136 |
| 58 | 54 | Horizontal | P-DGMMWDL5854H | P-DGMMWDR5854H | 1,194 |
| 58 | 60 | Horizontal | P-DGMMWDL5860  | P-DGMMWDR5860  | 1,300 |
| 58 | 66 | Horizontal | P-DGMMWDL5866  | P-DGMMWDR5866  | 1,402 |
| 58 | 72 | Horizontal | P-DGMMWDL5872  | P-DGMMWDR5872  | 1,505 |
| 58 | 78 | Horizontal | P-DGMMWDL5878  | P-DGMMWDR5878  | 1,607 |
| 58 | 84 | Horizontal | P-DGMMWDL5884  | P-DGMMWDR5884  | 1,713 |
| 58 | 90 | Horizontal | P-DGMMWDL5890  | P-DGMMWDR5890  | 1,813 |
| 66 | 48 | Vertical   | P-DGMMWDL6648  | P-DGMMWDR6648  | 1,200 |
| 66 | 54 | Vertical   | P-DGMMWDL6654  | P-DGMMWDR6654  | 1,275 |



Left Hand Shown



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.



**Divi Linear Mid Mount Spine Gallery Panels**

**DIVI LINEAR MID MOUNT SPINE GALLERY PANELS**

| H  | W  | Grain      | Model Number    | List  |
|----|----|------------|-----------------|-------|
| 42 | 24 | Vertical   | P-DLGPMMMS4224  | 689   |
| 42 | 30 | Vertical   | P-DLGPMMMS4230  | 741   |
| 42 | 36 | Vertical   | P-DLGPMMMS4236  | 789   |
| 42 | 42 | Vertical   | P-DLGPMMMS4242  | 835   |
| 42 | 48 | Vertical   | P-DLGPMMMS4248  | 882   |
| 42 | 54 | Vertical   | P-DLGPMMMS4254  | 928   |
| 42 | 24 | Horizontal | P-DLGPMMMS4224H | 689   |
| 42 | 30 | Horizontal | P-DLGPMMMS4230H | 741   |
| 42 | 36 | Horizontal | P-DLGPMMMS4236H | 789   |
| 42 | 42 | Horizontal | P-DLGPMMMS4242H | 835   |
| 42 | 48 | Horizontal | P-DLGPMMMS4248H | 882   |
| 42 | 54 | Horizontal | P-DLGPMMMS4254H | 928   |
| 42 | 60 | Horizontal | P-DLGPMMMS4260  | 1,046 |
| 42 | 66 | Horizontal | P-DLGPMMMS4266  | 1,124 |
| 42 | 72 | Horizontal | P-DLGPMMMS4272  | 1,168 |
| 42 | 78 | Horizontal | P-DLGPMMMS4278  | 1,215 |
| 42 | 84 | Horizontal | P-DLGPMMMS4284  | 1,259 |
| 42 | 90 | Horizontal | P-DLGPMMMS4290  | 1,303 |

**DIVI LINEAR MID MOUNT SPINE GALLERY PANELS**

| H  | W  | Grain      | Model Number    | List  |
|----|----|------------|-----------------|-------|
| 50 | 24 | Vertical   | P-DLGPMMMS5024  | 737   |
| 50 | 30 | Vertical   | P-DLGPMMMS5030  | 810   |
| 50 | 36 | Vertical   | P-DLGPMMMS5036  | 886   |
| 50 | 42 | Vertical   | P-DLGPMMMS5042  | 964   |
| 50 | 48 | Vertical   | P-DLGPMMMS5048  | 1,045 |
| 50 | 54 | Vertical   | P-DLGPMMMS5054  | 1,128 |
| 50 | 24 | Horizontal | P-DLGPMMMS5024H | 737   |
| 50 | 30 | Horizontal | P-DLGPMMMS5030H | 810   |
| 50 | 36 | Horizontal | P-DLGPMMMS5036H | 886   |
| 50 | 42 | Horizontal | P-DLGPMMMS5042H | 964   |
| 50 | 48 | Horizontal | P-DLGPMMMS5048H | 1,045 |
| 50 | 54 | Horizontal | P-DLGPMMMS5054H | 1,128 |
| 50 | 60 | Horizontal | P-DLGPMMMS5060  | 1,237 |
| 50 | 66 | Horizontal | P-DLGPMMMS5066  | 1,345 |
| 50 | 72 | Horizontal | P-DLGPMMMS5072  | 1,377 |
| 50 | 78 | Horizontal | P-DLGPMMMS5078  | 1,409 |
| 50 | 84 | Horizontal | P-DLGPMMMS5084  | 1,441 |
| 50 | 90 | Horizontal | P-DLGPMMMS5090  | 1,470 |



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



**Divi Linear Mid Mount Spine Gallery Panels**

**DIVI LINEAR MID MOUNT SPINE GALLERY PANELS**

| H  | W  | Grain      | Model Number    | List  |
|----|----|------------|-----------------|-------|
| 58 | 24 | Vertical   | P-DLGPMMMS5824  | 821   |
| 58 | 30 | Vertical   | P-DLGPMMMS5830  | 898   |
| 58 | 36 | Vertical   | P-DLGPMMMS5836  | 968   |
| 58 | 42 | Vertical   | P-DLGPMMMS5842  | 1,044 |
| 58 | 48 | Vertical   | P-DLGPMMMS5848  | 1,100 |
| 58 | 54 | Vertical   | P-DLGPMMMS5854  | 1,159 |
| 58 | 24 | Horizontal | P-DLGPMMMS5824H | 821   |
| 58 | 30 | Horizontal | P-DLGPMMMS5830H | 898   |
| 58 | 36 | Horizontal | P-DLGPMMMS5836H | 968   |
| 58 | 42 | Horizontal | P-DLGPMMMS5842H | 1,044 |
| 58 | 48 | Horizontal | P-DLGPMMMS5848H | 1,100 |
| 58 | 54 | Horizontal | P-DLGPMMMS5854H | 1,159 |
| 58 | 60 | Horizontal | P-DLGPMMMS5860  | 1,264 |
| 58 | 66 | Horizontal | P-DLGPMMMS5866  | 1,367 |
| 58 | 72 | Horizontal | P-DLGPMMMS5872  | 1,469 |
| 58 | 78 | Horizontal | P-DLGPMMMS5878  | 1,572 |
| 58 | 84 | Horizontal | P-DLGPMMMS5884  | 1,677 |
| 58 | 90 | Horizontal | P-DLGPMMMS5890  | 1,778 |

**DIVI LINEAR MID MOUNT SPINE GALLERY PANELS**

| H  | W  | Grain    | Model Number   | List  |
|----|----|----------|----------------|-------|
| 66 | 24 | Vertical | P-DLGPMMMS6624 | 842   |
| 66 | 30 | Vertical | P-DLGPMMMS6630 | 926   |
| 66 | 36 | Vertical | P-DLGPMMMS6636 | 1,002 |
| 66 | 42 | Vertical | P-DLGPMMMS6642 | 1,084 |
| 66 | 48 | Vertical | P-DLGPMMMS6648 | 1,162 |
| 66 | 54 | Vertical | P-DLGPMMMS6654 | 1,240 |



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


**Divi Linear Mid Mount Spine for Wing Gallery Panels**

**DIVI LINEAR MID MOUNT SPINE FOR WING GALLERY PANELS**


| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 42 | 48 | Vertical   | P-DLGMWSL4248  | P-DLGMWSR4248  | 917   |
| 42 | 54 | Vertical   | P-DLGMWSL4254  | P-DLGMWSR4254  | 963   |
| 42 | 48 | Horizontal | P-DLGMWSL4248H | P-DLGMWSR4248H | 917   |
| 42 | 54 | Horizontal | P-DLGMWSL4254H | P-DLGMWSR4254H | 963   |
| 42 | 60 | Horizontal | P-DLGMWSL4260  | P-DLGMWSR4260  | 1,083 |
| 42 | 66 | Horizontal | P-DLGMWSL4266  | P-DLGMWSR4266  | 1,159 |
| 42 | 72 | Horizontal | P-DLGMWSL4272  | P-DLGMWSR4272  | 1,204 |
| 42 | 78 | Horizontal | P-DLGMWSL4278  | P-DLGMWSR4278  | 1,249 |
| 42 | 84 | Horizontal | P-DLGMWSL4284  | P-DLGMWSR4284  | 1,295 |
| 42 | 90 | Horizontal | P-DLGMWSL4290  | P-DLGMWSR4290  | 1,339 |
| 50 | 48 | Vertical   | P-DLGMWSL5048  | P-DLGMWSR5048  | 1,082 |
| 50 | 54 | Vertical   | P-DLGMWSL5054  | P-DLGMWSR5054  | 1,163 |
| 50 | 48 | Horizontal | P-DLGMWSL5048H | P-DLGMWSR5048H | 1,082 |
| 50 | 54 | Horizontal | P-DLGMWSL5054H | P-DLGMWSR5054H | 1,163 |
| 50 | 60 | Horizontal | P-DLGMWSL5060  | P-DLGMWSR5060  | 1,272 |
| 50 | 66 | Horizontal | P-DLGMWSL5066  | P-DLGMWSR5066  | 1,381 |
| 50 | 72 | Horizontal | P-DLGMWSL5072  | P-DLGMWSR5072  | 1,413 |
| 50 | 78 | Horizontal | P-DLGMWSL5078  | P-DLGMWSR5078  | 1,444 |
| 50 | 84 | Horizontal | P-DLGMWSL5084  | P-DLGMWSR5084  | 1,475 |
| 50 | 90 | Horizontal | P-DLGMWSL5090  | P-DLGMWSR5090  | 1,506 |

**DIVI LINEAR MID MOUNT SPINE FOR WING GALLERY PANELS**

| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 58 | 48 | Vertical   | P-DLGMWSL5848  | P-DLGMWSR5848  | 1,136 |
| 58 | 54 | Vertical   | P-DLGMWSL5854  | P-DLGMWSR5854  | 1,194 |
| 58 | 48 | Horizontal | P-DLGMWSL5848H | P-DLGMWSR5848H | 1,136 |
| 58 | 54 | Horizontal | P-DLGMWSL5854H | P-DLGMWSR5854H | 1,194 |
| 58 | 60 | Horizontal | P-DLGMWSL5860  | P-DLGMWSR5860  | 1,300 |
| 58 | 66 | Horizontal | P-DLGMWSL5866  | P-DLGMWSR5866  | 1,402 |
| 58 | 72 | Horizontal | P-DLGMWSL5872  | P-DLGMWSR5872  | 1,505 |
| 58 | 78 | Horizontal | P-DLGMWSL5878  | P-DLGMWSR5878  | 1,607 |
| 58 | 84 | Horizontal | P-DLGMWSL5884  | P-DLGMWSR5884  | 1,713 |
| 58 | 90 | Horizontal | P-DLGMWSL5890  | P-DLGMWSR5890  | 1,813 |
| 66 | 48 | Vertical   | P-DLGMWSL6648  | P-DLGMWSR6648  | 1,200 |
| 66 | 54 | Vertical   | P-DLGMWSL6654  | P-DLGMWSR6654  | 1,275 |



Left Hand Shown



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.



**Divi Linear Mid Mount Spine for Double Wing Gallery Panels**

**DIVI LINEAR MID MOUNT SPINE FOR DOUBLE WING GALLERY PANELS**

| H  | W  | Grain      | Model Number   | List  |
|----|----|------------|----------------|-------|
| 42 | 48 | Vertical   | P-DGSMMDW4248  | 953   |
| 42 | 54 | Vertical   | P-DGSMMDW4254  | 999   |
| 42 | 48 | Horizontal | P-DGSMMDW4248H | 953   |
| 42 | 54 | Horizontal | P-DGSMMDW4254H | 999   |
| 42 | 60 | Horizontal | P-DGSMMDW4260  | 1,119 |
| 42 | 66 | Horizontal | P-DGSMMDW4266  | 1,194 |
| 42 | 72 | Horizontal | P-DGSMMDW4272  | 1,239 |
| 42 | 76 | Horizontal | P-DGSMMDW4278  | 1,286 |
| 42 | 84 | Horizontal | P-DGSMMDW4284  | 1,331 |
| 42 | 90 | Horizontal | P-DGSMMDW4290  | 1,375 |
| 50 | 48 | Vertical   | P-DGSMMDW5048  | 1,117 |
| 50 | 54 | Vertical   | P-DGSMMDW5054  | 1,201 |
| 50 | 48 | Horizontal | P-DGSMMDW5048H | 1,117 |
| 50 | 54 | Horizontal | P-DGSMMDW5054H | 1,201 |
| 50 | 60 | Horizontal | P-DGSMMDW5060  | 1,307 |
| 50 | 66 | Horizontal | P-DGSMMDW5066  | 1,415 |
| 50 | 72 | Horizontal | P-DGSMMDW5072  | 1,449 |
| 50 | 78 | Horizontal | P-DGSMMDW5078  | 1,479 |
| 50 | 84 | Horizontal | P-DGSMMDW5084  | 1,510 |
| 50 | 90 | Horizontal | P-DGSMMDW5090  | 1,541 |

**DIVI LINEAR MID MOUNT SPINE FOR DOUBLE WING GALLERY PANELS**

| H  | W  | Grain      | Model Number   | List  |
|----|----|------------|----------------|-------|
| 58 | 48 | Vertical   | P-DGSMMDW5848  | 1,172 |
| 58 | 54 | Vertical   | P-DGSMMDW5854  | 1,232 |
| 58 | 48 | Horizontal | P-DGSMMDW5848H | 1,172 |
| 58 | 54 | Horizontal | P-DGSMMDW5854H | 1,232 |
| 58 | 60 | Horizontal | P-DGSMMDW5860  | 1,335 |
| 58 | 66 | Horizontal | P-DGSMMDW5866  | 1,440 |
| 58 | 72 | Horizontal | P-DGSMMDW5872  | 1,540 |
| 58 | 78 | Horizontal | P-DGSMMDW5878  | 1,645 |
| 58 | 84 | Horizontal | P-DGSMMDW5884  | 1,748 |
| 58 | 90 | Horizontal | P-DGSMMDW5890  | 1,850 |
| 66 | 48 | Vertical   | P-DGSMMDW6648  | 1,235 |
| 66 | 54 | Vertical   | P-DGSMMDW6654  | 1,312 |



**Specify**

- Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

| <b>DIVI LINEAR WING GALLERY PANEL</b> |          |              |                     |                     |             |
|---------------------------------------|----------|--------------|---------------------|---------------------|-------------|
| <b>H</b>                              | <b>W</b> | <b>Grain</b> | <b>Left</b>         | <b>Right</b>        | <b>List</b> |
|                                       |          |              | <b>Model Number</b> | <b>Model Number</b> |             |
| 42                                    | 18       | Vertical     | P-DLGWPL4218        | P-DLGWPR4218        | 598         |
| 42                                    | 24       | Vertical     | P-DLGWPL4224        | P-DLGWPR4224        | 653         |
| 42                                    | 30       | Vertical     | P-DLGWPL4230        | P-DLGWPR4230        | 706         |
| 42                                    | 18       | Horizontal   | P-DLGWPL4218H       | P-DLGWPR4218H       | 598         |
| 42                                    | 24       | Horizontal   | P-DLGWPL4224H       | P-DLGWPR4224H       | 653         |
| 42                                    | 30       | Horizontal   | P-DLGWPL4230H       | P-DLGWPR4230H       | 706         |
| 50                                    | 18       | Vertical     | P-DLGWPL5018        | P-DLGWPR5018        | 623         |
| 50                                    | 24       | Vertical     | P-DLGWPL5024        | P-DLGWPR5024        | 700         |
| 50                                    | 30       | Vertical     | P-DLGWPL5030        | P-DLGWPR5030        | 776         |
| 50                                    | 18       | Horizontal   | P-DLGWPL5018H       | P-DLGWPR5018H       | 623         |
| 50                                    | 24       | Horizontal   | P-DLGWPL5024H       | P-DLGWPR5024H       | 700         |
| 50                                    | 30       | Horizontal   | P-DLGWPL5030H       | P-DLGWPR5030H       | 776         |
| 58                                    | 18       | Vertical     | P-DLGWPL5818        | P-DLGWPR5818        | 707         |
| 58                                    | 24       | Vertical     | P-DLGWPL5824        | P-DLGWPR5824        | 785         |
| 58                                    | 30       | Vertical     | P-DLGWPL5830        | P-DLGWPR5830        | 861         |
| 58                                    | 18       | Horizontal   | P-DLGWPL5818H       | P-DLGWPR5818H       | 707         |
| 58                                    | 24       | Horizontal   | P-DLGWPL5824H       | P-DLGWPR5824H       | 785         |
| 58                                    | 30       | Horizontal   | P-DLGWPL5830H       | P-DLGWPR5830H       | 861         |
| 66                                    | 18       | Vertical     | P-DLGWPL6618        | P-DLGWPR6618        | 720         |
| 66                                    | 24       | Vertical     | P-DLGWPL6624        | P-DLGWPR6624        | 806         |
| 66                                    | 30       | Vertical     | P-DLGWPL6630        | P-DLGWPR6630        | 890         |



Left Hand Shown



Left Hand Shown

**Specify**

- Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.

**Divi Linear Gallery Panel HiLo Kits**

**DIVI GALLERY PANEL HILO KITS**

| <b>Panel H</b> | <b>Model Number</b> | <b>List</b> |
|----------------|---------------------|-------------|
| 8              | P-DLGPHILO08        | 137         |
| 16             | P-DLGPHILO16        | 156         |
| 24             | P-DLGPHILO24        | 161         |
| 32             | P-DLGPHILO32        | 169         |
| 40             | P-DLGPHILO40        | 173         |



**Specify**


**Notes**

- Paint Selection

- To be used on non-equal height gallery panels.
- Includes trim kit and hilo bracket.
- Order kit that corresponds to difference between high and low panel.
- Hilo kit bracket replaces bracket that comes with gallery panels.
- Order gallery panels separately.

**WORKSURFACE SUPPORT BRACKET**

| <b>Model Number</b> | <b>List</b> |
|---------------------|-------------|
| O-WSLB              | 59          |
| O-WSLBP             | 72          |



| <b>Specify</b>    | <b>Notes</b>  |
|-------------------|---|
| • Paint Selection | <ul style="list-style-type: none"><li>• Model number includes two brackets.</li><li>• Order Worksurface Support Bracket when mounting worksurfaces to Gallery Panels.</li><li>• Brackets measure 5.5" x 1" x 1".</li><li>• O-WSLB available in black only.</li><li>• O-WSLBP available in any paint finish.</li></ul> |



**Wall Mounted Gallery Panels**

**WALL MOUNTED GALLERY PANELS – HORIZONTAL**

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 42 | 24 | P-DLWMGP4224 | 653   |
| 42 | 30 | P-DLWMGP4230 | 706   |
| 42 | 36 | P-DLWMGP4236 | 752   |
| 42 | 42 | P-DLWMGP4242 | 798   |
| 42 | 48 | P-DLWMGP4248 | 846   |
| 42 | 54 | P-DLWMGP4254 | 891   |
| 42 | 60 | P-DLWMGP4260 | 1,011 |
| 42 | 66 | P-DLWMGP4266 | 1,088 |
| 42 | 72 | P-DLWMGP4272 | 1,132 |
| 42 | 78 | P-DLWMGP4278 | 1,179 |
| 42 | 84 | P-DLWMGP4284 | 1,222 |
| 42 | 90 | P-DLWMGP4290 | 1,267 |
| 42 | 96 | P-DLWMGP4296 | 1,332 |
| 50 | 24 | P-DLWMGP5024 | 700   |
| 50 | 30 | P-DLWMGP5030 | 776   |
| 50 | 36 | P-DLWMGP5036 | 850   |
| 50 | 42 | P-DLWMGP5042 | 929   |
| 50 | 48 | P-DLWMGP5048 | 1,010 |
| 50 | 54 | P-DLWMGP5054 | 1,093 |
| 50 | 60 | P-DLWMGP5060 | 1,202 |
| 50 | 66 | P-DLWMGP5066 | 1,307 |
| 50 | 72 | P-DLWMGP5072 | 1,342 |
| 50 | 78 | P-DLWMGP5078 | 1,371 |
| 50 | 84 | P-DLWMGP5084 | 1,404 |
| 50 | 90 | P-DLWMGP5090 | 1,435 |
| 50 | 96 | P-DLWMGP5096 | 1,498 |

**WALL MOUNTED GALLERY PANELS – HORIZONTAL**

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 58 | 24 | P-DLWMGP5824 | 785   |
| 58 | 30 | P-DLWMGP5830 | 861   |
| 58 | 36 | P-DLWMGP5836 | 933   |
| 58 | 42 | P-DLWMGP5842 | 1,009 |
| 58 | 48 | P-DLWMGP5848 | 1,065 |
| 58 | 54 | P-DLWMGP5854 | 1,124 |
| 58 | 60 | P-DLWMGP5860 | 1,229 |
| 58 | 66 | P-DLWMGP5866 | 1,332 |
| 58 | 72 | P-DLWMGP5872 | 1,433 |
| 58 | 78 | P-DLWMGP5878 | 1,537 |
| 58 | 84 | P-DLWMGP5884 | 1,642 |
| 58 | 90 | P-DLWMGP5890 | 1,744 |
| 58 | 96 | P-DLWMGP5896 | 1,799 |



**Specify**

- Laminate selection
- Paint selection for Mounting Brackets

**Notes**

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.



Wall Mounted Gallery Panels

WALL MOUNTED GALLERY PANELS – VERTICAL

| H  | W  | Model Number  | List  |
|----|----|---------------|-------|
| 42 | 24 | P-DLWMGP4224V | 653   |
| 42 | 30 | P-DLWMGP4230V | 706   |
| 42 | 36 | P-DLWMGP4236V | 752   |
| 42 | 42 | P-DLWMGP4242V | 798   |
| 42 | 48 | P-DLWMGP4248V | 846   |
| 42 | 54 | P-DLWMGP4254V | 891   |
| 50 | 24 | P-DLWMGP5024V | 700   |
| 50 | 30 | P-DLWMGP5030V | 776   |
| 50 | 36 | P-DLWMGP5036V | 850   |
| 50 | 42 | P-DLWMGP5042V | 929   |
| 50 | 48 | P-DLWMGP5048V | 1,010 |
| 50 | 54 | P-DLWMGP5054V | 1,093 |

WALL MOUNTED GALLERY PANELS – VERTICAL

| H  | W  | Model Number  | List  |
|----|----|---------------|-------|
| 58 | 24 | P-DLWMGP5824V | 785   |
| 58 | 30 | P-DLWMGP5830V | 861   |
| 58 | 36 | P-DLWMGP5836V | 933   |
| 58 | 42 | P-DLWMGP5842V | 1,009 |
| 58 | 48 | P-DLWMGP5848V | 1,065 |
| 58 | 54 | P-DLWMGP5854V | 1,124 |
| 66 | 24 | P-DLWMGP6624  | 806   |
| 66 | 30 | P-DLWMGP6630  | 890   |
| 66 | 36 | P-DLWMGP6636  | 967   |
| 66 | 42 | P-DLWMGP6642  | 1,047 |
| 66 | 48 | P-DLWMGP6648  | 1,127 |
| 66 | 54 | P-DLWMGP6654  | 1,205 |



Specify

- Laminate selection
- Paint selection for Mounting Brackets


Notes

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.


**Wall Mounted Gallery Panel for Wings**

**WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL**

| H  | W  | Left           | Right          | List  |
|----|----|----------------|----------------|-------|
|    |    | Model Number   | Model Number   |       |
| 42 | 66 | P-DLWMGPWL4266 | P-DLWMGPWR4266 | 1,124 |
| 42 | 72 | P-DLWMGPWL4272 | P-DLWMGPWR4272 | 1,168 |
| 42 | 78 | P-DLWMGPWL4278 | P-DLWMGPWR4278 | 1,215 |
| 42 | 84 | P-DLWMGPWL4284 | P-DLWMGPWR4284 | 1,259 |
| 42 | 90 | P-DLWMGPWL4290 | P-DLWMGPWR4290 | 1,303 |
| 50 | 66 | P-DLWMGPWL5066 | P-DLWMGPWR5066 | 1,345 |
| 50 | 72 | P-DLWMGPWL5072 | P-DLWMGPWR5072 | 1,377 |
| 50 | 78 | P-DLWMGPWL5078 | P-DLWMGPWR5078 | 1,409 |
| 50 | 84 | P-DLWMGPWL5084 | P-DLWMGPWR5084 | 1,441 |
| 50 | 90 | P-DLWMGPWL5090 | P-DLWMGPWR5090 | 1,470 |
| 58 | 66 | P-DLWMGPWL5866 | P-DLWMGPWR5866 | 1,367 |
| 58 | 72 | P-DLWMGPWL5872 | P-DLWMGPWR5872 | 1,469 |
| 58 | 78 | P-DLWMGPWL5878 | P-DLWMGPWR5878 | 1,572 |
| 58 | 84 | P-DLWMGPWL5884 | P-DLWMGPWR5884 | 1,677 |
| 58 | 90 | P-DLWMGPWL5890 | P-DLWMGPWR5890 | 1,778 |



Left Hand Shown



Left Hand Shown

**Specify**


- Laminate selection
- Paint selection for Mounting Brackets

**Notes**

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Laminate gallery panel has matching edge.



**Divi Insert Panel Product Details**

**Possible Insert Panel Side Elevations**



42" h Mono   50" h Mono   58" h Mono   66" h Mono   82" h Mono   42" h Seg   50" h Seg   58" h Seg   66" h Seg   82" h Seg   50" h Q-glass Mono   58" h Q-glass Mono   66" h Q-glass Mono   66" h Q-glass Seg   82" h Q-glass Mono   82" h Q-glass Seg   66" h H-glass Mono   82" h H-glass Mono   82" h H-glass Seg

Insert Panel Monolithic Elevation   Insert Panel Segmented Elevation   Quarter Glass Monolithic Elevation   Quarter Glass Segmented Elevation   Half Glass Monolithic Elevation   Half Glass Segmented Elevation






**X**

**X**

**X**




**X**






**X**

**X**

**X**




**X**



## Divi Insert Panel Product Details

### Insert Panel Availability


#### Monolithic Front/Back Insert Panel - Powered/Non-Powered:



**Heights:**  
42", 50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")  
\*72" wide available in 42" - 58" high only


#### Monolithic Front/Segmented Back Insert Panel - Powered/Non-Powered:



**Heights:**  
42", 50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")  
\*72" wide available in 42" - 58" high only


#### Segmented Front/Segmented Back Insert Panel - Powered/Non-Powered:



**Heights:**  
42", 50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")  
\*72" wide available in 42" - 58" high only


#### Monolithic Front/Back Quarter Glass Insert Panel - Powered/Non-Powered:



**Heights:**  
50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")  
\*72" wide available in 50" 58", and 66" high only


#### Monolithic Front/Segmented Back Quarter Glass Insert - Powered/Non-Powered:



**Heights:**  
66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
24", 30", 36", 42", 48", 60", 72"\* (Actual Width = Nominal + 1/8")  
\*72" wide available in 66" high only

#### Segmented Front/Back Quarter Glass Insert Panel - Powered/Non-Powered:




**Heights:**  
66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
24", 30", 36", 42", 48", 60", 72" (Actual Width = Nominal + 1/8")  
\*72" wide available in 66" high only

Divi Insert Panel Product Details

Insert Panel Availability (Cont.)


Monolithic Front/Back Half Glass Insert Panel - Powered/Non-Powered:



**Heights:**  
 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
 24", 30", 36", 42", 48", 60" (Actual Width = Nominal + 1/8")  
 \*60" wide available in 66" high only


Monolithic Front/Segmented Back Half Glass Insert Panel - Powered/Non-Powered:



**Heights:**  
 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
 24", 30", 36", 42", 48" (Actual Width = Nominal + 1/8")


Segmented Front/Back Half Glass Insert Panel - Powered/Non-Powered:




**Heights:**  
 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

**Widths:**  
 24", 30", 36", 42", 48" (Actual Width = Nominal + 1/8")


Panel Profile



Hanger frame has a slot pattern on a 1" standard increment for hang on components. Slots are 3/4" tall x approximately 1/8" wide. Hanger frame is factory installed and removal is not required for panel installation.




Hanger frame face is factory finished and requires no endcap or HiLo trim after panel installation.



Hanger frame topcap is field installed and remains easily removable to facilitate panel installation and reconfiguration.


Panel topcap is factory installed. Topcaps on permanent monolithic panels are fixed.



Panel polypropylene hinge inserts into hinge channels built into every hanger frame in order to connect panels together. A 21" length is inserted to the bottom and then an additional length for each panel height needed.

## Divi Insert Panel Product Details


### Panel Profile (Cont.)



Alignment plate holds panels in vertical alignment and prevents panel shear.


8 wire 4 circuit powerway is included with every powered panel and is factory installed.

Raceway glides are adjustable up to 1 3/4" for installation on unlevel floors and include carpet grippers.



Metal raceway divider (optional) separates low voltage data cables and high voltage electrical cables if desired. Divider attaches to raceway glides and is retrofittable on installed panels.


Base cover assembly ships separate as one piece and installs by sliding under panel after panel installation, hinging up and snapping to the underside of the panel. Non-powered or powered base covers are shipped with non-powered or powered panels, respectively. Base covers have a small "mud flap" for data cable egress.



Duplex outlets are ordered separately. Two outlets can be used per side, four total per panel. Outlets utilize top base cover holes.


Duplex outlet covers hide unused duplex outlet or data locations. Six are shipped with every panel. A 24"W gets three duplex outlet covers. Order extra as needed.

Snap-in data jack housing (order separately) accommodates six Hubbell or compatible data/voice jacks. Snap-in housings may not be used back to back on a spine wall.




Data cable raceway cavity is approximately 2" wide by 3" tall and can accommodate between 32 and 40 Cat 6 data cables, depending on how tightly they are packed.

Cat 5 and 6 data jacks extend beyond center line of raceway, preventing jack housings to be used back to back on a spine. Plan on using "cross corners" on panel to eliminate this issue.



Insert panel topcaps can be removed to facilitate insert replacement.




Inserts are removable by sliding out from the top of the hanger frame channels.

Insert retainers separate tiles horizontally and may be removed by sliding up and out of the top of the panel.


Divi Insert Panel Product Details

**Panel Frame Creep Dimensions**



**Insert Panel Specifications**

66" High x 36" Wide Example Panel  
Segmented Front and Back



For instance, a 66" H x 36" W segmented panel has a total of six inserts (three inserts per side). If the three inserts on Side A were to be Grade C fabric, the upcharge for the panel would be \$47.

- Side A Position 1, 27"H x 36"W insert Grade C Upcharge = \$21
- Side A Position 2, 16"H x 36"W insert Grade C Upcharge = \$13
- Side A Position 3, 16"H x 36"W insert Grade C Upcharge = \$13
- Total upcharge = \$47 for the panel.

If the Position 1 and Position 2 inserts on Side A were to be Grade C fabric, and the Position 3 insert on Side A were to be Grade D fabric, the upcharge for the panel would be \$61.

- Side A Position 1, 27"H x 36"W insert Grade C Upcharge = \$21
- Side A Position 2, 16"H x 36"W insert Grade C Upcharge = \$13
- Side A Position 3, 16"H x 36"W insert Grade D Upcharge = \$27
- Total upcharge = \$61 for the panel.


If all six inserts (three on Side A, three on Side B) were to be Grade C fabric, the Grade C fabric upcharge for the panel would be \$94.

- Side A Position 1, 27"H x 36"W insert Grade C Upcharge = \$21
- Side B Position 1, 27"H x 36"W insert Grade C Upcharge = \$21
- Side A Position 2, 16"H x 36"W insert Grade C Upcharge = \$13
- Side B Position 2, 16"H x 36"W insert Grade C Upcharge = \$13
- Side A Position 3, 16"H x 36"W insert Grade C Upcharge = \$13
- Side B Position 3, 16"H x 36"W insert Grade C Upcharge = \$13
- Total upcharge = \$94 for the panel.

**Divi Insert Panel Product Details**

**Directional Laminate Application Guidelines**

For aesthetic reasons, consider having laminate run in same direction on all panels. Note that 72" wide panels can only have horizontal direction.



| INSERT LAMINATE GRAIN DIRECTION |                     |                     |                     |                     |                     |                     |            |
|---------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------------|
| INSERT HEIGHT                   | INSERT WIDTH        |                     |                     |                     |                     |                     |            |
|                                 | 24W                 | 30W                 | 36W                 | 42W                 | 48W                 | 60W                 | 72W        |
| <b>8H (Segmented)</b>           | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal |
| <b>16H (Segmented)</b>          | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal |
| <b>24H (Segmented)</b>          | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal |
| <b>42H</b>                      | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal |
| <b>50H</b>                      | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal |
| <b>58H</b>                      | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | Horizontal |
| <b>66H</b>                      | Vertical/Horizontal | Vertical/Horizontal | Vertical/Horizontal | N/A                 | N/A                 | N/A                 | N/A        |
| <b>82H</b>                      | N/A                 | N/A                 | N/A                 | N/A                 | N/A                 | N/A                 | N/A        |


**Divi Linear Monolithic Front/Back Inserts**

**DIVI LINEAR MONOLITHIC FRONT/BACK INSERTS  
NON-POWERED PANELS**

| H  | W  | Model Number | List  | Grade C Paint |
|----|----|--------------|-------|---------------|
| 42 | 24 | P-DLFRMM4224 | 897   | +28           |
| 42 | 30 | P-DLFRMM4230 | 954   | +28           |
| 42 | 36 | P-DLFRMM4236 | 1,093 | +28           |
| 42 | 42 | P-DLFRMM4242 | 1,154 | +28           |
| 42 | 48 | P-DLFRMM4248 | 1,238 | +28           |
| 42 | 60 | P-DLFRMM4260 | 1,418 | +28           |
| 42 | 72 | P-DLFRMM4272 | 1,604 | +28           |
| 50 | 24 | P-DLFRMM5024 | 964   | +28           |
| 50 | 30 | P-DLFRMM5030 | 1,037 | +28           |
| 50 | 36 | P-DLFRMM5036 | 1,201 | +28           |
| 50 | 42 | P-DLFRMM5042 | 1,257 | +28           |
| 50 | 48 | P-DLFRMM5048 | 1,371 | +28           |
| 50 | 60 | P-DLFRMM5060 | 1,565 | +28           |
| 50 | 72 | P-DLFRMM5072 | 1,760 | +28           |
| 58 | 24 | P-DLFRMM5824 | 1,012 | +28           |
| 58 | 30 | P-DLFRMM5830 | 1,088 | +28           |
| 58 | 36 | P-DLFRMM5836 | 1,259 | +28           |
| 58 | 42 | P-DLFRMM5842 | 1,350 | +28           |
| 58 | 48 | P-DLFRMM5848 | 1,442 | +28           |
| 58 | 60 | P-DLFRMM5860 | 1,643 | +28           |
| 58 | 72 | P-DLFRMM5872 | 1,846 | +28           |

**DIVI LINEAR MONOLITHIC FRONT/BACK INSERTS  
POWERED PANELS**

| H  | W  | Model Number | List  | Grade C Paint |
|----|----|--------------|-------|---------------|
| 42 | 24 | P-DLFPMM4224 | 1,271 | +28           |
| 42 | 30 | P-DLFPMM4230 | 1,375 | +28           |
| 42 | 36 | P-DLFPMM4236 | 1,527 | +28           |
| 42 | 42 | P-DLFPMM4242 | 1,616 | +28           |
| 42 | 48 | P-DLFPMM4248 | 1,729 | +28           |
| 42 | 60 | P-DLFPMM4260 | 1,918 | +28           |
| 42 | 72 | P-DLFPMM4272 | 2,106 | +28           |
| 50 | 24 | P-DLFPMM5024 | 1,342 | +28           |
| 50 | 30 | P-DLFPMM5030 | 1,446 | +28           |
| 50 | 36 | P-DLFPMM5036 | 1,632 | +28           |
| 50 | 42 | P-DLFPMM5042 | 1,713 | +28           |
| 50 | 48 | P-DLFPMM5048 | 1,848 | +28           |
| 50 | 60 | P-DLFPMM5060 | 2,064 | +28           |
| 50 | 72 | P-DLFPMM5072 | 2,281 | +28           |
| 58 | 24 | P-DLFPMM5824 | 1,409 | +28           |
| 58 | 30 | P-DLFPMM5830 | 1,518 | +28           |
| 58 | 36 | P-DLFPMM5836 | 1,713 | +28           |
| 58 | 42 | P-DLFPMM5842 | 1,797 | +28           |
| 58 | 48 | P-DLFPMM5848 | 1,941 | +28           |
| 58 | 60 | P-DLFPMM5860 | 2,087 | +28           |
| 58 | 72 | P-DLFPMM5872 | 2,393 | +28           |



**Specify**

- Fabric/Laminate Selection for Side A and B
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

**Notes**

- Monolithic Front/Back Inserts are solid core blank panels with monolithic insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered.
- 8 wire 4 circuit powerway and power/data access base covers are included with powered.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical". Non-powered panels shown.
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.


## Divi Linear Monolithic Front/Back Inserts

### DIVI LINEAR MONOLITHIC FRONT/BACK INSERTS NON-POWERED PANELS


| H  | W  | Model Number | List  | Grade C Paint |
|----|----|--------------|-------|---------------|
| 66 | 24 | P-DLFRMM6624 | 1,122 | +28           |
| 66 | 30 | P-DLFRMM6630 | 1,194 | +28           |
| 66 | 36 | P-DLFRMM6636 | 1,407 | +28           |
| 66 | 42 | P-DLFRMM6642 | 1,486 | +28           |
| 66 | 48 | P-DLFRMM6648 | 1,601 | +28           |
| 66 | 60 | P-DLFRMM6660 | 1,803 | +28           |
| 82 | 24 | P-DLFRMM8224 | 1,332 | +28           |
| 82 | 30 | P-DLFRMM8230 | 1,440 | +28           |
| 82 | 36 | P-DLFRMM8236 | 1,635 | +28           |
| 82 | 42 | P-DLFRMM8242 | 1,782 | +28           |
| 82 | 48 | P-DLFRMM8248 | 1,904 | +28           |

### DIVI LINEAR MONOLITHIC FRONT/BACK INSERTS POWERED PANELS


| H  | W  | Model Number | List  | Grade C Paint |
|----|----|--------------|-------|---------------|
| 66 | 24 | P-DLFPMM6624 | 1,513 | +28           |
| 66 | 30 | P-DLFPMM6630 | 1,606 | +28           |
| 66 | 36 | P-DLFPMM6636 | 1,838 | +28           |
| 66 | 42 | P-DLFPMM6642 | 1,946 | +28           |
| 66 | 48 | P-DLFPMM6648 | 2,078 | +28           |
| 66 | 60 | P-DLFPMM6660 | 2,300 | +28           |
| 82 | 24 | P-DLFPMM8224 | 1,705 | +28           |
| 82 | 30 | P-DLFPMM8230 | 1,833 | +28           |
| 82 | 36 | P-DLFPMM8236 | 2,050 | +28           |
| 82 | 42 | P-DLFPMM8242 | 2,217 | +28           |
| 82 | 48 | P-DLFPMM8248 | 2,358 | +28           |




Front Back  
42" High




Front Back  
50" High




Front Back  
58" High



Front Back  
66" High



Front Back  
82" High



Divi Linear Trim

#### Specify

- Fabric/Laminate Selection for Side A and B
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

#### Notes

- Monolithic Front/Back Inserts are solid core blank panels with monolithic insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered.
- 8 wire 4 circuit powerway and power/data access base covers are included with powered.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical". Non-powered panels shown.
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.


**Divi Linear Monolithic Front/Segmented Back Inserts**

**DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK INSERTS  
NON-POWERED PANELS**


| H  | W  | Model Number | List  | Grade C Paint |
|----|----|--------------|-------|---------------|
| 42 | 24 | P-DLFRMS4224 | 940   | +28           |
| 42 | 30 | P-DLFRMS4230 | 1,000 | +28           |
| 42 | 36 | P-DLFRMS4236 | 1,145 | +28           |
| 42 | 42 | P-DLFRMS4242 | 1,206 | +28           |
| 42 | 48 | P-DLFRMS4248 | 1,301 | +28           |
| 42 | 60 | P-DLFRMS4260 | 1,485 | +28           |
| 42 | 72 | P-DLFRMS4272 | 1,666 | +28           |
| 50 | 24 | P-DLFRMS5024 | 1,016 | +28           |
| 50 | 30 | P-DLFRMS5030 | 1,088 | +28           |
| 50 | 36 | P-DLFRMS5036 | 1,253 | +28           |
| 50 | 42 | P-DLFRMS5042 | 1,328 | +28           |
| 50 | 48 | P-DLFRMS5048 | 1,424 | +28           |
| 50 | 60 | P-DLFRMS5060 | 1,608 | +28           |
| 50 | 72 | P-DLFRMS5072 | 1,796 | +28           |
| 58 | 24 | P-DLFRMS5824 | 1,068 | +28           |
| 58 | 30 | P-DLFRMS5830 | 1,142 | +28           |
| 58 | 36 | P-DLFRMS5836 | 1,315 | +28           |
| 58 | 42 | P-DLFRMS5842 | 1,393 | +28           |
| 58 | 48 | P-DLFRMS5848 | 1,496 | +28           |
| 58 | 60 | P-DLFRMS5860 | 1,689 | +28           |
| 58 | 72 | P-DLFRMS5872 | 1,883 | +28           |

**DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK INSERTS  
POWERED PANELS**


| H  | W  | Model Number | List  | Grade C Paint |
|----|----|--------------|-------|---------------|
| 42 | 24 | P-DLFPMS4224 | 1,349 | +28           |
| 42 | 30 | P-DLFPMS4230 | 1,443 | +28           |
| 42 | 36 | P-DLFPMS4236 | 1,605 | +28           |
| 42 | 42 | P-DLFPMS4242 | 1,694 | +28           |
| 42 | 48 | P-DLFPMS4248 | 1,812 | +28           |
| 42 | 60 | P-DLFPMS4260 | 2,021 | +28           |
| 42 | 72 | P-DLFPMS4272 | 2,230 | +28           |
| 50 | 24 | P-DLFPMS5024 | 1,438 | +28           |
| 50 | 30 | P-DLFPMS5030 | 1,528 | +28           |
| 50 | 36 | P-DLFPMS5036 | 1,724 | +28           |
| 50 | 42 | P-DLFPMS5042 | 1,816 | +28           |
| 50 | 48 | P-DLFPMS5048 | 1,942 | +28           |
| 50 | 60 | P-DLFPMS5060 | 2,166 | +28           |
| 50 | 72 | P-DLFPMS5072 | 2,388 | +28           |
| 58 | 24 | P-DLFPMS5824 | 1,506 | +28           |
| 58 | 30 | P-DLFPMS5830 | 1,605 | +28           |
| 58 | 36 | P-DLFPMS5836 | 1,999 | +28           |
| 58 | 42 | P-DLFPMS5842 | 1,907 | +28           |
| 58 | 48 | P-DLFPMS5848 | 2,072 | +28           |
| 58 | 60 | P-DLFPMS5860 | 2,274 | +28           |
| 58 | 72 | P-DLFPMS5872 | 2,506 | +28           |




Front Back  
42" High




Front Back  
50" High




Front Back  
58" High



Front Back  
66" High



Front Back  
82" High



Divi Linear Trim

**Specify**

- Fabric/Laminate Selection for Side A Position 1
- Insert Style for Side B Positions 1,2,3,4
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Options (Non-Powered) (+15)

**Notes**

- Solid core blank panels with monolithic insert surface on front side and segmented insert surface on back side.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included for non-powered panels. 8 wire 4 circuit powerway and power/data access base covers are included for powered panels. Non-powered panels may be ordered with power/data access base covers and/or raceway divider, powered panels may be ordered with raceway dividers.
- Powered includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Panels includes all connection hinges needed.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page.
- Non-powered panels shown.
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.


## Divi Linear Monolithic Front/Segmented Back Inserts

### DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK INSERTS NON-POWERED PANELS


| H  | W  | Model Number | List  | Grade C Paint |
|----|----|--------------|-------|---------------|
| 66 | 24 | P-DLFRMS6624 | 1,218 | +28           |
| 66 | 30 | P-DLFRMS6630 | 1,302 | +28           |
| 66 | 36 | P-DLFRMS6636 | 1,522 | +28           |
| 66 | 42 | P-DLFRMS6642 | 1,595 | +28           |
| 66 | 48 | P-DLFRMS6648 | 1,713 | +28           |
| 66 | 60 | P-DLFRMS6660 | 1,946 | +28           |
| 82 | 24 | P-DLFRMS8224 | 1,532 | +28           |
| 82 | 30 | P-DLFRMS8230 | 1,642 | +28           |
| 82 | 36 | P-DLFRMS8236 | 1,873 | +28           |
| 82 | 42 | P-DLFRMS8242 | 1,991 | +28           |
| 82 | 48 | P-DLFRMS8248 | 2,128 | +28           |

### DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK INSERTS POWERED PANELS


| H  | W  | Model Number | List  | Grade C Paint |
|----|----|--------------|-------|---------------|
| 66 | 24 | P-DLFPMS6624 | 1,642 | +28           |
| 66 | 30 | P-DLFPMS6630 | 1,746 | +28           |
| 66 | 36 | P-DLFPMS6636 | 1,989 | +28           |
| 66 | 42 | P-DLFPMS6642 | 2,091 | +28           |
| 66 | 48 | P-DLFPMS6648 | 2,230 | +28           |
| 66 | 60 | P-DLFPMS6660 | 2,488 | +28           |
| 82 | 24 | P-DLFPMS8224 | 1,912 | +28           |
| 82 | 30 | P-DLFPMS8230 | 2,038 | +28           |
| 82 | 36 | P-DLFPMS8236 | 2,298 | +28           |
| 82 | 42 | P-DLFPMS8242 | 2,433 | +28           |
| 82 | 48 | P-DLFPMS8248 | 2,588 | +28           |




Front Back  
42" High




Front Back  
50" High




Front Back  
58" High



Front Back  
66" High



Front Back  
82" High



Divi Linear Trim

#### Specify

- Fabric/Laminate Selection for Side A Position 1
- Insert Style for Side B Positions 1,2,3,4
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Options (Non-Powered) (+15)

#### Notes

- Solid core blank panels with monolithic insert surface on front side and segmented insert surface on back side.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included for non-powered panels. 8 wire 4 circuit powerway and power/data access base covers are included for powered panels. Non-powered panels may be ordered with power/data access base covers and/or raceway divider, powered panels may be ordered with raceway dividers.
- Powered includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Panels includes all connection hinges needed.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page.
- Non-powered panels shown.
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.


**Divi Linear Segmented Front/Back Inserts**

**DIVI LINEAR SEGMENTED FRONT/BACK INSERTS  
NON-POWERED PANELS**


| H  | W  | Model Number | List  | Grade C Paint |
|----|----|--------------|-------|---------------|
| 42 | 24 | P-DLFRSS4224 | 998   | +28           |
| 42 | 30 | P-DLFRSS4230 | 1,068 | +28           |
| 42 | 36 | P-DLFRSS4236 | 1,216 | +28           |
| 42 | 42 | P-DLFRSS4242 | 1,283 | +28           |
| 42 | 48 | P-DLFRSS4248 | 1,377 | +28           |
| 42 | 60 | P-DLFRSS4260 | 1,565 | +28           |
| 42 | 72 | P-DLFRSS4272 | 1,754 | +28           |
| 50 | 24 | P-DLFRSS5024 | 1,087 | +28           |
| 50 | 30 | P-DLFRSS5030 | 1,162 | +28           |
| 50 | 36 | P-DLFRSS5036 | 1,295 | +28           |
| 50 | 42 | P-DLFRSS5042 | 1,407 | +28           |
| 50 | 48 | P-DLFRSS5048 | 1,511 | +28           |
| 50 | 60 | P-DLFRSS5060 | 1,716 | +28           |
| 50 | 72 | P-DLFRSS5072 | 1,918 | +28           |
| 58 | 24 | P-DLFRSS5824 | 1,141 | +28           |
| 58 | 30 | P-DLFRSS5830 | 1,219 | +28           |
| 58 | 36 | P-DLFRSS5836 | 1,358 | +28           |
| 58 | 42 | P-DLFRSS5842 | 1,475 | +28           |
| 58 | 48 | P-DLFRSS5848 | 1,680 | +28           |
| 58 | 60 | P-DLFRSS5860 | 1,801 | +28           |
| 58 | 72 | P-DLFRSS5872 | 2,014 | +28           |

**DIVI LINEAR SEGMENTED FRONT/BACK INSERTS  
POWERED PANELS**


| H  | W  | Model Number | List  | Grade C Paint |
|----|----|--------------|-------|---------------|
| 42 | 24 | P-DLFPSS4224 | 1,394 | +28           |
| 42 | 30 | P-DLFPSS4230 | 1,488 | +28           |
| 42 | 36 | P-DLFPSS4236 | 1,653 | +28           |
| 42 | 42 | P-DLFPSS4242 | 1,746 | +28           |
| 42 | 48 | P-DLFPSS4248 | 1,865 | +28           |
| 42 | 60 | P-DLFPSS4260 | 2,075 | +28           |
| 42 | 72 | P-DLFPSS4272 | 2,285 | +28           |
| 50 | 24 | P-DLFPSS5024 | 1,485 | +28           |
| 50 | 30 | P-DLFPSS5030 | 1,584 | +28           |
| 50 | 36 | P-DLFPSS5036 | 1,781 | +28           |
| 50 | 42 | P-DLFPSS5042 | 1,870 | +28           |
| 50 | 48 | P-DLFPSS5048 | 1,997 | +28           |
| 50 | 60 | P-DLFPSS5060 | 2,208 | +28           |
| 50 | 72 | P-DLFPSS5072 | 2,416 | +28           |
| 58 | 24 | P-DLFPSS5824 | 1,558 | +28           |
| 58 | 30 | P-DLFPSS5830 | 1,660 | +28           |
| 58 | 36 | P-DLFPSS5836 | 1,868 | +28           |
| 58 | 42 | P-DLFPSS5842 | 1,964 | +28           |
| 58 | 48 | P-DLFPSS5848 | 2,097 | +28           |
| 58 | 60 | P-DLFPSS5860 | 2,317 | +28           |
| 58 | 72 | P-DLFPSS5872 | 2,537 | +28           |




Front Back  
42" High




Front Back  
50" High




Front Back  
58" High



Front Back  
66" High



Front Back  
82" High



Divi Linear Trim

**Specify**

**Notes**

- Insert Style for Side A Positions 1,2,3,4 and Side B Positions 1,2,3,4
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

- Segmented Front/Back Inserts are solid core blank panels with segmented insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.


## Divi Linear Segmented Front/Back Inserts

### DIVI LINEAR SEGMENTED FRONT/BACK INSERTS NON-POWERED PANELS


| H  | W  | Model Number | List  | Grade C Paint |
|----|----|--------------|-------|---------------|
| 66 | 24 | P-DLFRSS6624 | 1,343 | +28           |
| 66 | 30 | P-DLFRSS6630 | 1,440 | +28           |
| 66 | 36 | P-DLFRSS6636 | 1,660 | +28           |
| 66 | 42 | P-DLFRSS6642 | 1,731 | +28           |
| 66 | 48 | P-DLFRSS6648 | 1,859 | +28           |
| 66 | 60 | P-DLFRSS6660 | 2,104 | +28           |
| 82 | 24 | P-DLFRSS8224 | 1,706 | +28           |
| 82 | 30 | P-DLFRSS8230 | 1,813 | +28           |
| 82 | 36 | P-DLFRSS8236 | 2,088 | +28           |
| 82 | 42 | P-DLFRSS8242 | 2,166 | +28           |
| 82 | 48 | P-DLFRSS8248 | 2,314 | +28           |

### DIVI LINEAR SEGMENTED FRONT/BACK INSERTS POWERED PANELS


| H  | W  | Model Number | List  | Grade C Paint |
|----|----|--------------|-------|---------------|
| 66 | 24 | P-DLFPSS6624 | 1,740 | +28           |
| 66 | 30 | P-DLFPSS6630 | 1,859 | +28           |
| 66 | 36 | P-DLFPSS6636 | 2,103 | +28           |
| 66 | 42 | P-DLFPSS6642 | 2,199 | +28           |
| 66 | 48 | P-DLFPSS6648 | 2,345 | +28           |
| 66 | 60 | P-DLFPSS6660 | 2,617 | +28           |
| 82 | 24 | P-DLFPSS8224 | 2,086 | +28           |
| 82 | 30 | P-DLFPSS8230 | 2,235 | +28           |
| 82 | 36 | P-DLFPSS8236 | 2,528 | +28           |
| 82 | 42 | P-DLFPSS8242 | 2,632 | +28           |
| 82 | 48 | P-DLFPSS8248 | 2,801 | +28           |




Front Back  
42" High




Front Back  
50" High




Front Back  
58" High



Front Back  
66" High



Front Back  
82" High



Divi Linear Trim

#### Specify

#### Notes

- Insert Style for Side A Positions 1,2,3,4 and Side B Positions 1,2,3,4
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

- Segmented Front/Back Inserts are solid core blank panels with segmented insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.






**Divi Linear Monolithic Front/Back Quarter Glass Inserts**

**DIVI LINEAR MONOLITHIC FRONT/BACK QUARTER GLASS INSERTS  
NON-POWERED PANELS**

| H  | W  | Model Number   | List  | Grade C Paint |
|----|----|----------------|-------|---------------|
| 50 | 24 | P-DLQGWRMM5024 | 1,687 | +28           |
| 50 | 30 | P-DLQGWRMM5030 | 1,848 | +28           |
| 50 | 36 | P-DLQGWRMM5036 | 2,014 | +28           |
| 50 | 42 | P-DLQGWRMM5042 | 2,176 | +28           |
| 50 | 48 | P-DLQGWRMM5048 | 2,335 | +28           |
| 50 | 60 | P-DLQGWRMM5060 | 2,626 | +28           |
| 50 | 72 | P-DLQGWRMM5072 | 2,913 | +28           |
| 58 | 24 | P-DLQGWRMM5824 | 1,771 | +28           |
| 58 | 30 | P-DLQGWRMM5830 | 1,941 | +28           |
| 58 | 36 | P-DLQGWRMM5836 | 2,113 | +28           |
| 58 | 42 | P-DLQGWRMM5842 | 2,284 | +28           |
| 58 | 48 | P-DLQGWRMM5848 | 2,451 | +28           |
| 58 | 60 | P-DLQGWRMM5860 | 2,753 | +28           |
| 58 | 72 | P-DLQGWRMM5872 | 3,057 | +28           |

**DIVI LINEAR MONOLITHIC FRONT/BACK QUARTER GLASS INSERTS  
POWERED PANELS**

| H  | W  | Model Number  | List  | Grade C Paint |
|----|----|---------------|-------|---------------|
| 50 | 24 | P-DLQGWPM5024 | 2,040 | +28           |
| 50 | 30 | P-DLQGWPM5030 | 2,214 | +28           |
| 50 | 36 | P-DLQGWPM5036 | 2,382 | +28           |
| 50 | 42 | P-DLQGWPM5042 | 2,549 | +28           |
| 50 | 48 | P-DLQGWPM5048 | 2,715 | +28           |
| 50 | 60 | P-DLQGWPM5060 | 3,042 | +28           |
| 50 | 72 | P-DLQGWPM5072 | 3,371 | +28           |
| 58 | 24 | P-DLQGWPM5824 | 2,144 | +28           |
| 58 | 30 | P-DLQGWPM5830 | 2,324 | +28           |
| 58 | 36 | P-DLQGWPM5836 | 2,502 | +28           |
| 58 | 42 | P-DLQGWPM5842 | 2,676 | +28           |
| 58 | 48 | P-DLQGWPM5848 | 2,847 | +28           |
| 58 | 60 | P-DLQGWPM5860 | 3,193 | +28           |
| 58 | 72 | P-DLQGWPM5872 | 3,537 | +28           |



**Specify**

- Style Selection for Glass Insert
- Fabric/Laminate Selection for Side A and B
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

**Notes**

- Monolithic Front / Back Quarter Glass Inserts are solid core blank panels with tempered glass window inserts and painted metal trim with monolithic insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered panels.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Non-powered panels shown.
- Features Divi Linear trim.




## Divi Linear Monolithic Front/Segmented Back Quarter Glass Inserts

### DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK QUARTER GLASS INSERTS - NON-POWERED PANELS

| H  | W  | Model Number    | List  | Grade C Paint |
|----|----|-----------------|-------|---------------|
| 66 | 24 | P-DLQGW RMS6624 | 1,945 | +28           |
| 66 | 30 | P-DLQGW RMS6630 | 2,148 | +28           |
| 66 | 36 | P-DLQGW RMS6636 | 2,351 | +28           |
| 66 | 42 | P-DLQGW RMS6642 | 2,558 | +28           |
| 66 | 48 | P-DLQGW RMS6648 | 2,759 | +28           |
| 66 | 60 | P-DLQGW RMS6660 | 3,165 | +28           |
| 66 | 72 | P-DLQGW RMS6672 | 3,568 | +28           |
| 82 | 24 | P-DLQGW RMS8224 | 2,182 | +28           |
| 82 | 30 | P-DLQGW RMS8230 | 2,430 | +28           |
| 82 | 36 | P-DLQGW RMS8236 | 2,693 | +28           |
| 82 | 42 | P-DLQGW RMS8242 | 2,913 | +28           |
| 82 | 48 | P-DLQGW RMS8248 | 3,187 | +28           |

### DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK QUARTER GLASS INSERTS - POWERED PANELS

| H  | W  | Model Number    | List  | Grade C Paint |
|----|----|-----------------|-------|---------------|
| 66 | 24 | P-DLQGW PMS6624 | 2,291 | +28           |
| 66 | 30 | P-DLQGW PMS6630 | 2,526 | +28           |
| 66 | 36 | P-DLQGW PMS6636 | 2,732 | +28           |
| 66 | 42 | P-DLQGW PMS6642 | 2,943 | +28           |
| 66 | 48 | P-DLQGW PMS6648 | 3,151 | +28           |
| 66 | 60 | P-DLQGW PMS6660 | 3,569 | +28           |
| 66 | 72 | P-DLQGW PMS6672 | 3,985 | +28           |
| 82 | 24 | P-DLQGW PMS8224 | 2,564 | +28           |
| 82 | 30 | P-DLQGW PMS8230 | 2,810 | +28           |
| 82 | 36 | P-DLQGW PMS8236 | 3,083 | +28           |
| 82 | 42 | P-DLQGW PMS8242 | 3,305 | +28           |
| 82 | 48 | P-DLQGW PMS8248 | 3,552 | +28           |



#### Specify

- Style Selection for Glass Insert
- Fabric/Laminate Selection for Side A and B
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

#### Notes

- Monolithic Front / Back Quarter Glass Inserts are solid core blank panels with tempered glass window inserts and painted metal trim with monolithic insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered panels.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Non-powered panels shown.
- Features Divi Linear trim.




**Divi Linear Segmented Front/Back Quarter Glass Inserts**

**DIVI LINEAR SEGMENTED FRONT/BACK QUARTER GLASS INSERTS  
NON-POWERED PANELS**

| H  | W  | Model Number  | List  | Grade C Paint |
|----|----|---------------|-------|---------------|
| 66 | 24 | P-DLQGWSS6624 | 1,945 | +28           |
| 66 | 30 | P-DLQGWSS6630 | 2,148 | +28           |
| 66 | 36 | P-DLQGWSS6636 | 2,351 | +28           |
| 66 | 42 | P-DLQGWSS6642 | 2,558 | +28           |
| 66 | 48 | P-DLQGWSS6648 | 2,759 | +28           |
| 66 | 60 | P-DLQGWSS6660 | 3,165 | +28           |
| 66 | 72 | P-DLQGWSS6672 | 3,568 | +28           |
| 82 | 24 | P-DLQGWSS8224 | 2,208 | +28           |
| 82 | 30 | P-DLQGWSS8230 | 2,430 | +28           |
| 82 | 36 | P-DLQGWSS8236 | 2,668 | +28           |
| 82 | 42 | P-DLQGWSS8242 | 2,913 | +28           |
| 82 | 48 | P-DLQGWSS8248 | 3,187 | +28           |

**DIVI LINEAR SEGMENTED FRONT/BACK QUARTER GLASS INSERTS  
POWERED PANELS**

| H  | W  | Model Number  | List  | Grade C Paint |
|----|----|---------------|-------|---------------|
| 66 | 24 | P-DLQGWSS6624 | 2,291 | +28           |
| 66 | 30 | P-DLQGWSS6630 | 2,499 | +28           |
| 66 | 36 | P-DLQGWSS6636 | 2,732 | +28           |
| 66 | 42 | P-DLQGWSS6642 | 2,916 | +28           |
| 66 | 48 | P-DLQGWSS6648 | 3,151 | +28           |
| 66 | 60 | P-DLQGWSS6660 | 3,535 | +28           |
| 66 | 72 | P-DLQGWSS6672 | 3,916 | +28           |
| 82 | 24 | P-DLQGWSS8224 | 2,588 | +28           |
| 82 | 30 | P-DLQGWSS8230 | 2,810 | +28           |
| 82 | 36 | P-DLQGWSS8236 | 3,051 | +28           |
| 82 | 42 | P-DLQGWSS8242 | 3,305 | +28           |
| 82 | 48 | P-DLQGWSS8248 | 3,590 | +28           |



**Specify**

**Notes**

- Style Selection for Glass Insert
- Insert Style for Side A Positions 1,2,3,4 and Side B Positions 1,2,3,4
- Fabric Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option
- Data Access Option (Non-Powered)

- Segmented Front / Back Quarter Glass Insert are solid core blank panels with tempered glass window insert and painted metal trim with segmented insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered panels.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels include six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82" high panels will always have a vertical fabric direction. Non-powered panels shown.
- Features Divi Linear trim.


## Divi Linear Monolithic Front/Back Half Glass Inserts

### DIVI LINEAR MONOLITHIC FRONT/BACK HALF GLASS INSERTS NON-POWERED PANELS


| H  | W  | Model Number   | List  | Grade C Paint | Data Access | Raceway Divider |
|----|----|----------------|-------|---------------|-------------|-----------------|
| 58 | 24 | P-DLHGWRMM5824 | 1,829 | +28           | +15         | +50             |
| 58 | 30 | P-DLHGWRMM5830 | 2,023 | +28           | +15         | +50             |
| 58 | 36 | P-DLHGWRMM5836 | 2,213 | +28           | +15         | +50             |
| 58 | 42 | P-DLHGWRMM5842 | 2,410 | +28           | +15         | +50             |
| 58 | 48 | P-DLHGWRMM5848 | 2,601 | +28           | +15         | +50             |
| 58 | 60 | P-DLHGWRMM5860 | 2,986 | +28           | +15         | +50             |
| 58 | 72 | P-DLHGWRMM5872 | 3,373 | +28           | +15         | +50             |
| 66 | 24 | P-DLHGWRMM6624 | 1,945 | +28           | +15         | +50             |
| 66 | 30 | P-DLHGWRMM6630 | 2,148 | +28           | +15         | +50             |
| 66 | 36 | P-DLHGWRMM6636 | 2,351 | +28           | +15         | +50             |
| 66 | 42 | P-DLHGWRMM6642 | 2,558 | +28           | +15         | +50             |
| 66 | 48 | P-DLHGWRMM6648 | 2,759 | +28           | +15         | +50             |
| 66 | 60 | P-DLHGWRMM6660 | 3,165 | +28           | +15         | +50             |
| 82 | 24 | P-DLHGWRMM8224 | 2,208 | +28           | +15         | +50             |
| 82 | 30 | P-DLHGWRMM8230 | 2,450 | +28           | +15         | +50             |
| 82 | 36 | P-DLHGWRMM8236 | 2,693 | +28           | +15         | +50             |
| 82 | 42 | P-DLHGWRMM8242 | 2,913 | +28           | +15         | +50             |
| 82 | 48 | P-DLHGWRMM8248 | 3,187 | +28           | +15         | +50             |

### DIVI LINEAR MONOLITHIC FRONT/BACK HALF GLASS INSERTS POWERED PANELS


| H  | W  | Model Number   | List  | Grade C Paint | Raceway Divider |
|----|----|----------------|-------|---------------|-----------------|
| 58 | 24 | P-DLHGWPMM5824 | 2,176 | +28           | +50             |
| 58 | 30 | P-DLHGWPMM5830 | 2,372 | +28           | +50             |
| 58 | 36 | P-DLHGWPMM5836 | 2,594 | +28           | +50             |
| 58 | 42 | P-DLHGWPMM5842 | 2,771 | +28           | +50             |
| 58 | 48 | P-DLHGWPMM5848 | 2,970 | +28           | +50             |
| 58 | 60 | P-DLHGWPMM5860 | 3,357 | +28           | +50             |
| 58 | 72 | P-DLHGWPMM5872 | 3,748 | +28           | +50             |
| 66 | 24 | P-DLHGWPMM6624 | 2,291 | +28           | +50             |
| 66 | 30 | P-DLHGWPMM6630 | 2,499 | +28           | +50             |
| 66 | 36 | P-DLHGWPMM6636 | 2,732 | +28           | +50             |
| 66 | 42 | P-DLHGWPMM6642 | 2,916 | +28           | +50             |
| 66 | 48 | P-DLHGWPMM6648 | 3,128 | +28           | +50             |
| 66 | 60 | P-DLHGWPMM6660 | 3,535 | +28           | +50             |
| 82 | 24 | P-DLHGWPMM8224 | 2,564 | +28           | +50             |
| 82 | 30 | P-DLHGWPMM8230 | 2,810 | +28           | +50             |
| 82 | 36 | P-DLHGWPMM8236 | 3,051 | +28           | +50             |
| 82 | 42 | P-DLHGWPMM8242 | 3,305 | +28           | +50             |
| 82 | 48 | P-DLHGWPMM8248 | 3,552 | +28           | +50             |




Front Back  
58" High



Front Back  
66" High



Front Back  
82" High



Divi Linear Trim

#### Specify

- Style Selection for Glass Insert
- Fabric/Laminate Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option
- Data Access Option (Non-Powered)

#### Notes

- Monolithic Front / Back Half Glass Inserts are solid core blank panels with tempered glass window insert and painted metal trim with monolithic insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered. Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page.
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Non-powered panels shown.
- Features Divi Linear trim.



**Divi Linear Monolithic Front/Segmented Back Half Glass Inserts**

**DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK HALF GLASS INSERTS - NON-POWERED PANELS**

| H  | W  | Model Number   | List  | Grade C Paint | Data Access | Raceway Divider |
|----|----|----------------|-------|---------------|-------------|-----------------|
| 82 | 24 | P-DLHGWRMS8224 | 2,208 | +28           | +15         | +50             |
| 82 | 30 | P-DLHGWRMS8230 | 2,430 | +28           | +15         | +50             |
| 82 | 36 | P-DLHGWRMS8236 | 2,693 | +28           | +15         | +50             |
| 82 | 42 | P-DLHGWRMS8242 | 2,913 | +28           | +15         | +50             |
| 82 | 48 | P-DLHGWRMS8248 | 3,152 | +28           | +15         | +50             |

**DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK HALF GLASS INSERTS - POWERED PANELS**

| H  | W  | Model Number   | List  | Grade C Paint | Raceway Divider |
|----|----|----------------|-------|---------------|-----------------|
| 82 | 24 | P-DLHGWPMS8224 | 2,588 | +28           | +50             |
| 82 | 30 | P-DLHGWPMS8230 | 2,810 | +28           | +50             |
| 82 | 36 | P-DLHGWPMS8236 | 3,051 | +28           | +50             |
| 82 | 42 | P-DLHGWPMS8242 | 3,305 | +28           | +50             |
| 82 | 48 | P-DLHGWPMS8248 | 3,552 | +28           | +50             |



**Specify**

**Notes**

- Style Selection for Glass Insert
- Fabric Selection for Side A Position 1
- Insert Style for Side B Position 1,2,3,4
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option
- Data Access Option (Non-Powered)

- Monolithic Front / Segmented Back Half Glass Inserts are solid core blank panels with tempered glass window insert and painted metal trim, with monolithic insert surfaces on front side and segmented insert surfaces on back side.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered. Powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page.
- Non-powered panels shown.
- Features Divi Linear trim.



## Divi Linear Segmented Front/Back Half Glass Inserts

### DIVI LINEAR SEGMENTED FRONT/BACK HALF GLASS INSERTS NON-POWERED PANELS

| H  | W  | Model Number   | List  | Grade C Paint | Data Access | Raceway Divider |
|----|----|----------------|-------|---------------|-------------|-----------------|
| 82 | 24 | P-DLHGWRSS8224 | 2,182 | +28           | +15         | +50             |
| 82 | 30 | P-DLHGWRSS8230 | 2,450 | +28           | +15         | +50             |
| 82 | 36 | P-DLHGWRSS8236 | 2,693 | +28           | +15         | +50             |
| 82 | 42 | P-DLHGWRSS8242 | 2,940 | +28           | +15         | +50             |
| 82 | 48 | P-DLHGWRSS8248 | 3,187 | +28           | +15         | +50             |

### DIVI LINEAR SEGMENTED FRONT/BACK HALF GLASS INSERTS POWERED PANELS

| H  | W  | Model Number   | List  | Grade C Paint | Raceway Divider |
|----|----|----------------|-------|---------------|-----------------|
| 82 | 24 | P-DLHGWPSS8224 | 2,564 | +28           | +50             |
| 82 | 30 | P-DLHGWPSS8230 | 2,834 | +28           | +50             |
| 82 | 36 | P-DLHGWPSS8236 | 3,051 | +28           | +50             |
| 82 | 42 | P-DLHGWPSS8242 | 3,305 | +28           | +50             |
| 82 | 48 | P-DLHGWPSS8248 | 3,552 | +28           | +50             |



Divi Linear Trim

#### Specify

- Style Selection for Glass Insert
- Insert Style for Side A Positions 1,2,3,4 and Side B Positions 1,2,3,4
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option
- Data Access Option (Non-Powered)

#### Notes


- Segmented Front / Back Half Glass Powered Inserts are solid core blank panels with tempered glass window insert and painted metal trim with segmented insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered panels. Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels include six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page. Non-powered panels shown.
- Features Divi Linear trim.



**Replacement Fabric Inserts**

**REPLACEMENT FABRIC INSERTS**

| H  | W  | Model Number | List | C.O.M Fabric | Grade C Fabric | Grade D Fabric | H  | W  | Model Number | List | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|--------------|------|--------------|----------------|----------------|----|----|--------------|------|--------------|----------------|----------------|
| 8  | 24 | P-DVSFR0824  | 238  | -3           | +4             | +7             | 43 | 24 | P-DVSFR4324  | 320  | -28          | +23            | +50            |
| 8  | 30 | P-DVSFR0830  | 238  | -3           | +4             | +7             | 43 | 30 | P-DVSFR4330  | 320  | -28          | +23            | +50            |
| 8  | 36 | P-DVSFR0836  | 257  | -3           | +7             | +14            | 43 | 36 | P-DVSFR4336  | 410  | -28          | +46            | +100           |
| 8  | 42 | P-DVSFR0842  | 257  | -3           | +7             | +14            | 43 | 42 | P-DVSFR4342  | 410  | -28          | +46            | +100           |
| 8  | 48 | P-DVSFR0848  | 257  | -3           | +7             | +14            | 43 | 48 | P-DVSFR4348  | 410  | -28          | +46            | +100           |
| 8  | 60 | P-DVSFR0860  | 257  | -3           | +7             | +14            | 43 | 60 | P-DVSFR4360  | 410  | -28          | +46            | +100           |
| 16 | 24 | P-DVSFR1624  | 257  | -6           | +7             | +14            | 59 | 24 | P-DVSFR5924  | 343  | -28          | +23            | +50            |
| 16 | 30 | P-DVSFR1630  | 257  | -6           | +7             | +14            | 59 | 30 | P-DVSFR5930  | 343  | -28          | +23            | +50            |
| 16 | 36 | P-DVSFR1636  | 279  | -6           | +13            | +27            | 59 | 36 | P-DVSFR5936  | 474  | -28          | +46            | +100           |
| 16 | 42 | P-DVSFR1642  | 279  | -6           | +13            | +27            | 59 | 42 | P-DVSFR5942  | 474  | -28          | +46            | +100           |
| 16 | 48 | P-DVSFR1648  | 279  | -6           | +13            | +27            | 59 | 48 | P-DVSFR5948  | 474  | -28          | +46            | +100           |
| 16 | 60 | P-DVSFR1660  | 279  | -6           | +13            | +27            | 59 | 60 | P-DVSFR5960  | 474  | -28          | +46            | +100           |
| 27 | 24 | P-DVSFR2724  | 274  | -16          | +11            | +23            | 75 | 24 | P-DVSFR7524  | 395  | -47          | +30            | +64            |
| 27 | 30 | P-DVSFR2730  | 274  | -16          | +11            | +23            | 75 | 30 | P-DVSFR7530  | 395  | -47          | +30            | +64            |
| 27 | 36 | P-DVSFR2736  | 328  | -16          | +21            | +46            | 75 | 36 | P-DVSFR7536  | 523  | -47          | +59            | +127           |
| 27 | 42 | P-DVSFR2742  | 328  | -16          | +21            | +46            | 75 | 42 | P-DVSFR7542  | 523  | -47          | +59            | +127           |
| 27 | 48 | P-DVSFR2748  | 328  | -16          | +21            | +46            | 75 | 48 | P-DVSFR7548  | 523  | -47          | +59            | +127           |
| 27 | 60 | P-DVSFR2760  | 328  | -16          | +21            | +46            |    |    |              |      |              |                |                |
| 35 | 24 | P-DVSFR3524  | 291  | -23          | +14            | +30            |    |    |              |      |              |                |                |
| 35 | 30 | P-DVSFR3530  | 291  | -23          | +14            | +30            |    |    |              |      |              |                |                |
| 35 | 36 | P-DVSFR3536  | 378  | -23          | +28            | +59            |    |    |              |      |              |                |                |
| 35 | 42 | P-DVSFR3542  | 378  | -23          | +28            | +59            |    |    |              |      |              |                |                |
| 35 | 48 | P-DVSFR3548  | 378  | -23          | +28            | +59            |    |    |              |      |              |                |                |
| 35 | 60 | P-DVSFR3560  | 378  | -23          | +28            | +59            |    |    |              |      |              |                |                |



**Specify**

**Notes**


• Fabric Selection for Insert

• Replacement Fabric Inserts are specified only when replacing fabric inserts in the field due to damage or a need for aesthetic change.

**Replacement Laminate Inserts**

**REPLACEMENT LAMINATE INSERTS**

| <b>H</b> | <b>W</b> | <b>Model Number</b> | <b>List</b> | <b>Grade C Laminate</b> |
|----------|----------|---------------------|-------------|-------------------------|
| 8        | 24       | P-DVSLR0824         | 244         | +17                     |
| 8        | 30       | P-DVSLR0830         | 255         | +21                     |
| 8        | 36       | P-DVSLR0836         | 283         | +25                     |
| 8        | 42       | P-DVSLR0842         | 275         | +29                     |
| 8        | 48       | P-DVSLR0848         | 278         | +34                     |
| 8        | 60       | P-DVSLR0860         | 280         | +40                     |
| 16       | 24       | P-DVSLR1624         | 283         | +34                     |
| 16       | 30       | P-DVSLR1630         | 287         | +42                     |
| 16       | 36       | P-DVSLR1636         | 315         | +50                     |
| 16       | 42       | P-DVSLR1642         | 321         | +59                     |
| 16       | 48       | P-DVSLR1648         | 328         | +67                     |
| 16       | 60       | P-DVSLR1660         | 335         | +76                     |
| 27       | 24       | P-DVSLR2724         | 296         | +50                     |
| 27       | 30       | P-DVSLR2730         | 324         | +63                     |
| 27       | 36       | P-DVSLR2736         | 379         | +75                     |
| 27       | 42       | P-DVSLR2742         | 392         | +88                     |
| 27       | 48       | P-DVSLR2748         | 405         | +100                    |
| 27       | 60       | P-DVSLR2760         | 420         | +112                    |



**Specify**

**Notes**

• Laminate Selection for Insert

- Replacement Laminate Inserts are specified only when replacing laminate inserts in the field due to damage or a need for aesthetic change.
- Grain direction runs vertical.

**Fabric and Laminate Insert Upcharges**

Refer below for upcharges/discounts for all insert panels. Prices are per insert. White board inserts are the same price as Grade A Fabric inserts.

| FABRIC AND LAMINATE INSERT UPCHARGES |              |                |                |                 |                  |                       |               |
|--------------------------------------|--------------|----------------|----------------|-----------------|------------------|-----------------------|---------------|
| Insert Size                          | C.O.M Fabric | Grade C Fabric | Grade D Fabric | Laminate Insert | Grade C Laminate | Embossed Steel Insert | Grade C Paint |
| 8 x 24                               | -3           | +4             | +7             | +15             | +17              | +132                  | +5            |
| 8 x 30                               | -3           | +4             | +7             | +17             | +21              | +147                  | +5            |
| 8 x 36                               | -3           | +7             | +14            | +19             | +25              | +148                  | +5            |
| 8 x 42                               | -3           | +7             | +14            | +21             | +29              | +164                  | +5            |
| 8 x 48                               | -3           | +7             | +14            | +24             | +34              | +203                  | +5            |
| 8 x 60                               | -3           | +7             | +14            | +26             | +40              | +234                  | +5            |
| 8 x 72                               | -6           | +13            | +27            | +31             | +50              | -                     | -             |
| 16 x 24                              | -6           | +7             | +14            | +19             | +34              | +180                  | +5            |
| 16 x 30                              | -6           | +7             | +14            | +24             | +42              | +206                  | +5            |
| 16 x 36                              | -6           | +13            | +27            | +28             | +50              | +217                  | +5            |
| 16 x 42                              | -6           | +13            | +27            | +34             | +59              | +227                  | +5            |
| 16 x 48                              | -6           | +13            | +27            | +41             | +67              | +309                  | +5            |
| 16 x 60                              | -6           | +13            | +27            | +47             | +76              | +366                  | +5            |
| 16 x 72                              | -28          | +17            | +37            | +57             | +92              | -                     | -             |
| 27 x 24                              | -16          | +11            | +23            | +28             | +50              | +236                  | +5            |
| 27 x 30                              | -16          | +11            | +23            | +41             | +63              | +274                  | +5            |
| 27 x 36                              | -16          | +21            | +46            | +53             | +75              | +297                  | +5            |
| 27 x 42                              | -16          | +21            | +46            | +62             | +88              | +315                  | +5            |
| 27 x 48                              | -16          | +21            | +46            | +71             | +100             | +419                  | +5            |
| 27 x 60                              | -16          | +21            | +46            | +83             | +112             | +449                  | +5            |
| 27 x 72                              | -23          | +28            | +59            | +100            | +149             | -                     | -             |
| 35 x 24                              | -23          | +14            | +30            | +34             | +59              | -                     | -             |
| 35 x 30                              | -23          | +14            | +30            | +42             | +76              | -                     | -             |
| 35 x 36                              | -23          | +28            | +59            | +51             | +87              | -                     | -             |
| 35 x 42                              | -23          | +28            | +59            | +60             | +99              | -                     | -             |
| 35 x 48                              | -23          | +28            | +59            | +69             | +119             | -                     | -             |
| 35 x 60                              | -23          | +28            | +59            | +80             | +141             | -                     | -             |
| 35 x 72                              | -28          | +46            | +100           | +97             | +172             | -                     | -             |
| 43 x 24                              | -28          | +17            | +37            | +42             | +71              | -                     | -             |
| 43 x 30                              | -28          | +17            | +37            | +53             | +92              | -                     | -             |
| 43 x 36                              | -28          | +34            | +73            | +69             | +119             | -                     | -             |
| 43 x 42                              | -28          | +34            | +73            | +84             | +149             | -                     | -             |
| 43 x 48                              | -28          | +34            | +73            | +97             | +172             | -                     | -             |
| 43 x 60                              | -28          | +34            | +73            | +1010           | +198             | -                     | -             |
| 43 x 72                              | -47          | +59            | +127           | +130            | +229             | -                     | -             |
| 51 x 24                              | -28          | +23            | +50            | +51             | +83              | -                     | -             |
| 51 x 30                              | -28          | +23            | +50            | +66             | +116             | -                     | -             |
| 51 x 36                              | -28          | +46            | +100           | +80             | +141             | -                     | -             |
| 51 x 42                              | -28          | +46            | +100           | +97             | +172             | -                     | -             |
| 51 x 48                              | -28          | +46            | +100           | +112            | +203             | -                     | -             |
| 51 x 60                              | -28          | +46            | +100           | +130            | +229             | -                     | -             |
| 51 x 72                              | -28          | +46            | +100           | +143            | +251             | -                     | -             |

**Fabric and Laminate Insert Upcharges**

Refer below for upcharges/discounts for all insert panels. Prices are per insert. White board inserts are the same price as Grade A Fabric inserts.

| <b>FABRIC AND LAMINATE INSERT UPCHARGES</b> |                     |                       |                       |                        |                         |                              |                      |
|---|---------------------|-----------------------|-----------------------|------------------------|-------------------------|------------------------------|----------------------|
| <b>Insert Size</b>                          | <b>C.O.M Fabric</b> | <b>Grade C Fabric</b> | <b>Grade D Fabric</b> | <b>Laminate Insert</b> | <b>Grade C Laminate</b> | <b>Embossed Steel Insert</b> | <b>Grade C Paint</b> |
| 59 x 24                                     | -28                 | +23                   | +50                   | +60                    | +99                     | -                            | -                    |
| 59 x 30                                     | -28                 | +23                   | +50                   | +75                    | +112                    | -                            | -                    |
| 59 x 36                                     | -28                 | +46                   | +100                  | +84                    | +149                    | -                            | -                    |
| 59 x 42                                     | -28                 | +46                   | +100                  | -                      | -                       | -                            | -                    |
| 59 x 48                                     | -28                 | +46                   | +100                  | -                      | -                       | -                            | -                    |
| 59 x 60                                     | -28                 | +46                   | +100                  | -                      | -                       | -                            | -                    |
| 75 x 24                                     | -47                 | +30                   | +64                   | -                      | -                       | -                            | -                    |
| 75 x 30                                     | -47                 | +30                   | +64                   | -                      | -                       | -                            | -                    |
| 75 x 36                                     | -47                 | +59                   | +127                  | -                      | -                       | -                            | -                    |
| 75 x 42                                     | -47                 | +59                   | +127                  | -                      | -                       | -                            | -                    |
| 75 x 48                                     | -47                 | +59                   | +127                  | -                      | -                       | -                            | -                    |



**Divi Connector Product Details**

**Product Detail 1  
Possible Insert Panel Side Elevations**


The panel connection hinge is able to be used in numerous types of panel connections as shown below. No additional panel connection hardware is needed to connect panels. However, base raceway shrouds are required for certain 2-way and 3-way applications to cover electrical and data cables.

Straight / 180° Connection:


Hinge channels in hanger frame form a 90° angle when two panels are aligned in a straight line. The hinge is extruded at this angle and installs easily when panels are started at this angle. After installation of hinge, panels can be rotated to achieve other angles.




2-Way 90° Connection:




2-Way 60°/120° Connection:




2-Way 45°/135° Connection:




3-Way 90° Connection:



3-Way 120° Connection:




4-Way 90° Connection:



Divi Linear Base Raceway Shrouds



**DIVI LINEAR 90° 2-WAY BASE RACEWAY SHROUDS**

| Model Number | List | Raceway Divider |
|--------------|------|-----------------|
| P-DLBS90     | 32   | +8              |





**DIVI LINEAR 120°/ 60° 2-WAY BASE RACEWAY SHROUDS**

| Model Number | List | Raceway Divider |
|--------------|------|-----------------|
| P-DLBS60     | 32   | +8              |





**DIVI LINEAR 135°/ 45° 2-WAY BASE RACEWAY SHROUDS**

| Model Number | List | Raceway Divider |
|--------------|------|-----------------|
| P-DLBS45     | 32   | +8              |





**DIVI LINEAR 90° 3-WAY BASE RACEWAY SHROUDS**

| Model Number | List | Raceway Divider |
|--------------|------|-----------------|
| P-DLBS3W     | 32   | +8              |



**DIVI LINEAR END BASE RACEWAY SHROUDS**

| Model Number | List |
|--------------|------|
| P-DLSEOR     | 32   |



**Specify**

- Color Selection for Shroud Cover
- Raceway Divider Option


**Notes**

- Base Raceway Shrouds are required to trim base raceways in order to cover data/electrical cable exposure.
- 90° 2-Way Base Raceway Shrouds are required to trim base raceways at 90° panel connections. 1
- 20°/60° 2-Way Base Raceway Shrouds are required to trim base raceways at 120°/60° panel connections.
- 135°/45° 2-Way Base Raceway Shrouds are required to trim base raceways at 135°/45° panel connections.
- 90° 3-Way Base Raceway Shrouds are required to trim base raceways at 90° 3-way panel connections.
- End Base Raceway Shroud are required to trim base raceways at end of panel runs.

**Wall Mount Kits and Wall Tracks**

**DIVI LINEAR WALL MOUNT KITS**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 42 | P-DLWMKIT42  | 129  | +15           |
| 50 | P-DLWMKIT50  | 144  | +15           |
| 58 | P-DLWMKIT58  | 188  | +15           |
| 66 | P-DLWMKIT66  | 187  | +15           |
| 82 | P-DLWMKIT82  | 232  | +15           |




**WALL TRACKS**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 60 | A-WTRK60     | 215  | +5            |
| 80 | A-WTRK80     | 259  | +5            |



**DIVI LINEAR STACK PANEL WALL MOUNT KIT**

| H  | Model Number | List |
|----|--------------|------|
| 16 | P-DLWMKIT16  | 123  |
| 24 | P-DLWMKIT24  | 121  |



**Specify**

- Paint Selection

**Notes**

- Wall Track mounts to fixed walls to provide slotted channel for worksurface support brackets, tackboards or shelves.
- Slots are on 1" vertical repeat pattern.
- Wall track mounting holes are 1/4" diameter, repeating 6" on center starting 1/2" from top of track.
- Hardware for mounting wall track to walls is not included. Use hardware appropriate to wall type.
- Wall track may not be shared between shelf units, flipper door units, or tackboards.
- Track sits approximately 5" off floor when leveled with top of panels to accommodate wall cover base.
- Shelving Units and Flipper door units may not share a Wall Track.
- Two sticks of Wall Track are required for each unit being mounted.
- Important: Wall track may be shared with Matrix and AO2 storage. Wall track may not be shared with Divi and MWall storage.

**Specify**

- Paint Selection (Grade C +15)


**Notes**

- Wall Mount Kits mount panel perpendicular to fixed wall. Specify according to the height of the panel to be mounted.
- Wall mount hardware to attach wall mount to wall is not included.
- Includes hinges.

**Divi Linear Post Filler Kits**


**DIVI LINEAR 2-WAY POST FILLER**

| Panel H | Model Number | List | Grade C Paint |
|---------|--------------|------|---------------|
| 42      | P-DLPF242    | 406  | +10           |
| 50      | P-DLPF250    | 414  | +10           |
| 58      | P-DLPF258    | 425  | +10           |
| 66      | P-DLPF266    | 434  | +10           |
| 74      | P-DLPF274    | 500  | +10           |
| 82      | P-DLPF282    | 512  | +10           |
| 98      | P-DLPF298    | 588  | +10           |




**DIVI LINEAR 3-WAY POST FILLER**

| Panel H | Model Number | List | Grade C Paint |
|---------|--------------|------|---------------|
| 42      | P-DLPF342    | 370  | +10           |
| 50      | P-DLPF350    | 393  | +10           |
| 58      | P-DLPF358    | 406  | +10           |
| 66      | P-DLPF366    | 419  | +10           |
| 74      | P-DLPF374    | 484  | +10           |
| 82      | P-DLPF382    | 494  | +10           |
| 98      | P-DLPF398    | 563  | +10           |




**DIVI LINEAR 4-WAY POST FILLER**

| Panel H | Model Number | List | Grade C Paint |
|---------|--------------|------|---------------|
| 42      | P-DLPF442    | 186  | +10           |
| 50      | P-DLPF450    | 206  | +10           |
| 58      | P-DLPF458    | 217  | +10           |
| 66      | P-DLPF466    | 230  | +10           |
| 74      | P-DLPF474    | 322  | +10           |
| 82      | P-DLPF482    | 300  | +10           |
| 98      | P-DLPF498    | 371  | +10           |



**DIVI LINEAR END OF RUN POST FILLER**

| Panel H | Model Number | List | Grade C Paint |
|---------|--------------|------|---------------|
| 42      | P-DLPFE42    | 378  | +10           |
| 50      | P-DLPFE50    | 386  | +10           |
| 58      | P-DLPFE58    | 404  | +10           |
| 66      | P-DLPFE66    | 413  | +10           |
| 74      | P-DLPFE74    | 477  | +10           |
| 82      | P-DLPFE82    | 481  | +10           |
| 98      | P-DLPFE98    | 551  | +10           |



**Specify**

- Metal Power/Data Divider
- Paint Selection
- Paint Selection for Trim (Grade C +28)
- Color Selection for Base Shroud

**Notes**

- Post Fillers can be used to cover wires in the vertical cavities created when two or more panels are joined at 90° angles or simply as an aesthetic piece.
- 2-way, 3-way, and end or run fillers include a base shroud.
- Post fillers are not needed for panel connection, stability, or structural integrity.
- Specify the height which corresponds to the tallest panel in the configuration.
- Available painted only.


**Divi Linear Spacers, Retrofit Kits**

| <b>DIVI LINEAR SPACER 180</b> |                     |             |                      |
|-------------------------------|---------------------|-------------|----------------------|
| <b>H</b>                      | <b>Model Number</b> | <b>List</b> | <b>Grade C Paint</b> |
| 42                            | P-DLSP18042         | 440         | +10                  |
| 50                            | P-DLSP18050         | 448         | +10                  |
| 58                            | P-DLSP18058         | 459         | +10                  |
| 66                            | P-DLSP18066         | 468         | +10                  |
| 74                            | P-DLSP18074         | 534         | +10                  |
| 82                            | P-DLSP18082         | 545         | +10                  |
| 98                            | P-DLSP18098         | 623         | +10                  |



| <b>Specify</b>   | <b>Notes</b>   |
|--|--|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> <li>• Paint Selection for Trim (Grade C +10)</li> <li>• Color Selection for Base Shroud</li> </ul> | <ul style="list-style-type: none"> <li>• Spacers can be used to fill gaps created by 3-way connectors on the opposing station wall.</li> <li>• Spacers include two base shrouds.</li> <li>• Specify the spacer height which corresponds to the tallest panel in the configuration.</li> <li>• Available painted only.</li> </ul> |

| <b>DIVI TOP CAP RETROFIT KIT</b> |   |             |
|----------------------------------|---|-------------|
| <b>Panel H</b>                   | <b>Model Number</b>                       | <b>List</b> |
| P-VLTCECK24                      | Divi Panel Top/End Cap Retrofit Kit, 24"W | 87          |
| P-VLTCECK30                      | Divi Panel Top/End Cap Retrofit Kit, 30"W | 95          |
| P-VLTCECK36                      | Divi Panel Top/End Cap Retrofit Kit, 36"W | 105         |
| P-VLTCECK42                      | Divi Panel Top/End Cap Retrofit Kit, 42"W | 115         |
| P-VLTCECK48                      | Divi Panel Top/End Cap Retrofit Kit, 48"W | 127         |
| P-VLTCECK60                      | Divi Panel Top/End Cap Retrofit Kit, 60"W | 138         |
| P-VLTCECK72                      | Divi Panel Top/End Cap Retrofit Kit, 72"W | 151         |




| <b>Specify</b>  | <b>Notes</b>   |
|---|--|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Specify Divi top cap retrofit kits to update existing panels to the most current design.</li> </ul> |

**Divi 180 Spacer Post with Power Pole, Divi 4-Way Data Septum**


**DIVI 180 SPACER POST WITH POWER POLE**

| H  | Model Number | List  | Grade C Paint |
|----|--------------|-------|---------------|
| 42 | P-DLSPP18042 | 1,206 | +20           |
| 50 | P-DLSPP18050 | 1,209 | +20           |
| 58 | P-DLSPP18058 | 1,143 | +20           |
| 66 | P-DLSPP18066 | 1,141 | +20           |
| 74 | P-DLSPP18074 | 1,194 | +20           |
| 82 | P-DLSPP18082 | 1,148 | +20           |
| 98 | P-DLSPP18098 | 1,224 | +20           |



**DIVI 4-WAY DATA SEPTUM**

| Model Number | List |
|--------------|------|
| P-DLMDS4W    | 43   |



**Notes**

- Specify for 4-way post fillers when a data septum is required.

**Specify**

**Notes**



- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> <li>• Paint Selection for Trim (Grade C +20)</li> <li>• Color Selection for Base Shroud</li> </ul> | <ul style="list-style-type: none"> <li>• Spacers can be used to fill gaps created by 3-way connectors on the opposing station wall.</li> <li>• Spacers include two base shrouds.</li> <li>• Specify the spacer height which corresponds to the tallest panel in the configuration.</li> <li>• Divi 180 Spacer Posts for Power Poles (1.619”D x 1.860”W) include one in-line power/data pole kit and one post filler kit – 2-way, 3-way, and end or run kits include a base shroud.</li> <li>• Specify the height which corresponds to the tallest panel in the configuration.</li> <li>• Available painted only.</li> <li>• Designed for an 11’ ceiling.</li> </ul> |
|--|---|

**Divi Electrical Product Details**

**Product Detail 1  
Electrical Components (8 Wire, 4 Circuit)**



AIS Divi 8 Wire 4 Circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum. Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).

Shown below is a cross section of metal cable used for 8 Wire 4 Circuit jumpers and infeeds. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).



Powerways provide electrical distribution and access for duplex outlets back to back. 24" wide panels can accept only one duplex outlet per side, two total back to back. All other panels can accept two per side, four total back to back. Powerways "grow" in length with frames of greater width, making panel to panel connections a "standard" configuration and allowing for "pass through" connections. Each powerway has locations for up to four jumpers, two at each end. Powerways are included when ordering powered panels.


Duplex Outlets are designated as circuits 1 through 4. Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange. Outlets are screw mounted to powerway. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.




**Common Equipment Amperages:**

|                         |              |
|-------------------------|--------------|
| Personal Computer ..... | 2.00 - 4.00  |
| Laser Printer .....     | 5.00 - 8.00  |
| Desktop Plotter .....   | 1.50         |
| Fan .....               | 1.00         |
| Heater .....            | 8.50 - 12.50 |
| Tasklight .....         | 1.00         |
| Slide Projector .....   | 2.00 - 6.00  |
| Coffee Pot .....        | 15.00        |
| Paper Shredder .....    | 4.40 - 13.00 |
| Radio .....             | 0.05         |
| Pencil Sharpener .....  | 1.00         |
| Calculator .....        | 0.25         |
| Answering Machine ..... | 0.08         |


**Product Detail 2**  
**Power/Data Pole Dimensions and Capacities**




Divi with no feed = 38 CAT 6 cables




Standard pole with no feed = 97 CAT 6 cables




Divi with feed with barrier = 22 CAT 6 cables




Standard pole with feed with center barriers = 64 CAT 6 cables



Divi with feed no barrier = 27 CAT 6 cables



Standard pole with feed with no center barriers = 88 CAT 6 cables



Standard pole with feed with one center barrier = 66 CAT 6 cables

**Panel-to-Panel and Lateral Pass Through Jumpers**

**PANEL-TO-PANEL JUMPERS**

| L  | Type     | Model Number  | List |
|----|----------|---------------|------|
| 18 | Standard | E-MX8W4PTPC18 | 254  |
| 21 | Extended | E-MX8W4PTPC21 | 266  |



**Notes**

- Panel-to-Panel Jumper connects any two adjacent powered panels connected in a straight line or at an angle.
- Order an Extended Panel-to-Panel Jumper to connect any two powered panels across the gap created by a 3-way or 4-way connection or gallery panel.
- 90°, 120° and 135° corners and straight panel-to-panel connections do not require an extended jumper.

**LATERAL PASS THROUGH JUMPERS**

| Panel W | Actual L | Model Number | List |
|---------|----------|--------------|------|
| 24      | 43       | E-MW8W4PJ24  | 362  |
| 30      | 48       | E-MW8W4PJ30  | 388  |
| 36      | 55       | E-MW8W4PJ36  | 399  |
| 42      | 61       | E-MW8W4PJ42  | 412  |
| 48      | 67       | E-MW8W4PJ48  | 444  |
| 60      | 79       | E-MW8W4PJ60  | 478  |
| 72      | 93       | E-MW8W4PJ72  | 534  |




**Notes**

- Lateral Pass Through Jumpers pass through a non-powered panel to connect two powered panels.
- Specify the jumper that corresponds to the width of the panel to be passed through.

**I-CONNECTOR**

| Model Number | List |
|--------------|------|
| E-UN8W4ICON  | 186  |



**Notes**

- An I-Connector is only required when it is necessary to connect two male end jumpers.

**EXTENDED LATERAL PASS THROUGH JUMPERS**

| Panel W | Actual L | Model Number | List |
|---------|----------|--------------|------|
| 24      | 45       | E-MW8W4PJ24E | 377  |
| 30      | 51       | E-MW8W4PJ30E | 396  |
| 36      | 57       | E-MW8W4PJ36E | 409  |
| 42      | 63       | E-MW8W4PJ42E | 420  |
| 48      | 69       | E-MW8W4PJ48E | 456  |
| 60      | 81       | E-MW8W4PJ60E | 504  |
| 72      | 96       | E-MW8W4PJ72E | 544  |




**Notes**

- Extended Lateral Pass Through Jumpers are extended 1 11/16" to pass through a non-powered panel and the additional gap created by a 3-way or 4-way connection to connect two powered panels.
- 90° corners and straight panel-to-panel connections do not require an extended jumper.
- Specify the jumper that corresponds to the width of the panel to be passed through.

Duplex Outlets


DUPLEX OUTLETS

| Line | Color | Model Number | List |
|------|-------|--------------|------|
| 1    | Black | E-MW8W4DO1   | 94   |
| 2    | Black | E-MW8W4DO2   | 94   |
| 3    | Black | E-MW8W4DO3   | 94   |
| 4    | Black | E-MW8W4DO4   | 94   |
| 1    | White | E-MW8W4DO1-W | 94   |
| 2    | White | E-MW8W4DO2-W | 94   |
| 3    | White | E-MW8W4DO3-W | 94   |
| 4    | White | E-MW8W4DO4-W | 94   |



CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS

| Line | Color | Model Number    | List |
|------|-------|-----------------|------|
| 1    | Black | E-MW8W4T24DO1   | 109  |
| 2    | Black | E-MW8W4T24DO2   | 109  |
| 3    | Black | E-MW8W4T24DO3   | 109  |
| 4    | Black | E-MW8W4T24DO4   | 109  |
| 1    | White | E-MW8W4T24DO1-W | 109  |
| 2    | White | E-MW8W4T24DO2-W | 109  |
| 3    | White | E-MW8W4T24DO3-W | 109  |
| 4    | White | E-MW8W4T24DO4-W | 109  |



Notes

- Duplex Outlets are available at designated circuits 1 through 4.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways.
- Available in black or white. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange.
- Outlets are screw mounted to powerway.
- Duplex outlets are standard 15 amp outlets.
- Can be used with multi-circuit electrical units.

Notes


- In California, 50 percent of all outlets in a systems panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting.
- Customers should plan on using circuits 2 and 3 for controlled circuits, and plan general load for all other items on circuits 1 and 4.
- If using 2 + 2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5.
- Outlets must have the “controlled” symbol for identification purposes.
- Can be used with multi-circuit electrical units.

**Note:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician excluding junction boxes, which can be purchased from AIS.

**Duplex Outlets**

**USB OUTLETS**

| Line | Color | Model Number   | List |
|------|-------|----------------|------|
| 1    | Black | E-UN8W4USB01   | 380  |
| 2    | Black | E-UN8W4USB02   | 380  |
| 3    | Black | E-UN8W4USB03   | 380  |
| 4    | Black | E-UN8W4USB04   | 380  |
| 1    | White | E-UN8W4USB01-W | 338  |
| 2    | White | E-UN8W4USB02-W | 338  |
| 3    | White | E-UN8W4USB03-W | 338  |
| 4    | White | E-UN8W4USB04-W | 338  |




**Notes**

- USB Outlets bring charging options to panel power distribution systems.
- The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle.
- The USB Outlets offer a total of 2 Amps between two USB charging ports.
- The USB Outlets are UL and FCC Part 15A approved.
- Can be used with multi-circuit electrical units.

**DUPLEX OUTLET HOLE COVERS**

| Model Number | List |
|--------------|------|
| E-UNWC       | 37   |



**Specify**

- Paint Selection for Hole Cover


**Notes**

- Duplex Outlet Hole Covers are supplied with each powered panel to cover unused duplex outlet locations (six).
- 24"W panels only include three duplex outlet hole covers.
- Order extra hole covers separately only when required.
- Can be used with multi-circuit electrical units.

Infeeds



**SIDE MOUNTED BASE INFEDS**

| Length | Model Number | List |
|--------|--------------|------|
| 72     | E-UN8W4BIFS  | 590  |



**NEW YORK CITY SIDE MOUNTED BASE INFEDS**

| Length | Model Number  | List  |
|--------|---------------|-------|
| 72     | E-HM8W4BIFSNY | 1,169 |




**Notes**

- Side Mounted Base Infeeds provide interface with building power at the base of the panel and mounts to powerway at jumper location.
- Each base feed is 6' in length, encased in "liquid tight".
- New York City code requires the use of a special base feed with an in-line junction box.

**RECEPTACLE MOUNT BASE INFEDS**


| Length | Hand  | Model Number | List |
|--------|-------|--------------|------|
| 72     | Left  | E-UN8W4BIFL  | 632  |
| 72     | Right | E-UN8W4BIFR  | 632  |




Left-hand infeed shown

**NEW YORK CITY RECEPTACLE MOUNT BASE INFEDS**

| Length | Hand  | Model Number  | List  |
|--------|-------|---------------|-------|
| 72     | Left  | E-HM8W4BIFLNY | 1,227 |
| 72     | Right | E-HM8W4BIFRNY | 1,227 |



Left-hand infeed shown



**Notes**

- Receptacle Mounted Base Infeeds provide interface with building power and mounts to powerway at duplex outlet location.
- Each base infeed is 6' in length, encased in "liquid tight".
- Left hand base infeed shown.

**CEILING INFEDS**

| Length | Model Number | List |
|--------|--------------|------|
| 144    | E-UN8W4CIF   | 689  |



**Note:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.


**Notes**

- Ceiling Infeeds provide interface with building power from a suspended ceiling through a power pole shell.
- Each ceiling feed is 12' long.
- Power pole shells are ordered separately.

**Single Circuit Infeeds with Plug**

**SINGLE CIRCUIT SIDE INFEEDS WITH PLUG**

| Actual Length | Model Number  | List  |
|---------------|---------------|-------|
| 72"           | E-UN8W4SIF72  | 1,295 |
| 120"          | E-UN8W4SIF120 | 1,646 |




**Notes**

- Single Circuit infeeds will only provide power to line 1 outlets.
- Single Circuit Infeeds are terminated with a 20 Amp NEMA plug, a 20 Amp to 15 Amp plug adapter is included.
- Capacity for the circuit is 20 Amps, or 15 Amps if using the adapter.
- Never install more than one infeed to a circuit.

**SINGLE CIRCUIT RECEPTACLE INFEEDS WITH PLUG**

| Length | Model Number  | List  |
|--------|---------------|-------|
| 72     | E-UN8W4RIF72  | 2,559 |
| 120    | E-UN8W4RIF120 | 4,116 |




**Notes**

- Single Circuit infeeds will only provide power to line 1 outlets.
- Single Circuit Infeeds are terminated with a 20 Amp NEMA plug, a 20 Amp to 15 Amp plug adapter is included.
- Capacity for the circuit is 20 Amps, or 15 Amps if using the adapter.
- Never install more than one infeed to a circuit.
- Receptacle Mount is not handed. Handedness may be reversed in the field.

**In-Line Power/Data Pole Combination Kits**


**DIVI LINEAR 2-WAY IN-LINE POWER/DATA POLE COMBINATION KITS**

| Panel H | Model Number | List  |
|---------|--------------|-------|
| 42      | P-DLPFPP242  | 1,013 |
| 50      | P-DLPFPP250  | 1,015 |
| 58      | P-DLPFPP258  | 1,017 |
| 66      | P-DLPFPP266  | 1,019 |
| 74      | P-DLPFPP274  | 1,023 |
| 82      | P-DLPFPP282  | 1,026 |
| 98      | P-DLPFPP298  | 1,028 |




**DIVI LINEAR 3-WAY IN-LINE POWER/DATA POLE COMBINATION KITS**

| Panel H | Model Number | List | Grade C Paint |
|---------|--------------|------|---------------|
| 42      | P-DLPFPP342  | 996  | +20           |
| 50      | P-DLPFPP350  | 998  | +20           |
| 58      | P-DLPFPP358  | 989  | +20           |
| 66      | P-DLPFPP366  | 991  | +20           |
| 74      | P-DLPFPP374  | 994  | +20           |
| 82      | P-DLPFPP382  | 996  | +20           |
| 98      | P-DLPFPP398  | 998  | +20           |



**DIVI LINEAR 4-WAY IN-LINE POWER/DATA POLE COMBINATION KITS**

| Panel H | Model Number | List | Grade C Paint |
|---------|--------------|------|---------------|
| 42      | P-DLPFPP442  | 816  | +20           |
| 50      | P-DLPFPP450  | 819  | +20           |
| 58      | P-DLPFPP458  | 821  | +20           |
| 66      | P-DLPFPP466  | 823  | +20           |
| 74      | P-DLPFPP474  | 825  | +20           |
| 82      | P-DLPFPP482  | 827  | +20           |
| 98      | P-DLPFPP498  | 830  | +20           |



**DIVI LINEAR END OF RUN IN-LINE POWER/DATA POLE COMBINATION KITS**

| Panel H | Model Number | List  | Grade C Paint |
|---------|--------------|-------|---------------|
| 42      | P-DLPFPPE42  | 1,013 | +20           |
| 50      | P-DLPFPPE50  | 1,015 | +20           |
| 58      | P-DLPFPPE58  | 1,017 | +20           |
| 66      | P-DLPFPPE66  | 1,019 | +20           |
| 74      | P-DLPFPPE74  | 1,023 | +20           |
| 82      | P-DLPFPPE82  | 1,026 | +20           |
| 98      | P-DLPFPPE98  | 1,028 | +20           |



**Specify**

- Paint Selection
- Paint Selection for Trim (Grade C +28)
- Color Selection for Base Shroud


**Notes**

- In-Line Power/Data Pole Combination Kits (1.619”D x 1.860”W) include one in-line power/data pole kit and one post filler kit. 2-way, 3-way, and end or run kits include a base shroud.
- Specify the height which corresponds to the tallest panel in the configuration.
- Available painted only.
- Designed for an 11’ ceiling.

**Retrofit Kits and In-Line Power/Data Pole Dividers and Extenders**

**DIVI LINEAR IN-LINE POWER/DATA POLE RETROFIT KITS**

| Panel H | Model Number | List | Grade C Paint |
|---------|--------------|------|---------------|
| 42      | P-DLPFPP42   | 310  | +20           |
| 50      | P-DLPFPP50   | 312  | +20           |
| 58      | P-DLPFPP58   | 314  | +20           |
| 66      | P-DLPFPP66   | 316  | +20           |
| 74      | P-DLPFPP74   | 319  | +20           |
| 82      | P-DLPFPP82   | 321  | +20           |
| 98      | P-DLPFPP98   | 323  | +20           |



**Specify**

- Paint Selection

**Notes**

- Retrofit Kit (1.619”D x 1.860”W) mounts to the top of post fillers which are already installed at 2-way, 3-way, or 4-way connections.
- Specify the height which corresponds to the tallest panel in the configuration.
- Available painted only.
- Does not include post filler.

**IN-LINE POWER/DATA POLE DIVIDER**

| Panel H | Model Number | List |
|---------|--------------|------|
| 42      | P-DVPFPPD42  | 301  |
| 50      | P-DVPFPPD50  | 305  |
| 58      | P-DVPFPPD58  | 308  |
| 66      | P-DVPFPPD66  | 310  |
| 74      | P-DVPFPPD74  | 312  |
| 82      | P-DVPFPPD82  | 314  |
| 98      | P-DVPFPPD98  | 316  |



**Specify**

- Paint Selection

**Notes**

- In-Line Power/Data Pole Divider is specified when electrical cables need to be segregated from data cables by a metal barrier.

**DIVI IN-LINE POWER/DATA POLE EXTENDER**

| H  | Model Number | List |
|----|--------------|------|
| 10 | P-DLPFPP10X  | 289  |
| 16 | P-DLPFPP16X  | 203  |
| 30 | P-DLPFPP30X  | 414  |
| 48 | P-DLPFPP48X  | 486  |



**Specify**


- Paint Selection (Grade C Paint +10)

**Notes**

- Extenders do not come with electrical components.
- Order base infeeds separately.

**POWER / DATA POLE EXTENDERS**

| Actual H | Model Number | List | Grade C Paint |
|----------|--------------|------|---------------|
| 28”      | A-PPEX28     | 358  | +10           |
| 48”      | A-PPEX48     | 517  | +10           |



**Specify**

- Paint Selection


**Notes**

- Power/data pole extender includes one pole section, one cover, one pole coupler and one divider.
- Order ceiling feeds separately.

**Retrofit Kits and Double Channel Power/Data Pole Kits**

**ELECTRICAL RETROFIT KIT**


| Length | Model Number | List |
|--------|--------------|------|
| 24     | E-FRKDVP8424 | 432  |
| 30     | E-FRKDVP8430 | 462  |
| 36     | E-FRKDVP8436 | 478  |
| 42     | E-FRKDVP8442 | 509  |
| 48     | E-FRKDVP8448 | 534  |
| 60     | E-FRKDVP8460 | 584  |
| 72     | E-FRKDVP8472 | 608  |



| Specify  | Notes   |
|--|---|
| <ul style="list-style-type: none"> <li>• Color Selection for Base Color</li> </ul> | <ul style="list-style-type: none"> <li>• Kits are for field retrofitting existing non-powered DIVI panels with 8 wire, 4 circuit electrical.</li> <li>• Kit includes one powerway with mounting clips and screws, one powered base cover assembly and four duplex outlet hole covers.</li> <li>• Duplex outlets, jumpers, extra hole covers or feeds are ordered separately.</li> </ul> |

**DOUBLE CHANNEL POWER/DATA POLE KIT**

| Model Number | List | Grade C Paint |
|--------------|------|---------------|
| A-PPDV       | 890  | +20           |




| Specify   | Notes  |
|---|--|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Power/Data Pole Kit includes two 68" pole sections, two 68" covers, one pole coupler, two 68" dividers, four pole to panel mounting brackets, one ceiling shroud, one 72" perforated metal strip for attaching pole to ceiling grid, and mounting hardware.</li> <li>• Order ceiling feeds separately.</li> <li>• Designed for an 11' ceiling.</li> <li>• For use at 2-way and 3-way locations only.</li> </ul> |

## Hubbell Premise Kits and Hardwire Junction Boxes

## DATA PLATE KITS

| Item                   | Model Number | List |
|------------------------|--------------|------|
| 6 Port Data Gang Plate | E-DP6GFPB    | 43   |
| CAT 5e Jack            | E-HRJ45-SM   | 148  |
| CAT 6 Data Jack        | E-HXJ6BK-SM  | 161  |
| Hole Blank (10PK)      | E-SFBB10-SM  | 100  |




## Notes

- Snap-In Data Housing Plate have six ports.
- Housing is black and snaps into standard AIS DiVi duplex outlet holes, which measure 1.86" x 3.012".
- RJ-45 jacks can be used in place of RJ-11 jacks.

## HARDWIRE JUNCTION BOX

| Model Number | List |
|--------------|------|
| E-DVJBCH     | 567  |




## Notes

- Hardwire Junction Box allows standard, hard wired, single gang duplex outlets to be used in DiVi panels at each standard, modular duplex outlet location.
- Each outlet will require one junction box, and outlets cannot be placed back to back on a spine.
- Junction boxes do not include electrical connectors.
- Boxes are UL listed.
- Decora faced outlets cannot be used.
- Kit includes all hardware required to attach box to DiVi panel at duplex outlet location.
- Standard DiVi powered base covers are required.
- Order DiVi panels with standard powered base cover option.
- Boxes have standard 0.875" knockouts for electrical connectors.
- Kit includes one low profile metal face plate painted per specification.
- Junction boxes can be used with either 15 amp or 20 amp single gang outlets.
- Box is 3"H x 1.524"W x 7"L.

**Cantilevers and Side Support/Rear Brackets**

**STANDARD CANTILEVERS**


| Surface Depth | Actual Depth | Hand  | Model Number | List | Grade C Paint |
|---------------|--------------|-------|--------------|------|---------------|
| 24            | 18           | Left  | WPS-UNCT24L  | 114  | +10           |
| 24            | 18           | Right | WPS-UNCT24R  | 114  | +10           |
| 24            | 18           | Pair  | WPS-UNCT24P  | 218  | +20           |
| 30            | 25.5         | Left  | WPS-UNCT30L  | 218  | +10           |
| 30            | 25.5         | Right | WPS-UNCT30R  | 218  | +10           |
| 30            | 25.5         | Pair  | WPS-UNCT30P  | 431  | +20           |



| Specify   | Notes   |
|---|---|
| <ul style="list-style-type: none"> <li>• Paint Selection for Cantilevers</li> </ul> | <ul style="list-style-type: none"> <li>• Provide cantilevered worksurface support from panel or wall track at either the left or right hand side of a worksurface.</li> <li>• All worksurface support components fasten directly to worksurfaces with screws.</li> <li>• May also be used as a center support.</li> <li>• Specify cantilever that corresponds to worksurface depth.</li> <li>• It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge.</li> <li>• Painted black as standard, all other trim colors are Grade C upcharged.</li> </ul> |

**SHARED CANTILEVERS**


| Surface Depth | Actual Depth | Hand   | Model Number | List | Grade C Paint |
|---------------|--------------|--------|--------------|------|---------------|
| 24            | 18           | Single | WPS-UNCT24S  | 162  | +10           |
| 24            | 18           | Pair   | WPS-UNCT24SP | 319  | +20           |
| 30            | 25.5         | Single | WPS-UNCT30S  | 319  | +10           |
| 30            | 25.5         | Pair   | WPS-UNCT30SP | 637  | +20           |



| Specify   | Notes  |
|---|--|
| <ul style="list-style-type: none"> <li>• Paint Selection for Cantilevers</li> </ul> | <ul style="list-style-type: none"> <li>• Provide cantilevered support from panel or wall track at seam between two worksurfaces.</li> <li>• All worksurface support components fasten directly to worksurfaces with screws.</li> <li>• Specify cantilever that corresponds to worksurface depth.</li> <li>• It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge.</li> <li>• Painted black as standard, all other trim colors are Grade C upcharged.</li> </ul> |

**SIDE SUPPORT / REAR BRACKETS**

| Hand  | Model Number | List | Grade C Paint |
|-------|--------------|------|---------------|
| Left  | WPS-SSSAL    | 84   | +10           |
| Right | WPS-SSSAR    | 84   | +10           |
| Pair  | WPS-SSSA     | 159  | +20           |



| Specify   | Notes  |
|---|--|
| <ul style="list-style-type: none"> <li>• Paint Selection for Side Support / Rear Bracket</li> </ul> | <ul style="list-style-type: none"> <li>• Side Support/Rear Brackets provide direct support from panel or wall track along short side of rectangular worksurface or at rear of corner worksurface.</li> <li>• All worksurface support components fasten directly to worksurfaces with screws.</li> <li>• Painted black as a standard. All other trim colors are Grade C upcharged.</li> </ul> |

**PANEL MOUNTED SHELF CANTILEVERS**

| Surface Depth | Actual Depth | Hand  | Model Number | List | Grade C Paint |
|---------------|--------------|-------|--------------|------|---------------|
| 12            | 10           | Left  | WPS-CT10L    | 204  | +10           |
| 12            | 10           | Right | WPS-CT10R    | 204  | +10           |
| 12            | 10           | Pair  | WPS-CT10P    | 387  | +20           |




| Specify   | Notes   |
|---|---|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Panel Mounted Shelf Cantilevers are 10"D and designed to work in conjunction with 12"D worksurfaces to create additional desk top shelving.</li> <li>• Available for all AIS panel systems.</li> <li>• For use with 12" to 16" worksurfaces only.</li> </ul> |

End Panels

STANDARD END PANELS


| D  | Model Number | List | Grade C Laminate |
|----|--------------|------|------------------|
| 12 | WFS-EPDV12   | 431  | +20              |
| 18 | WFS-EPDV18   | 506  | +24              |
| 24 | WFS-EPDV24   | 569  | +27              |
| 30 | WFS-EPDV30   | 635  | +30              |
| 36 | WFS-EPDV36   | 720  | +34              |



| Specify  | Notes  |
|--|--|
| <ul style="list-style-type: none"> <li>Laminate Selection for End Panel</li> <li>2mm Edge Selection for End Panel</li> </ul> | <ul style="list-style-type: none"> <li>Standard End Panels have laminated vertical surfaces and a 2mm PVC vertical front edge.</li> <li>Provide direct support from floor at left or right side of a worksurface, and engage and lock to panels with provided mounting brackets.</li> <li>All worksurface support components fasten directly to worksurfaces with screws.</li> <li>Specify end panel that corresponds to worksurface depth.</li> </ul> |

CLEAR ACCESS END PANELS

| D  | Model Number | List | Grade C Laminate |
|----|--------------|------|------------------|
| 24 | WFS-EPCADV24 | 594  | +29              |
| 30 | WFS-EPCADV30 | 663  | +32              |



| Specify  | Notes  |
|--|--|
| <ul style="list-style-type: none"> <li>Laminate Selection for End Panel</li> <li>2mm Edge Selection for End Panel</li> </ul> | <ul style="list-style-type: none"> <li>Clear Access End Panels have laminated vertical surfaces and a 2mm vertical front edge.</li> <li>Provide direct support from floor at left or right side of a worksurface, and engage and lock to panels with provided mounting brackets.</li> <li>All worksurface support components fasten directly to worksurfaces with screws.</li> </ul> |

**Brackets, Divi Wing Panel Support Kit, Carpet Grippers**

**PEDESTAL-TO-PANEL ATTACHMENT BRACKET**

| Model Number | List | Grade C Laminate |
|--------------|------|------------------|
| S-DVPMPB     | 286  | +25              |



**Specify**


- Paint Selection

**Notes**

- Pedestal-to-Panel Attachment Brackets attach structural pedestals to panels.
- These brackets serve as a space filler and as a way to add stability to panels.
- Pedestal to panel attachment brackets may only be used when the nominal surface depth matches the nominal pedestal depth (24" Deep surface & 24" deep pedestal or 30" deep surface and 30" deep pedestal).

**DIVI WING PANEL SUPPORT KIT**

| Model Number | List | Grade C Laminate |
|--------------|------|------------------|
| P-DVWPK      | 109  | +10              |



**Specify**

- Paint Selection

**Notes**

- Wing Panel Support Bracket acts as a wing panel stabilizer, connecting a worksurface to a wing panel that matches the worksurface depth.
- Bracket can also be used on the back of a worksurface behind a structural pedestal to keep a panel tight to a worksurface back.

**COUNTERTOP BRACKETS**

| Hand  | Model Number  | List | Grade C Paint |
|-------|---------------|------|---------------|
| Left  | WPS-DVCTBKTL  | 74   | +10           |
| Right | WPS-DVCTBKTR  | 74   | +10           |
| Pair  | WPS-DVCTBKTPR | 142  | +20           |



**Specify**


- Paint Selection for Counter-top Bracket

**Notes**

- Countertop Brackets provide direct support for 42"H panel for countertop worksurfaces.
- Specify at least two pair of countertop brackets for every countertop (one pair for front side and one pair for rear).
- All worksurface support components fasten directly to worksurfaces with screws.

**CARPET GRIPPERS**

| Model Number | List |
|--------------|------|
| P-CARPETGRIP | 6    |



**Notes**

- Specify carpet grippers when installing Divi panels or Matrix frames on carpet.
- One carpet gripper per 4 panels automatically ship with your order.

Divi Panel Mounted A-Legs

| DIVI PANEL MOUNTED A-LEGS |    |                |                |      |
|---------------------------|----|----------------|----------------|------|
| H                         | D  | Left Hand      | Right Hand     | List |
|                           |    | Model Number   | Model Number   |      |
| 27                        | 12 | WFS-ALW2712DVL | WFS-ALW2712DVR | 520  |
| 27                        | 24 | WFS-ALW2724DVL | WFS-ALW2724DVR | 592  |
| 27                        | 30 | WFS-ALW2730DVL | WFS-ALW2730DVR | 631  |

| SHARED DIVI PANEL MOUNTED A-LEGS |    |                  |                   |      |
|----------------------------------|----|------------------|-------------------|------|
| H                                | D  | Left Hand Shared | Right Hand Shared | List |
|                                  |    | Model Number     | Model Number      |      |
| 27                               | 12 | WFS-ALW2712DVLS  | WFS-ALW2712DVRS   | 559  |
| 27                               | 24 | WFS-ALW2724DVLS  | WFS-ALW2724DVRS   | 631  |
| 27                               | 30 | WFS-ALW2730DVLS  | WFS-ALW2730DVRS   | 670  |




Left Hand



Right Hand



Left Hand Shared




Right Hand Shared

Specify


- Paint Selection (+25 for Grade C)

Notes


- **Important:** A-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- A-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2" leveling glides.
- A-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




EXAMPLE 1 - UNSTABLE  
32"H Structural Wing




EXAMPLE 2 - UNSTABLE  
32"H Panel with Cantilever




EXAMPLE 3 - UNSTABLE  
32"H Panel with Cantilevers



EXAMPLE 1 - STABLE  
Standard Structural Wing



EXAMPLE 2 - STABLE  
32"H Panel with Floor Support




EXAMPLE 3 - STABLE  
32"H Panel with Panel Mounted A-Legs


Divi Panel Mounted O-Legs

| DIVI PANEL MOUNTED O-LEGS |    |                |                |      |
|---------------------------|----|----------------|----------------|------|
| H                         | D  | Model Number   |                | List |
|                           |    | Left Hand      | Right Hand     |      |
| 27                        | 12 | WFS-OLW2712DVL | WFS-OLW2712DVR | 674  |
| 27                        | 18 | WFS-OLW2718DVL | WFS-OLW2718DVR | 717  |
| 27                        | 24 | WFS-OLW2724DVL | WFS-OLW2724DVR | 768  |
| 27                        | 30 | WFS-OLW2730DVL | WFS-OLW2730DVR | 815  |

| SHARED DIVI PANEL MOUNTED O-LEGS |    |                 |      |
|----------------------------------|----|-----------------|------|
| H                                | D  | Model Number    | List |
| 27                               | 12 | WFS-OLW2712DVLS | 723  |
| 27                               | 18 | WFS-OLW2718DVLS | 764  |
| 27                               | 24 | WFS-OLW2724DVLS | 815  |
| 27                               | 30 | WFS-OLW2730DVLS | 867  |



Left Hand




Specify


- Paint Selection (+25 for Grade C)

Notes


- **Important:** O-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- O-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2" leveling glides.
- O-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




EXAMPLE 1 - UNSTABLE  
32"H Structural Wing




EXAMPLE 2 - UNSTABLE  
32"H Panel with Cantilever




EXAMPLE 3 - UNSTABLE  
32"H Panel with Cantilevers



EXAMPLE 1 - STABLE  
Standard Structural Wing



EXAMPLE 2 - STABLE  
32"H Panel with Floor Support




EXAMPLE 3 - STABLE  
32"H Panel with Panel Mounted O-Legs

**Linear Mid-Height Shelf and Corner Shelf Units**

**LINEAR MID-HEIGHT SHELF UNITS**


| H | W  | D  | Model Number | List | Grade C Paint |
|---|----|----|--------------|------|---------------|
| 6 | 24 | 12 | S-SHFLDV24   | 365  | +12           |
| 6 | 30 | 12 | S-SHFLDV30   | 377  | +12           |
| 6 | 36 | 12 | S-SHFLDV36   | 390  | +12           |
| 6 | 42 | 12 | S-SHFLDV42   | 412  | +12           |
| 6 | 48 | 12 | S-SHFLDV48   | 456  | +12           |
| 6 | 60 | 12 | S-SHFLDV60   | 480  | +12           |



| Specify   | Notes  |
|---|--|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Linear Mid-Height Shelf Units provide low profile overhead storage.</li> <li>• Shelf ends have locking swing cams to prevent dislodgement.</li> <li>• Shelf bottom will receive tasklights.</li> <li>• Unit includes two Linear Mid-height shelf ends, one shelf pan, and mounting hardware.</li> <li>• Order shelf unit that corresponds to panel width.</li> <li>• Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.</li> </ul> |

**LINEAR MID-HEIGHT CORNER SHELF UNITS**


| H    | W  | Center D | Wing D | Model Number | List  | Grade C Paint |
|------|----|----------|--------|--------------|-------|---------------|
| 7.75 | 36 | 30.5     | 12     | S-SHFLCDV36  | 1,537 | +25           |
| 7.75 | 42 | 30.5     | 12     | S-SHFLCDV42  | 1,633 | +25           |
| 7.75 | 48 | 30.5     | 12     | S-SHFLCDV48  | 2,298 | +25           |



| Specify   | Notes   |
|---|---|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Linear Mid-Height Corner Shelf Units provide low profile overhead storage in corner above corner worksurfaces.</li> <li>• Shelf ends have locking swing cams to prevent dislodgement.</li> <li>• Shelf has lateral strength bar welded parallel to front edge which will receive a 36" or smaller tasklight parallel to front edge.</li> <li>• All shelves 33 5/8" across front edge and are 30 1/2" deep front to back corner.</li> <li>• Back corner has 3 1/2" x 3 1/2" cutout to facilitate cable management.</li> <li>• 42" and 48" units have 6" and 12" wings respectively. Unit includes two</li> <li>• Linear Mid-height shelf ends, one bottom shelf pan, two corner shelf back mounting brackets, and mounting hardware.</li> <li>• Order shelf unit that corresponds to panel width.</li> <li>• Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.</li> </ul> |

**SHELF DIVIDER**

| Model Number | List | Grade C Paint |
|--------------|------|---------------|
| S-SHFDIV12   | 167  | +10           |





| Specify   | Notes   |
|---|---|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Shelf Divider mounts to mid-height shelf decks and may also be used inside of complete flipper bins.</li> <li>• No hardware necessary. Divider snaps into place.</li> <li>• Divider is 5 5/8" tall and designed to finish at the same height as a mid-height shelf end.</li> </ul> |

**Type C Flipper Door Units**

**METAL / FABRIC DOOR FRONT TYPE C FLIPPER DOOR UNIT**



| Interior H | W  | Interior D | Model Number | List  | Grade C Paint | C.O.M Fabric | Grade C Fabric | Grade D Fabric | Easy Down |
|------------|----|------------|--------------|-------|---------------|--------------|----------------|----------------|-----------|
| 14.25      | 24 | 12         | S-FDUDV24    | 935   | +20           | -5           | +13            | +24            | +261      |
| 14.25      | 30 | 12         | S-FDUDV30    | 955   | +20           | -5           | +13            | +24            | +261      |
| 14.25      | 36 | 12         | S-FDUDV36    | 987   | +20           | -5           | +13            | +24            | +261      |
| 14.25      | 42 | 12         | S-FDUDV42    | 1,008 | +20           | -5           | +13            | +24            | +261      |
| 14.25      | 48 | 12         | S-FDUDV48    | 1,074 | +20           | -5           | +13            | +24            | +261      |
| 14.25      | 60 | 12         | S-FDUDV60    | 1,299 | +20           | -5           | +13            | +24            | +261      |



Easy Down Mechanism (Optional)

**LAMINATE DOOR FRONT TYPE C FLIPPER DOOR UNIT**

| Interior H | W  | Interior D | Model Number | List  | Grade C Paint | Grade C Laminate | Easy Down |
|------------|----|------------|--------------|-------|---------------|------------------|-----------|
| 14.25      | 24 | 12         | S-FDUDV24L   | 1,160 | +20           | +17              | +261      |
| 14.25      | 30 | 12         | S-FDUDV30L   | 1,182 | +20           | +18              | +261      |
| 14.25      | 36 | 12         | S-FDUDV36L   | 1,213 | +20           | +19              | +261      |
| 14.25      | 42 | 12         | S-FDUDV42L   | 1,235 | +20           | +20              | +261      |
| 14.25      | 48 | 12         | S-FDUDV48L   | 1,373 | +20           | +21              | +261      |
| 14.25      | 60 | 12         | S-FDUDV60L   | 1,525 | +20           | +22              | +261      |



Easy Down Mechanism (Optional)

**Specify**

- Paint Selection
- Paint or Fabric for Flipper Door Style (for metal/fabric units only)
- Fabric Selection for Flipper Selection (for fabric units only)
- Laminate Selection for Flipper Door (for laminate units only)
- Edge Selection for Flipper Door (for laminate units only)
- Easy Down Mechanism (optional)



**Notes**

- Type C Flipper Door Unit provides binder height, lockable overhead storage.
- Door opens and stores above top cover pan.
- Flipper unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See "Accessories" for ordering replacement keys, master keys, core removal keys, additional keys cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

**Type C Raised Flipper Door Units**

**METAL / FABRIC DOOR FRONT TYPE C RAISED FLIPPER DOOR UNIT**



| Interior H | W  | Interior D | Model Number | List  | Grade C Paint | C.O.M Fabric | Grade C Fabric | Grade D Fabric | Perf Back | Easy Down |
|------------|----|------------|--------------|-------|---------------|--------------|----------------|----------------|-----------|-----------|
| 14.25      | 24 | 12         | S-FDURFDV24  | 1,949 | +20           | -5           | +13            | +24            | +35       | +261      |
| 14.25      | 30 | 12         | S-FDURFDV30  | 1,995 | +20           | -5           | +13            | +24            | +35       | +261      |
| 14.25      | 36 | 12         | S-FDURFDV36  | 2,044 | +20           | -5           | +13            | +24            | +35       | +261      |
| 14.25      | 42 | 12         | S-FDURFDV42  | 2,106 | +20           | -5           | +13            | +24            | +35       | +261      |
| 14.25      | 48 | 12         | S-FDURFDV48  | 2,211 | +20           | -5           | +13            | +24            | +35       | +261      |
| 14.25      | 60 | 12         | S-FDURFDV60  | 2,441 | +20           | -5           | +13            | +24            | +35       | +261      |



Easy Down Mechanism (Optional)

**LAMINATE DOOR FRONT TYPE C RAISED FLIPPER DOOR UNIT**

| Interior H | W  | Interior D | Model Number | List  | Grade C Paint | Grade C Laminate | Perf Back | Easy Down |
|------------|----|------------|--------------|-------|---------------|------------------|-----------|-----------|
| 14.25      | 24 | 12         | S-FDURFDV24L | 2,133 | +20           | +17              | +35       | +261      |
| 14.25      | 30 | 12         | S-FDURFDV30L | 2,175 | +20           | +18              | +35       | +261      |
| 14.25      | 36 | 12         | S-FDURFDV36L | 2,216 | +20           | +19              | +35       | +261      |
| 14.25      | 42 | 12         | S-FDURFDV42L | 2,279 | +20           | +20              | +35       | +261      |
| 14.25      | 48 | 12         | S-FDURFDV48L | 2,467 | +20           | +21              | +35       | +261      |
| 14.25      | 60 | 12         | S-FDURFDV60L | 2,672 | +20           | +22              | +35       | +261      |



Easy Down Mechanism (Optional)

**Specify**

**Notes**



- Paint Selection
- Paint or Fabric for Flipper Door Style (for metal/fabric units only)
- Fabric Selection for Flipper Selection (for fabric units only)
- Laminate Selection for Flipper Door (for laminate units only)
- Edge Selection for Flipper Door (for laminate units only)
- Metal or Perforated Back Panel Style
- Easy Down Mechanism (optional)

- Type C Raised Flipper Door Unit provides binder height, lockable overhead storage.
- When mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel.
- Door opens and stores above top cover pan.
- Backside of unit is completely enclosed providing added security.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See "Accessories" for ordering replacement keys, master keys, core removal keys, additional key cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

Type D Flipper and Raised Flipper Door Units

SOLID METAL DOOR FRONT TYPE D FLIPPER DOOR UNIT



| Interior H | W  | Interior D | Model Number | List  | Grade C Paint | Easy Down |
|------------|----|------------|--------------|-------|---------------|-----------|
| 14.25      | 24 | 12         | S-FDSDV24    | 1,139 | +20           | +261      |
| 14.25      | 30 | 12         | S-FDSDV30    | 1,165 | +20           | +261      |
| 14.25      | 36 | 12         | S-FDSDV36    | 1,190 | +20           | +261      |
| 14.25      | 42 | 12         | S-FDSDV42    | 1,216 | +20           | +261      |
| 14.25      | 48 | 12         | S-FDSDV48    | 1,276 | +20           | +261      |



Easy Down Mechanism (Optional)

SOLID METAL DOOR FRONT TYPE D RAISED FLIPPER DOOR UNIT

| Interior H | W  | Interior D | Model Number | List  | Grade C Paint | Perf Back | Easy Down |
|------------|----|------------|--------------|-------|---------------|-----------|-----------|
| 14.25      | 24 | 12         | S-FDDRVDV24  | 2,112 | +20           | +35       | +261      |
| 14.25      | 30 | 12         | S-FDDRVDV30  | 2,153 | +20           | +35       | +261      |
| 14.25      | 36 | 12         | S-FDDRVDV36  | 2,276 | +20           | +35       | +261      |
| 14.25      | 42 | 12         | S-FDDRVDV42  | 2,260 | +20           | +35       | +261      |
| 14.25      | 48 | 12         | S-FDDRVDV48  | 2,368 | +20           | +35       | +261      |



Easy Down Mechanism (Optional)

Specify

- Paint Selection
- Metal or Perforated Back Panel Style (for raised flipper door units only)
- Easy Down Mechanism (optional)

Notes

- Type D Flipper Door Unit provides binder height, lockable overhead storage.
- When raised flipper door units are mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel
- Door opens and stores above top cover pan.
- Flipper unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See "Accessories" for ordering replacement keys, master keys, core removal keys, additional key cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



**Sliding Door Units**

**METAL DOOR FRONT SLIDING DOOR UNIT**

| H     | W  | D  | Model Number | List  | Grade C Paint |
|-------|----|----|--------------|-------|---------------|
| 14.25 | 30 | 12 | S-MS2DODV30  | 1,165 | +20           |
| 14.25 | 36 | 12 | S-MS2DODV36  | 1,191 | +20           |
| 14.25 | 42 | 12 | S-MS2DODV42  | 1,217 | +20           |
| 14.25 | 48 | 12 | S-MS2DODV48  | 1,278 | +20           |
| 14.25 | 60 | 12 | S-MS2DODV60  | 1,502 | +20           |

**LAMINATE DOOR FRONT SLIDING DOOR UNIT**

| H     | W  | D  | Model Number | List  | Grade C Paint | Grade C Laminate |
|-------|----|----|--------------|-------|---------------|------------------|
| 14.25 | 30 | 12 | S-MS2DODV30L | 1,394 | +20           | +18              |
| 14.25 | 36 | 12 | S-MS2DODV36L | 1,414 | +20           | +19              |
| 14.25 | 42 | 12 | S-MS2DODV42L | 1,444 | +20           | +20              |
| 14.25 | 48 | 12 | S-MS2DODV48L | 1,584 | +20           | +21              |
| 14.25 | 60 | 12 | S-MS2DODV60L | 1,732 | +20           | +22              |



**Specify**

**Notes**

- Paint Selection
- Laminate Selection for Sliding Door (for laminate units only)
- Edge Selection for Sliding Door (for laminate units only)

- Sliding Door Unit provides binder height, lockable overhead storage.
- Door slides open side to side.
- Sliding door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



Raised Sliding Door Units

**METAL DOOR FRONT RAISED SLIDING DOOR UNIT**

| H     | W  | D  | Model Number | List  | Grade C Paint | Perforated Back |
|-------|----|----|--------------|-------|---------------|-----------------|
| 14.25 | 30 | 12 | S-RMS2DODV30 | 2,154 | +20           | +35             |
| 14.25 | 36 | 12 | S-RMS2DODV36 | 2,204 | +20           | +35             |
| 14.25 | 42 | 12 | S-RMS2DODV42 | 2,261 | +20           | +35             |
| 14.25 | 48 | 12 | S-RMS2DODV48 | 2,372 | +20           | +35             |
| 14.25 | 60 | 12 | S-RMS2DODV60 | 2,649 | +20           | +35             |

**LAMINATE DOOR FRONT RAISED SLIDING DOOR UNIT**

| H     | W  | D  | Model Number  | List  | Grade C Paint | Grade C Laminate | Perforated Back |
|-------|----|----|---------------|-------|---------------|------------------|-----------------|
| 14.25 | 30 | 12 | S-RMS2DODV30L | 2,380 | +20           | +18              | +35             |
| 14.25 | 36 | 12 | S-RMS2DODV36L | 2,426 | +20           | +19              | +35             |
| 14.25 | 42 | 12 | S-RMS2DODV42L | 2,485 | +20           | +20              | +35             |
| 14.25 | 48 | 12 | S-RMS2DODV48L | 2,677 | +20           | +21              | +35             |
| 14.25 | 60 | 12 | S-RMS2DODV60L | 2,875 | +20           | +22              | +35             |



**Specify**

- Paint Selection
- Laminate Selection for Sliding Door (for laminate units only)
- Edge Selection for Sliding Door (for laminate units only)

**Notes**

- Type C Raised Sliding Door Unit provides binder height, lockable overhead storage.
- When mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel.
- Door slides open side to side.
- Backside of unit is completely enclosed providing added security.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



**Cabinet Door Units**

**METAL DOOR FRONT CABINET DOOR UNIT**

| H     | W  | D  | Model Number | List  | Grade C Paint |
|-------|----|----|--------------|-------|---------------|
| 14.25 | 24 | 12 | S-VDODV24    | 1,534 | +20           |
| 14.25 | 30 | 12 | S-VDODV30    | 1,558 | +20           |
| 14.25 | 36 | 12 | S-VDODV36    | 1,584 | +20           |
| 14.25 | 42 | 12 | S-VDODV42    | 1,606 | +20           |
| 14.25 | 48 | 12 | S-VDODV48    | 1,672 | +20           |

**LAMINATE DOOR FRONT CABINET DOOR UNIT**

| H     | W  | D  | Model Number | List  | Grade C Paint | Perforated Back |
|-------|----|----|--------------|-------|---------------|-----------------|
| 14.25 | 24 | 12 | S-VDODV24L   | 1,754 | +20           | +17             |
| 14.25 | 30 | 12 | S-VDODV30L   | 1,782 | +20           | +18             |
| 14.25 | 36 | 12 | S-VDODV36L   | 1,803 | +20           | +19             |
| 14.25 | 42 | 12 | S-VDODV42L   | 1,833 | +20           | +20             |
| 14.25 | 48 | 12 | S-VDODV48L   | 1,969 | +20           | +21             |



**Specify**

**Notes**

- Paint Selection
- Laminate Selection for Cabinet Door (for laminate units only)
- Edge Selection for Cabinet Door (for laminate units only)

- Cabinet Door Unit provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights. Units are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



**Raised Cabinet Door Units**

**METAL DOOR FRONT RAISED CABINET DOOR UNIT**

| H     | W  | D  | Model Number | List  | Grade C Paint | Perforated Back |
|-------|----|----|--------------|-------|---------------|-----------------|
| 14.25 | 24 | 12 | S-RVDODV24   | 2,520 | +20           | +35             |
| 14.25 | 30 | 12 | S-RVDODV30   | 2,562 | +20           | +35             |
| 14.25 | 36 | 12 | S-RVDODV36   | 2,611 | +20           | +35             |
| 14.25 | 42 | 12 | S-RVDODV42   | 2,669 | +20           | +35             |
| 14.25 | 48 | 12 | S-RVDODV48   | 2,776 | +20           | +35             |

**LAMINATE DOOR FRONT RAISED CABINET DOOR UNIT**

| H     | W  | D  | Model Number | List  | Grade C Paint | Grade C Laminate | Perforated Back |
|-------|----|----|--------------|-------|---------------|------------------|-----------------|
| 14.25 | 24 | 12 | S-RVDODV24L  | 2,744 | +20           | +17              | +35             |
| 14.25 | 30 | 12 | S-RVDODV30L  | 2,786 | +20           | +18              | +35             |
| 14.25 | 36 | 12 | S-RVDODV36L  | 2,833 | +20           | +19              | +35             |
| 14.25 | 42 | 12 | S-RVDODV42L  | 2,895 | +20           | +20              | +35             |
| 14.25 | 48 | 12 | S-RVDODV48L  | 3,081 | +20           | +21              | +35             |



**Specify**

**Notes**

- Paint Selection
- Laminate Selection for Cabinet Door (for laminate units only)
- Edge Selection for Cabinet Door (for laminate units only)

- Raised Cabinet Door Unit provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Units are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

**Divi Height BF Wardrobe Towers**

**!** The following towers match the height of Divi Panels only:



**!** The following towers match the height of Divi Panels only:

**BF WARDROBE TOWERS WITH OPEN FRONT**

| H  | W  | D  | Wardrobe Left  | Wardrobe Right | List  |
|----|----|----|----------------|----------------|-------|
|    |    |    | Model Number   | Model Number   |       |
| 50 | 24 | 24 | X-WTBFOFDL5024 | X-WTBFOFDR5024 | 4,260 |
| 58 | 24 | 24 | X-WTBFOFDL5824 | X-WTBFOFDR5824 | 4,428 |
| 66 | 24 | 24 | X-WTBFOFDL6624 | X-WTBFOFDR6624 | 4,595 |
| 82 | 24 | 24 | X-WTBFOFDL8224 | X-WTBFOFDR8224 | 4,943 |

**BF WARDROBE TOWERS WITH OPEN FRONT ON FEET**

| H  | W  | D  | Wardrobe Left  | Wardrobe Right | List  |
|----|----|----|----------------|----------------|-------|
|    |    |    | Model Number   | Model Number   |       |
| 50 | 24 | 24 | C-WTBFOFDL5024 | C-WTBFOFDR5024 | 4,345 |
| 58 | 24 | 24 | C-WTBFOFDL5824 | C-WTBFOFDR5824 | 4,516 |
| 66 | 24 | 24 | C-WTBFOFDL6624 | C-WTBFOFDR6624 | 4,678 |
| 82 | 24 | 24 | C-WTBFOFDL8224 | C-WTBFOFDR8224 | 5,025 |





**BF WARDROBE TOWERS WITH OPEN SIDE**

| H  | W  | D  | Wardrobe Left  | Wardrobe Right | List  |
|----|----|----|----------------|----------------|-------|
|    |    |    | Model Number   | Model Number   |       |
| 50 | 24 | 24 | X-WTBFOSDL5024 | X-WTBFOSDR5024 | 4,352 |
| 58 | 24 | 24 | X-WTBFOSDL5824 | X-WTBFOSDR5824 | 4,532 |
| 66 | 24 | 24 | X-WTBFOSDL6624 | X-WTBFOSDR6624 | 4,712 |
| 82 | 24 | 24 | X-WTBFOSDL8224 | X-WTBFOSDR8224 | 5,072 |

**BF WARDROBE TOWERS WITH OPEN SIDE ON FEET**

| H  | W  | D  | Wardrobe Left  | Wardrobe Right | List  |
|----|----|----|----------------|----------------|-------|
|    |    |    | Model Number   | Model Number   |       |
| 50 | 24 | 24 | C-WTBFOSDL5024 | C-WTBFOSDR5024 | 4,435 |
| 58 | 24 | 24 | C-WTBFOSDL5824 | C-WTBFOSDR5824 | 4,617 |
| 66 | 24 | 24 | C-WTBFOSDL6624 | C-WTBFOSDR6624 | 4,796 |
| 82 | 24 | 24 | C-WTBFOSDL8224 | C-WTBFOSDR8224 | 5,155 |



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



**Divi Height BF Wardrobe Towers**

**⚠ The following towers match the height of Divi Panels only:**

**⚠ The following towers match the height of Divi Panels only:**

| <b>BF WARDROBE TOWERS WITH CUPBOARD</b> |          |          |                      |                       |             |
|---|----------|----------|----------------------|-----------------------|-------------|
| <b>H</b>                                | <b>W</b> | <b>D</b> | <b>Wardrobe Left</b> | <b>Wardrobe Right</b> | <b>List</b> |
|   |          |          | <b>Model Number</b>  | <b>Model Number</b>   |             |
| 50                                      | 24       | 24       | X-WTBFDL5024         | X-WTBFDR5024          | 4,539       |
| 58                                      | 24       | 24       | X-WTBFDL5824         | X-WTBFDR5824          | 4,758       |
| 66                                      | 24       | 24       | X-WTBFDL6624         | X-WTBFDR6624          | 4,982       |
| 82                                      | 24       | 24       | X-WTBFDL8224         | X-WTBFDR8224          | 5,425       |

| <b>BF WARDROBE TOWERS WITH CUPBOARD ON FEET</b> |          |          |                      |                       |             |
|---|----------|----------|----------------------|-----------------------|-------------|
| <b>H</b>  | <b>W</b> | <b>D</b> | <b>Wardrobe Left</b> | <b>Wardrobe Right</b> | <b>List</b> |
|   |          |          | <b>Model Number</b>  | <b>Model Number</b>   |             |
| 50  | 24       | 24       | C-WTBFDL5024         | C-WTBFDR5024          | 4,622       |
| 58  | 24       | 24       | C-WTBFDL5824         | C-WTBFDR5824          | 4,843       |
| 66  | 24       | 24       | C-WTBFDL6624         | C-WTBFDR6624          | 5,064       |
| 82  | 24       | 24       | C-WTBFDL8224         | C-WTBFDR8224          | 5,509       |



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

**Divi Height BBF Wardrobe Towers**

**! The following towers match the height of Divi Panels only:**



**! The following towers match the height of Divi Panels only:**

**BBF WARDROBE TOWERS WITH OPEN FRONT**

| H  | W  | D  | Wardrobe Left   | Wardrobe Right  | List  |
|----|----|----|-----------------|-----------------|-------|
|    |    |    | Model Number    | Model Number    |       |
| 50 | 24 | 24 | X-WTBBFOFDL5024 | X-WTBBFOFDR5024 | 4,589 |
| 58 | 24 | 24 | X-WTBBFOFDL5824 | X-WTBBFOFDR5824 | 4,777 |
| 66 | 24 | 24 | X-WTBBFOFDL6624 | X-WTBBFOFDR6624 | 4,962 |
| 82 | 24 | 24 | X-WTBBFOFDL8224 | X-WTBBFOFDR8224 | 5,347 |

**BBF WARDROBE TOWERS WITH OPEN FRONT ON FEET**

| H  | W  | D  | Wardrobe Left   | Wardrobe Right  | List  |
|----|----|----|-----------------|-----------------|-------|
|    |    |    | Model Number    | Model Number    |       |
| 50 | 24 | 24 | C-WTBBFOFDL5024 | C-WTBBFOFDR5024 | 4,671 |
| 58 | 24 | 24 | C-WTBBFOFDL5824 | C-WTBBFOFDR5824 | 4,858 |
| 66 | 24 | 24 | C-WTBBFOFDL6624 | C-WTBBFOFDR6624 | 5,048 |
| 82 | 24 | 24 | C-WTBBFOFDL8224 | C-WTBBFOFDR8224 | 5,428 |





**BBF WARDROBE TOWERS WITH OPEN SIDE**

| H  | W  | D  | Wardrobe Left   | Wardrobe Right  | List  |
|----|----|----|-----------------|-----------------|-------|
|    |    |    | Model Number    | Model Number    |       |
| 50 | 24 | 24 | X-WTBBFOSDL5024 | X-WTBBFOSDR5024 | 4,599 |
| 58 | 24 | 24 | X-WTBBFOSDL5824 | X-WTBBFOSDR5824 | 4,782 |
| 66 | 24 | 24 | X-WTBBFOSDL6624 | X-WTBBFOSDR6624 | 4,967 |
| 82 | 24 | 24 | X-WTBBFOSDL8224 | X-WTBBFOSDR8224 | 5,334 |

**BBF WARDROBE TOWERS WITH OPEN SIDE ON FEET**

| H  | W  | D  | Wardrobe Left   | Wardrobe Right  | List  |
|----|----|----|-----------------|-----------------|-------|
|    |    |    | Model Number    | Model Number    |       |
| 50 | 24 | 24 | C-WTBBFOSDL5024 | C-WTBBFOSDR5024 | 4,680 |
| 58 | 24 | 24 | C-WTBBFOSDL5824 | C-WTBBFOSDR5824 | 4,865 |
| 66 | 24 | 24 | C-WTBBFOSDL6624 | C-WTBBFOSDR6624 | 5,051 |
| 82 | 24 | 24 | C-WTBBFOSDL8224 | C-WTBBFOSDR8224 | 5,420 |



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



**Divi Height BBF Wardrobe Towers**

**⚠ The following towers match the height of Divi Panels only:**

**⚠ The following towers match the height of Divi Panels only:**

| <b>BBF WARDROBE TOWERS WITH CUPBOARD</b> |          |          |                      |                       |             |
|--|----------|----------|----------------------|-----------------------|-------------|
| <b>H</b>                                 | <b>W</b> | <b>D</b> | <b>Wardrobe Left</b> | <b>Wardrobe Right</b> | <b>List</b> |
|  |          |          | <b>Model Number</b>  | <b>Model Number</b>   |             |
| 50                                       | 24       | 24       | X-WTBBFDL5024        | X-WTBBFDR5024         | 4,733       |
| 58                                       | 24       | 24       | X-WTBBFDL5824        | X-WTBBFDR5824         | 4,947       |
| 66                                       | 24       | 24       | X-WTBBFDL6624        | X-WTBBFDR6624         | 5,167       |
| 82                                       | 24       | 24       | X-WTBBFDL8224        | X-WTBBFDR8224         | 5,615       |

| <b>BBF WARDROBE TOWERS ON WITH CUPBOARD FEET</b> |          |          |                      |                       |             |
|--|----------|----------|----------------------|-----------------------|-------------|
| <b>H</b>   | <b>W</b> | <b>D</b> | <b>Wardrobe Left</b> | <b>Wardrobe Right</b> | <b>List</b> |
|  |          |          | <b>Model Number</b>  | <b>Model Number</b>   |             |
| 50   | 24       | 24       | C-WTBBFDL5024        | C-WTBBFDR5024         | 4,815       |
| 58   | 24       | 24       | C-WTBBFDL5824        | C-WTBBFDR5824         | 5,033       |
| 66   | 24       | 24       | C-WTBBFDL6624        | C-WTBBFDR6624         | 5,248       |
| 82   | 24       | 24       | C-WTBBFDL8224        | C-WTBBFDR8224         | 5,698       |



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

**Divi Height FF Wardrobe Towers**

**! The following towers match the height of Divi Panels only:**



**! The following towers match the height of Divi Panels only:**

**FF WARDROBE TOWERS WITH OPEN FRONT**

| H  | W  | D  | Wardrobe Left  | Wardrobe Right | List  |
|----|----|----|----------------|----------------|-------|
|    |    |    | Model Number   | Model Number   |       |
| 50 | 24 | 24 | X-WTFFOFDL5024 | X-WTFFOFDR5024 | 4,475 |
| 58 | 24 | 24 | X-WTFFOFDL5824 | X-WTFFOFDR5824 | 4,658 |
| 66 | 24 | 24 | X-WTFFOFDL6624 | X-WTFFOFDR6624 | 4,841 |
| 82 | 24 | 24 | X-WTFFOFDL8224 | X-WTFFOFDR8224 | 5,216 |

**FF WARDROBE TOWERS WITH OPEN FRONT ON FEET**

| H  | W  | D  | Wardrobe Left  | Wardrobe Right | List  |
|----|----|----|----------------|----------------|-------|
|    |    |    | Model Number   | Model Number   |       |
| 50 | 24 | 24 | C-WTFFOFDL5024 | C-WTFFOFDR5024 | 4,556 |
| 58 | 24 | 24 | C-WTFFOFDL5824 | C-WTFFOFDR5824 | 4,741 |
| 66 | 24 | 24 | C-WTFFOFDL6624 | C-WTFFOFDR6624 | 4,923 |
| 82 | 24 | 24 | C-WTFFOFDL8224 | C-WTFFOFDR8224 | 5,301 |





**FF WARDROBE TOWERS WITH OPEN SIDE**

| H  | W  | D  | Wardrobe Left  | Wardrobe Right | List  |
|----|----|----|----------------|----------------|-------|
|    |    |    | Model Number   | Model Number   |       |
| 50 | 24 | 24 | X-WTFFOSDL5024 | X-WTFFOSDR5024 | 4,471 |
| 58 | 24 | 24 | X-WTFFOSDL5824 | X-WTFFOSDR5824 | 4,650 |
| 66 | 24 | 24 | X-WTFFOSDL6624 | X-WTFFOSDR6624 | 4,830 |
| 82 | 24 | 24 | X-WTFFOSDL8224 | X-WTFFOSDR8224 | 5,192 |

**FF WARDROBE TOWERS WITH OPEN SIDE ON FEET**

| H  | W  | D  | Wardrobe Left  | Wardrobe Right | List  |
|----|----|----|----------------|----------------|-------|
|    |    |    | Model Number   | Model Number   |       |
| 50 | 24 | 24 | C-WTFFOSDL5024 | C-WTFFOSDR5024 | 4,553 |
| 58 | 24 | 24 | C-WTFFOSDL5824 | C-WTFFOSDR5824 | 4,735 |
| 66 | 24 | 24 | C-WTFFOSDL6624 | C-WTFFOSDR6624 | 4,915 |
| 82 | 24 | 24 | C-WTFFOSDL8224 | C-WTFFOSDR8224 | 5,276 |



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Divi Height FF Wardrobe Towers

**!** The following towers match the height of Divi Panels only:



**!** The following towers match the height of Divi Panels only:

**FF WARDROBE TOWERS WITH CUPBOARD**

| H  | W  | D  | Wardrobe Left | Wardrobe Right | List  |
|----|----|----|---------------|----------------|-------|
|    |    |    | Model Number  | Model Number   |       |
| 50 | 24 | 24 | X-WTFFDL5024  | X-WTFFDR5024   | 4,677 |
| 58 | 24 | 24 | X-WTFFDL5824  | X-WTFFDR5824   | 4,796 |
| 66 | 24 | 24 | X-WTFFDL6624  | X-WTFFDR6624   | 4,915 |
| 82 | 24 | 24 | X-WTFFDL8224  | X-WTFFDR8224   | 5,322 |

**FF WARDROBE TOWERS WITH CUPBOARD ON FEET**

| H  | W  | D  | Wardrobe Left | Wardrobe Right | List  |
|----|----|----|---------------|----------------|-------|
|    |    |    | Model Number  | Model Number   |       |
| 50 | 24 | 24 | C-WTFFDL5024  | C-WTFFDR5024   | 4,759 |
| 58 | 24 | 24 | C-WTFFDL5824  | C-WTFFDR5824   | 4,888 |
| 66 | 24 | 24 | C-WTFFDL6624  | C-WTFFDR6624   | 5,014 |
| 82 | 24 | 24 | C-WTFFDL8224  | C-WTFFDR8224   | 5,406 |



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

**Divi Height BF Pedestal Towers**

**! The following towers match the height of Divi Panels only:**



**! The following towers match the height of Divi Panels only:**

**BF PEDESTAL TOWERS WITH OPEN FRONT**

**BF PEDESTAL TOWERS WITH OPEN FRONT ON FEET**

| H  | W  | D  | Model Number  | List  |
|----|----|----|---------------|-------|
| 50 | 16 | 24 | X-PTBFofd5024 | 3,315 |
| 58 | 16 | 24 | X-PTBFofd5824 | 3,428 |
| 66 | 16 | 24 | X-PTBFofd6624 | 3,545 |
| 82 | 16 | 24 | X-PTBFofd8224 | 3,777 |

| H  | W  | D  | Model Number  | List  |
|----|----|----|---------------|-------|
| 50 | 16 | 24 | C-PTBFofd5024 | 3,402 |
| 58 | 16 | 24 | C-PTBFofd5824 | 3,514 |
| 66 | 16 | 24 | C-PTBFofd6624 | 3,628 |





**BF PEDESTAL TOWERS WITH OPEN SIDE**

**BF PEDESTAL TOWERS WITH OPEN SIDE ON FEET**

| H  | W  | D  | Open Right, Place Left | Open Left, Place Right | List  |
|----|----|----|------------------------|------------------------|-------|
|    |    |    | Model Number           | Model Number           |       |
| 50 | 16 | 24 | X-PTBFOSDL5024         | X-PTBFOSDR5024         | 3,319 |
| 58 | 16 | 24 | X-PTBFOSDL5824         | X-PTBFOSDR5824         | 3,432 |
| 66 | 16 | 24 | X-PTBFOSDL6624         | X-PTBFOSDR6624         | 3,543 |
| 82 | 16 | 24 | X-PTBFOSDL8224         | X-PTBFOSDR8224         | 3,765 |

| H  | W  | D  | Open Right, Place Left | Open Left, Place Right | List  |
|----|----|----|------------------------|------------------------|-------|
|    |    |    | Model Number           | Model Number           |       |
| 50 | 16 | 24 | C-PTBFOSDL5024         | C-PTBFOSDR5024         | 3,404 |
| 58 | 16 | 24 | C-PTBFOSDL5824         | C-PTBFOSDR5824         | 3,514 |
| 66 | 16 | 24 | C-PTBFOSDL6624         | C-PTBFOSDR6624         | 3,627 |



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



**Divi Height BF Pedestal Towers**

**⚠ The following towers match the height of Divi Panels only:**

**⚠ The following towers match the height of Divi Panels only:**

| <b>BF PEDESTAL TOWERS WITH CUPBOARD</b> |          |          |                     |                     |             |
|---|----------|----------|---------------------|---------------------|-------------|
| <b>H</b>                                | <b>W</b> | <b>D</b> | <b>Left-Hinge</b>   | <b>Right-Hinge</b>  | <b>List</b> |
|   |          |          | <b>Model Number</b> | <b>Model Number</b> |             |
| 50                                      | 16       | 24       | X-WTBFCDL5024       | X-WTBFCDR5024       | 3,505       |
| 58                                      | 16       | 24       | X-WTBFCDL5824       | X-WTBFCDR5824       | 3,659       |
| 66                                      | 16       | 24       | X-WTBFCDL6624       | X-WTBFCDR6624       | 3,812       |
| 82                                      | 16       | 24       | X-WTBFCDL8224       | X-WTBFCDR8224       | 4,120       |

| <b>BF PEDESTAL TOWERS WITH CUPBOARD ON FEET</b> |          |          |                     |                     |             |
|---|----------|----------|---------------------|---------------------|-------------|
| <b>H</b>  | <b>W</b> | <b>D</b> | <b>Left-Hinge</b>   | <b>Right-Hinge</b>  | <b>List</b> |
|   |          |          | <b>Model Number</b> | <b>Model Number</b> |             |
| 50  | 16       | 24       | C-WTBFCDL5024       | C-WTBFCDR5024       | 3,588       |
| 58  | 16       | 24       | C-WTBFCDL5824       | C-WTBFCDR5824       | 3,742       |
| 66  | 16       | 24       | C-WTBFCDL6624       | C-WTBFCDR6624       | 3,896       |



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

**Divi Height BBF Pedestal Towers**

**! The following towers match the height of Divi Panels only:**



**! The following towers match the height of Divi Panels only:**

**BBF PEDESTAL TOWERS WITH OPEN FRONT**

**BBF PEDESTAL TOWER WITH OPEN FRONT ON FEET**

| H  | W  | D  | Model Number   | List  |
|----|----|----|----------------|-------|
| 50 | 16 | 24 | X-PTBBFOFD5024 | 3,531 |
| 58 | 16 | 24 | X-PTBBFOFD5824 | 3,646 |
| 66 | 16 | 24 | X-PTBBFOFD6624 | 3,764 |
| 82 | 16 | 24 | X-PTBBFOFD8224 | 3,994 |

| H  | W  | D  | Model Number   | List  |
|----|----|----|----------------|-------|
| 50 | 16 | 24 | C-PTBBFOFD5024 | 3,615 |
| 58 | 16 | 24 | C-PTBBFOFD5824 | 3,731 |
| 66 | 16 | 24 | C-PTBBFOFD6624 | 3,846 |





**BBF PEDESTAL TOWERS WITH OPEN SIDE**

**BBF PEDESTAL TOWER WITH OPEN SIDE ON FEET**

| H  | W  | D  | Open Right, Place Left | Open Left, Place Right | List  |
|----|----|----|------------------------|------------------------|-------|
|    |    |    | Model Number           | Model Number           |       |
| 50 | 16 | 24 | X-PTBBFOSDL5024        | X-PTBBFOSDR5024        | 3,530 |
| 58 | 16 | 24 | X-PTBBFOSDL5824        | X-PTBBFOSDR5824        | 3,644 |
| 66 | 16 | 24 | X-PTBBFOSDL6624        | X-PTBBFOSDR6624        | 3,755 |
| 82 | 16 | 24 | X-PTBBFOSDL8224        | X-PTBBFOSDR8224        | 3,977 |

| H  | W  | D  | Open Right, Place Left | Open Left, Place Right | List  |
|----|----|----|------------------------|------------------------|-------|
|    |    |    | Model Number           | Model Number           |       |
| 50 | 16 | 24 | C-PTBBFOSDL5024        | C-PTBBFOSDR5024        | 3,614 |
| 58 | 16 | 24 | C-PTBBFOSDL5824        | C-PTBBFOSDR5824        | 3,726 |
| 66 | 16 | 24 | C-PTBBFOSDL6624        | C-PTBBFOSDR6624        | 3,838 |



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



**Divi Height BBF Pedestal Towers**

**⚠ The following towers match the height of Divi Panels only:**

**⚠ The following towers match the height of Divi Panels only:**

| <b>BBF PEDESTAL TOWERS WITH CUPBOARD</b> |          |          |                     |                     |             |
|--|----------|----------|---------------------|---------------------|-------------|
| <b>H</b>                                 | <b>W</b> | <b>D</b> | <b>Left-Hinge</b>   | <b>Right-Hinge</b>  | <b>List</b> |
|  |          |          | <b>Model Number</b> | <b>Model Number</b> |             |
| 50                                       | 16       | 24       | X-WTBBFCDL5024      | X-WTBBFCDR5024      | 3,703       |
| 58                                       | 16       | 24       | X-WTBBFCDL5824      | X-WTBBFCDR5824      | 3,855       |
| 66                                       | 16       | 24       | X-WTBBFCDL6624      | X-WTBBFCDR6624      | 4,008       |
| 82                                       | 16       | 24       | X-WTBBFCDL8224      | X-WTBBFCDR8224      | 4,313       |

| <b>BBF PEDESTAL TOWER WITH CUPBOARD ON FEET</b> |          |          |                     |                     |             |
|---|----------|----------|---------------------|---------------------|-------------|
| <b>H</b>  | <b>W</b> | <b>D</b> | <b>Left-Hinge</b>   | <b>Right-Hinge</b>  | <b>List</b> |
|   |          |          | <b>Model Number</b> | <b>Model Number</b> |             |
| 50  | 16       | 24       | C-WTBBFCDL5024      | C-WTBBFCDR5024      | 3,787       |
| 58  | 16       | 24       | C-WTBBFCDL5824      | C-WTBBFCDR5824      | 3,939       |
| 66  | 16       | 24       | C-WTBBFCDL6624      | C-WTBBFCDR6624      | 4,091       |



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

**Divi Height FF Pedestal Towers**

**! The following towers match the height of Divi Panels only:**



**! The following towers match the height of Divi Panels only:**

**FF PEDESTAL TOWERS WITH OPEN FRONT**

**FF PEDESTAL TOWERS WITH OPEN FRONT ON FEET**

| H  | W  | D  | Model Number  | List  |
|----|----|----|---------------|-------|
| 50 | 16 | 24 | X-PTFFOFD5024 | 3,437 |
| 58 | 16 | 24 | X-PTFFOFD5824 | 3,553 |
| 66 | 16 | 24 | X-PTFFOFD6624 | 3,670 |
| 82 | 16 | 24 | X-PTFFOFD8224 | 3,900 |

| H  | W  | D  | Model Number  | List  |
|----|----|----|---------------|-------|
| 50 | 16 | 24 | C-PTFFOFD5024 | 3,522 |
| 58 | 16 | 24 | C-PTFFOFD5824 | 3,636 |
| 66 | 16 | 24 | C-PTFFOFD6624 | 3,754 |





**FF PEDESTAL TOWERS WITH OPEN SIDE**

**FF PEDESTAL TOWERS WITH OPEN SIDE ON FEET**

| H  | W  | D  | Open Right, Place Left | Open Left, Place Right | List  |
|----|----|----|------------------------|------------------------|-------|
|    |    |    | Model Number           | Model Number           |       |
| 50 | 16 | 24 | X-PTFFOSDL5024         | X-PTFFOSDR5024         | 3,435 |
| 58 | 16 | 24 | X-PTFFOSDL5824         | X-PTFFOSDR5824         | 3,750 |
| 66 | 16 | 24 | X-PTFFOSDL6624         | X-PTFFOSDR6624         | 3,663 |
| 82 | 16 | 24 | X-PTFFOSDL8224         | X-PTFFOSDR8224         | 3,892 |

| H  | W  | D  | Open Right, Place Left | Open Left, Place Right | List  |
|----|----|----|------------------------|------------------------|-------|
|    |    |    | Model Number           | Model Number           |       |
| 50 | 16 | 24 | C-PTFFOSDL5024         | C-PTFFOSDR5024         | 3,519 |
| 58 | 16 | 24 | C-PTFFOSDL5824         | C-PTFFOSDR5824         | 3,550 |
| 66 | 16 | 24 | C-PTFFOSDL6624         | C-PTFFOSDR6624         | 3,745 |



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



Divi Height FF Pedestal Towers

**⚠ The following towers match the height of Divi Panels only:**

**⚠ The following towers match the height of Divi Panels only:**

| FF PEDESTAL TOWERS WITH CUPBOARD |    |    |               |               |       |
|----------------------------------|----|----|---------------|---------------|-------|
| H                                | W  | D  | Left-Hinge    | Right-Hinge   | List  |
|                                  |    |    | Model Number  | Model Number  |       |
| 50                               | 16 | 24 | X-WTFFCDL5024 | X-WTFFCDR5024 | 3,539 |
| 58                               | 16 | 24 | X-WTFFCDL5824 | X-WTFFCDR5824 | 3,668 |
| 66                               | 16 | 24 | X-WTFFCDL6624 | X-WTFFCDR6624 | 3,798 |
| 82                               | 16 | 24 | X-WTFFCDL8224 | X-WTFFCDR8224 | 4,057 |

| FF PEDESTAL TOWERS WITH CUPBOARD ON FEET |    |    |               |               |       |
|--|----|----|---------------|---------------|-------|
| H  | W  | D  | Left-Hinge    | Right-Hinge   | List  |
|  |    |    | Model Number  | Model Number  |       |
| 50                                       | 16 | 24 | C-WTFFCDL5024 | C-WTFFCDR5024 | 3,623 |
| 58                                       | 16 | 24 | C-WTFFCDL5824 | C-WTFFCDR5824 | 3,750 |
| 66                                       | 16 | 24 | C-WTFFCDL6624 | C-WTFFCDR6624 | 3,881 |



**Specify**

**Notes**

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.



**Divi Height Single Door Towers**

 The following towers match the height of Divi Panels only:

 The following towers match the height of Divi Panels only:

| SINGLE DOOR TOWERS |    |    |              |              |       |
|--------------------|----|----|--------------|--------------|-------|
| H                  | W  | D  | Left-Hinge   | Right-Hinge  | List  |
|                    |    |    | Model Number | Model Number |       |
| 42                 | 12 | 18 | X-SDTDL4218  | X-SDTDR4218  | 2,570 |
| 42                 | 12 | 24 | X-SDTDL4224  | X-SDTDR4224  | 2,683 |
| 42                 | 12 | 30 | X-SDTDL4230  | X-SDTDR4230  | 2,792 |
| 42                 | 12 | 36 | X-SDTDL4236  | X-SDTDR4236  | 2,902 |
| 50                 | 12 | 18 | X-SDTDL5018  | X-SDTDR5018  | 2,663 |
| 50                 | 12 | 24 | X-SDTDL5024  | X-SDTDR5024  | 2,789 |
| 50                 | 12 | 30 | X-SDTDL5030  | X-SDTDR5030  | 2,914 |
| 50                 | 12 | 36 | X-SDTDL5036  | X-SDTDR5036  | 3,039 |
| 58                 | 12 | 18 | X-SDTDL5818  | X-SDTDR5818  | 2,838 |
| 58                 | 12 | 24 | X-SDTDL5824  | X-SDTDR5824  | 2,979 |
| 58                 | 12 | 30 | X-SDTDL5830  | X-SDTDR5830  | 3,119 |
| 58                 | 12 | 36 | X-SDTDL5836  | X-SDTDR5836  | 3,260 |
| 66                 | 12 | 18 | X-SDTDL6618  | X-SDTDR6618  | 3,013 |
| 66                 | 12 | 24 | X-SDTDL6624  | X-SDTDR6624  | 3,168 |
| 66                 | 12 | 30 | X-SDTDL6630  | X-SDTDR6630  | 3,324 |
| 66                 | 12 | 36 | X-SDTDL6636  | X-SDTDR6636  | 3,476 |

| SINGLE DOOR TOWERS ON FEET |    |    |              |              |       |
|----------------------------|----|----|--------------|--------------|-------|
| H                          | W  | D  | Left-Hinge   | Right-Hinge  | List  |
|                            |    |    | Model Number | Model Number |       |
| 42                         | 12 | 18 | C-SDTDL4218  | C-SDTDR4218  | 2,657 |
| 42                         | 12 | 24 | C-SDTDL4224  | C-SDTDR4224  | 2,764 |
| 42                         | 12 | 30 | C-SDTDL4230  | C-SDTDR4230  | 2,876 |
| 42                         | 12 | 36 | C-SDTDL4236  | C-SDTDR4236  | 3,003 |
| 50                         | 12 | 18 | C-SDTDL5018  | C-SDTDR5018  | 2,746 |
| 50                         | 12 | 24 | C-SDTDL5024  | C-SDTDR5024  | 2,873 |
| 50                         | 12 | 30 | C-SDTDL5030  | C-SDTDR5030  | 2,999 |
| 50                         | 12 | 36 | C-SDTDL5036  | C-SDTDR5036  | 3,121 |
| 58                         | 12 | 18 | C-SDTDL5818  | C-SDTDR5818  | 2,923 |
| 58                         | 12 | 24 | C-SDTDL5824  | C-SDTDR5824  | 3,063 |
| 58                         | 12 | 30 | C-SDTDL5830  | C-SDTDR5830  | 3,203 |
| 58                         | 12 | 36 | C-SDTDL5836  | C-SDTDR5836  | 3,344 |
| 66                         | 12 | 18 | C-SDTDL6618  | C-SDTDR6618  | 3,096 |
| 66                         | 12 | 24 | C-SDTDL6624  | C-SDTDR6624  | 3,252 |
| 66                         | 12 | 30 | C-SDTDL6630  | C-SDTDR6630  | 3,407 |
| 66                         | 12 | 36 | C-SDTDL6636  | C-SDTDR6636  | 3,561 |



**Specify**

**Notes**


- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Left-hinge towers shown.
- Towers must be ganged together with another unit or secured to a wall.
- 18" deep units come equipped with a coat hook. 24", 30" and 36" deep units come equipped with a coat rod.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a \$50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Tackboards, Tool Rail Kits and Panel Coat Hooks

TACKBOARDS

| H  | W  | Model Number | List | C.O.M Fabric | Grade C Fabric | Grade D Fabric |
|----|----|--------------|------|--------------|----------------|----------------|
| 12 | 24 | A-TACKDV1224 | 301  | -5           | +13            | +24            |
| 12 | 30 | A-TACKDV1230 | 321  | -5           | +13            | +24            |
| 12 | 36 | A-TACKDV1236 | 334  | -5           | +13            | +24            |
| 12 | 42 | A-TACKDV1242 | 351  | -5           | +13            | +24            |
| 12 | 48 | A-TACKDV1248 | 375  | -5           | +13            | +24            |
| 12 | 60 | A-TACKDV1260 | 487  | -5           | +13            | +24            |
| 15 | 24 | A-TACKDV1524 | 309  | -5           | +13            | +24            |
| 15 | 30 | A-TACKDV1530 | 328  | -5           | +13            | +24            |
| 15 | 36 | A-TACKDV1536 | 338  | -5           | +13            | +24            |
| 15 | 42 | A-TACKDV1542 | 363  | -5           | +13            | +24            |
| 15 | 48 | A-TACKDV1548 | 381  | -5           | +13            | +24            |
| 15 | 60 | A-TACKDV1560 | 500  | -5           | +13            | +24            |
| 19 | 24 | A-TACKDV1924 | 393  | -5           | +13            | +24            |
| 19 | 30 | A-TACKDV1930 | 420  | -5           | +13            | +24            |
| 19 | 36 | A-TACKDV1936 | 438  | -5           | +13            | +24            |
| 19 | 42 | A-TACKDV1942 | 463  | -5           | +13            | +24            |
| 19 | 48 | A-TACKDV1948 | 487  | -5           | +13            | +24            |
| 19 | 60 | A-TACKDV1960 | 522  | -5           | +13            | +24            |



Specify


- Fabric Selection

Notes

- Tackboards are 7/8" thick and mount to a panel or wall track to provide vertical tackable surface for wall track applications and private offices.
- Tackboards are available in three different heights.

TOOL RAIL KITS

| H     | W  | Model Number | List | Grade C Paint |
|-------|----|--------------|------|---------------|
| 3.375 | 24 | A-TBDV24     | 414  | +20           |
| 3.375 | 30 | A-TBDV30     | 452  | +20           |
| 3.375 | 36 | A-TBDV36     | 501  | +20           |
| 3.375 | 42 | A-TBDV42     | 534  | +20           |
| 3.375 | 48 | A-TBDV48     | 560  | +20           |
| 3.375 | 60 | A-TBDV60     | 825  | +20           |



Specify


- Paint Selection

Notes

- Tool Rail Kits mount to wall track or panel and accommodates paper flow elements.
- Tool rail kits are painted black as a standard. All other trim colors are available at a Grade C upcharge.

PANEL COAT HOOK

| Model Number | List | Grade C Paint |
|--------------|------|---------------|
| A-CHM        | 86   | +5            |



Specify

- Paint Selection


Notes

- Panel Coat Hook mounts over top of panel and is available in all standard panel colors.

**Pre-Drilled Topcaps, Soft Close Mechanism for Hinged Door**

**DIVI LINEAR PRE-DRILLED TOPCAPS FOR CLIP SCREENS**

| D  | Model Number | List |
|----|--------------|------|
| 24 | P-DLFGTC224  | 123  |
| 30 | P-DLFGTC230  | 129  |
| 36 | P-DLFGTC236  | 135  |
| 42 | P-DLFGTC242  | 142  |
| 48 | P-DLFGTC248  | 148  |
| 60 | P-DLFGTC260  | 158  |
| 72 | P-DLFGTC272  | 165  |



**Specify**


- Paint Selection

**Notes**

- Pre-Drilled Topcaps are pre-drilled for glass clamp screws to facilitate easy installation.
- Order topcaps separately.

**SOFT CLOSE MECHANISM FOR HINGED DOOR**

| Part Number | List |
|-------------|------|
| X-SOFTHINGE | 48   |



**Notes**

- Mounting method: snaps on to hinge. No tools required.
- Material: steel
- Color/finish: Nickel-plated
- One required for doors up to 30" tall; doors between 31"H and 66"H – order two; doors over 66"H – order three.
- Compatible only with laminate storage; not compatible with L-Series metal storage.

**GANGING KIT FOR CASEGOODS**

| Part Number | List |
|-------------|------|
| X-GANGKIT   | 20   |




**Notes**

- Used for ganging two casegoods together.

**FRAMELESS WHITEBOARD WITH MARKER TRAY**

| <b>H</b> | <b>W</b> | <b>Model Number</b> | <b>List</b> |
|----------|----------|---------------------|-------------|
| 24       | 24       | A-FWBDV2424         | 483         |
| 24       | 30       | A-FWBDV2430         | 557         |
| 24       | 36       | A-FWBDV2436         | 629         |
| 24       | 42       | A-FWBDV2442         | 699         |
| 24       | 48       | A-FWBDV2448         | 724         |
| 24       | 60       | A-FWBDV2460         | 863         |
| 30       | 24       | A-FWBDV3024         | 521         |
| 30       | 30       | A-FWBDV3030         | 605         |
| 30       | 36       | A-FWBDV3036         | 689         |
| 30       | 42       | A-FWBDV3042         | 774         |
| 30       | 48       | A-FWBDV3048         | 863         |
| 30       | 60       | A-FWBDV3060         | 1,035       |



**Specify**

**Notes**

• Color Selection for Edgeband

- Frameless White Boards with Marker Tray is a .6" thick laminated white board with 1mm edgeband on all sides.
- Frameless White Boards mount to panels with standard brackets (included).
- Marker Tray is included and available in black only.
- Marker Tray is field installed.

**Locks and Keys**

**SILVER LOCK CORES AND KEYS**

| Key Type                                 | Model Number            | List |
|--|-------------------------|------|
| Core with 2 keys                         | S-W1CORE1               | 25   |
| Core with 2 keys (set of 2 keyed alike)  | S-W1CORE2               | 39   |
| Core with 2 keys (set of 3 keyed alike)  | S-W1CORE3               | 60   |
| Core with 2 keys (set of 4 keyed alike)  | S-W1CORE4               | 77   |
| Core with 2 keys (set of 5 keyed alike)  | S-W1CORE5               | 95   |
| Core with 2 keys (set of 6 keyed alike)  | S-W1CORE6               | 111  |
| Core with 2 keys (set of 7 keyed alike)  | S-W1CORE7               | 129  |
| Core with 2 keys (set of 8 keyed alike)  | S-W1CORE8               | 149  |
| Core with 2 keys (set of 9 keyed alike)  | S-W1CORE9               | 166  |
| Core with 2 keys (set of 10 keyed alike) | S-W1CORE10              | 184  |
| Master Key                               | RS-W1MKEY               | 19   |
| Core Removal Key                         | RS-W1CRKEY              | 19   |
| Replacement Key                          | RS-WK __ _ (Key Number) | 26   |



**Notes**

- Silver keyed alike lock cores should be specified when ordering Option E in the Lock Choice for Calibrate: No Lock w/ Silver Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.

**BLACK LOCK CORES AND KEYS**

| Key Type                                 | Model Number | List |
|--|--------------|------|
| Core with 2 keys                         | S-W1CORE1B   | 25   |
| Core with 2 keys (set of 2 keyed alike)  | S-W1CORE2B   | 39   |
| Core with 2 keys (set of 3 keyed alike)  | S-W1CORE3B   | 60   |
| Core with 2 keys (set of 4 keyed alike)  | S-W1CORE4B   | 77   |
| Core with 2 keys (set of 5 keyed alike)  | S-W1CORE5B   | 95   |
| Core with 2 keys (set of 6 keyed alike)  | S-W1CORE6B   | 111  |
| Core with 2 keys (set of 7 keyed alike)  | S-W1CORE7B   | 129  |
| Core with 2 keys (set of 8 keyed alike)  | S-W1CORE8B   | 149  |
| Core with 2 keys (set of 9 keyed alike)  | S-W1CORE9B   | 166  |
| Core with 2 keys (set of 10 keyed alike) | S-W1CORE10B  | 184  |



**Notes**

- Black keyed alike lock cores should be specified when ordering Option D in the Lock Choice for Calibrate: No Lock w/ Black Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.
- Black lock cores not available for L-Series storage.



**National Showrooms:**

**Leominster**

AIS Headquarters  
25 Tucker Drive  
Leominster, MA 01453

---

**Chicago**

The Merchandise Mart  
Suite 391  
Chicago, Illinois 60654

**New York**

AIS New York  
257 Park Avenue South  
New York, New York 10010

**Washington, D.C.**

AIS Washington, D.C.  
1501 M St, NW, STE 230  
Washington, D.C. 20005

**GSA Sales**

GSA Contract 47QSM20D08Q4  
Multiple Award Schedule (MAS)  
Large Category: Furniture & Furnishings  
Subcategories: Office Furniture, Packaged  
Office Furniture and Furniture Services

**For additional information on AIS:**

Dealer Showrooms, Representative  
Directory, Project Case Studies, Online  
Catalog & Product Showcase  
Visit: [www.ais-inc.com](http://www.ais-inc.com)