


Vertical Fabrics


GRADE A

Amaze

Grade A Vertical



Bone



Dune



Flannel




Fog



Morel



Platinum



Sky



Steel

Technical Information

AIS

Pattern: Amaze

Grade: A

Characteristics: Content 82% Polyester / 18% Post-Consumer Recycled Polyester Backing None Finish None Width 66" Weight 12.9 oz Repeat 12.8"H 11.7"V Directional Directional	Testing: Abrasion n/a Flammability ASTM E84 Class I or A Lightfastness Class 4/40 hrs. min.
Certifications: UL Approved Facts Silver LEED	Sustainability PFAS-free, PVC-free, Antimicrobial-free; Recycled Content
Cleaning Code WS	Application Vertical Surface

Cleaning And Care Information

S: Solvent **W:** Water-Based Cleaner **WS:** Water/Solvent Cleaner **IC:** Inherently Cleanable

BC: Bleach Cleanable - Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

Dye Transfer Disclaimer


Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. AIS will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

Additional Information


Anchorage




Asteroid



Green Apple




Onyx




Shadow




Birch




Geranium



Midnight




Pine Needle



Thistle


Grade A Vertical




Deep Water




Goose



Mulberry



Quarry Blue



Wolf

Technical Information

AIS

Pattern: Anchorage

Grade: A

Characteristics: Content 100% Post-Consumer Recycled Polyester Backing None Finish None Width 66" Weight 15 oz Repeat None Directional Directional	Testing: Flammability Pass Lightfastness Class 4/40 hrs. min.
Certifications: LEED	Sustainability Recycled Content
Cleaning Code WS	Application Vertical Surface

Cleaning And Care Information

S: Solvent **W:** Water-Based Cleaner **WS:** Water/Solvent Cleaner **IC:** Inherently Cleanable

BC: Bleach Cleanable - Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.


Dye Transfer Disclaimer

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. AIS will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.


Additional Information

Avenue

Grade A Vertical



Dusk



Park Place

AIS

Technical Information

AIS

Pattern: Avenue

Grade: A

Characteristics: Content 100% Polyester Backing None Finish None Width 66" Weight 9.1 oz Repeat 14"L 14"W Directional Directional	Testing: Abrasion n/a Flammability Pass Lightfastness Class 4/40 hrs. min.
Certifications: UL Approved	Sustainability N/A
Cleaning Code WS	Application Vertical Surface

Cleaning And Care Information

S: Solvent **W:** Water-Based Cleaner **WS:** Water/Solvent Cleaner **IC:** Inherently Cleanable

BC: Bleach Cleanable - Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.


Dye Transfer Disclaimer

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. AIS will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.


Additional Information

Cape Cod

Grade A Vertical



Chatham



Harwich



Hyannis



Jet



Meadow



Nantucket

Technical Information

AIS

Pattern: Cape Cod

Grade: A

Characteristics: Content 100% Polyester Backing None Finish None Width 66" Weight 9.99 oz Repeat 0.18"L 0.21"W Directional Directional	Testing: Flammability ASTM E84 Class I or A Lightfastness Class 4/40 hrs. min.
Certifications: UL Approved BAA Compliant	Sustainability N/A
Cleaning Code WS	Application Vertical Surface

Cleaning And Care Information

S: Solvent **W:** Water-Based Cleaner **WS:** Water/Solvent Cleaner **IC:** Inherently Cleanable

BC: Bleach Cleanable - Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.


Dye Transfer Disclaimer

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. AIS will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.


Additional Information

Chase


Grade A Vertical




Chambray




Coin




Ecrú




Moss




Mushroom



Ochre




Pewter



Pumice



Red Clay



Shadow

Technical Information

AIS

Pattern: Chase

Grade: A

Characteristics: Content 74% Polyester / 26% Post-consumer recycled Polyester Backing None Finish None Width 66" Weight 13.3 oz Repeat None Directional Directional	Testing: Flammability ASTM E84 Class I or A Lightfastness Class 4/40 hrs. min.
Certifications: UL Approved LEED	Sustainability Recycled Content; PFAS-free, PVC-free, Antimicrobial-free
Cleaning Code WS	Application Vertical Surface

Cleaning And Care Information

S: Solvent **W:** Water-Based Cleaner **WS:** Water/Solvent Cleaner **IC:** Inherently Cleanable

BC: Bleach Cleanable - Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.


Dye Transfer Disclaimer

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. AIS will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.


Additional Information

Ease


Grade A Vertical




Bloom



Dew




Earthbound




Feather




Fog




Glacial




Glow




Halo




Moonlight



Nebula



Pebble



Stratus

Technical Information

AIS

Pattern: Ease

Grade: A

Characteristics: Content 100% Recycled Biodegradable Polyester Backing None Finish None Width 66" Weight 11.5 oz Repeat None Directional Directional	Testing: Flammability ASTM E84 Class I or A Lightfastness Grade 4.5 min. at 40 hrs
Certifications: UL Approved LEED	Sustainability Biodegradable Clean impact Textiles™; PFAS-free, PVC-free, Antimicrobial-free; Recycled Content
Cleaning Code WS	Application Vertical Surface

Cleaning And Care Information

S: Solvent **W:** Water-Based Cleaner **WS:** Water/Solvent Cleaner **IC:** Inherently Cleanable

BC: Bleach Cleanable - Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

Dye Transfer Disclaimer


Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. AIS will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

Additional Information


CLEAN IMPACT TEXTILES™ fabrics are made from repurposed throwaway materials and combine innovative technologies that minimize their environmental impact at the end of their useful life.

Engage


Grade A Vertical




Denim



Neutral



Rain Cloud



Toffee

Technical Information

AIS

Pattern: Engage

Grade: A

Characteristics: Content 100% Polyester Backing None Finish None Width 66" Weight 9.87oz Repeat 0.19"L 0.09"W Directional Directional	Testing: Flammability ASTM E84 Class I or A Lightfastness 42 hours Class 4.0
Certifications: UL Approved	Sustainability N/A
Cleaning Code WS	Application Vertical Surface

Cleaning And Care Information

S: Solvent **W:** Water-Based Cleaner **WS:** Water/Solvent Cleaner **IC:** Inherently Cleanable

BC: Bleach Cleanable - Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.


Dye Transfer Disclaimer

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. AIS will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

Additional Information

Expanse


Grade A Vertical




Breeze



Driftwood




Mineral




Morel




Opaline



Sand



Steel



Vapor

Technical Information

AIS

Pattern: Expanse

Grade: A

Characteristics: Content 100% Post-Consumer Recycled Biodegradable Polyester Backing None Finish None Width 66" Weight 11.4 oz Repeat None Directional Directional	Testing: Flammability ASTM E84 Class I or A Lightfastness Grade 4.5 min. at 40 hrs
Certifications: UL Approved LEED	Sustainability Biodegradable Clean impact Textiles™; Recycled Content; PFAS-free, PVC-free, Antimicrobial-free
Cleaning Code WS	Application Vertical Surface

Cleaning And Care Information

S: Solvent **W:** Water-Based Cleaner **WS:** Water/Solvent Cleaner **IC:** Inherently Cleanable


BC: Bleach Cleanable - Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

Dye Transfer Disclaimer


Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. AIS will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

Additional Information


CLEAN IMPACT TEXTILES™ fabrics are made from repurposed throwaway materials and combine innovative technologies that minimize their environmental impact at the end of their useful life.




Cambridge




Concord




Dixville Notch




Lexington



Newton



Night



York

Technical Information

AIS

Pattern: New England

Grade: A

Characteristics: Content 100% Polyester Backing None Finish None Width 66" Weight 9.52oz Repeat 0.08"L 0.07"W Directional Directional	Testing: Flammability ASTM E84 Class I or A Lightfastness 43 hours Class 4.0
Certifications: UL Approved BAA Compliant	Sustainability N/A
Cleaning Code WS	Application Vertical Surface

Cleaning And Care Information

S: Solvent **W:** Water-Based Cleaner **WS:** Water/Solvent Cleaner **IC:** Inherently Cleanable

BC: Bleach Cleanable - Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.


Dye Transfer Disclaimer

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. AIS will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.


Additional Information

Pursuit


Grade A Vertical



Cement




Dove



Elephant



Mist Grey



Whisper



White Linen

Technical Information

AIS

Pattern: Pursuit

Grade: A

Characteristics: Content 100% Pre-Consumer Recycled Polyester Backing None Finish None Width 66" Weight 9.1 oz Repeat None Directional Directional	Testing: Flammability ASTM E84 Class I or A Lightfastness Class 4/40 hrs. min.
Certifications: UL Approved Facts Compliant LEED	Sustainability Terratex™ - 100% Recycled & Recyclable; Biodegradable; Recycled Content; PFAS-free; PVC-Free; Antimicrobial-Free
Cleaning Code WS & Bleach Cleanable	Application Vertical Surface

Cleaning And Care Information

S: Solvent **W:** Water-Based Cleaner **WS:** Water/Solvent Cleaner **IC:** Inherently Cleanable

BC: Bleach Cleanable - Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.


Dye Transfer Disclaimer

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. AIS will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.


Additional Information

Rainfall


Grade A Vertical




Bliss



Shore



Sundown



Twilight

AIS

Technical Information

AIS

Pattern: Rainfall

Grade: A

Characteristics: Content 100% Polyester Backing None Finish None Width 66" Weight 8.22 oz Repeat 14.28"L 11.67"W Directional Directional	Testing: Flammability ASTM E84 Class I or A Lightfastness Class 4/40 hrs. min.
Certifications: UL Approved	Sustainability N/A
Cleaning Code WS	Application Vertical Surface

Cleaning And Care Information

S: Solvent **W:** Water-Based Cleaner **WS:** Water/Solvent Cleaner **IC:** Inherently Cleanable

BC: Bleach Cleanable - Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

Dye Transfer Disclaimer


Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. AIS will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

Additional Information


RAINFALLFC

Sprite


Grade A Vertical




Khaki



Linen



Powder



Sky



Snow

Technical Information

AIS

Pattern: Sprite

Grade: A

Characteristics: Content 95% Pre-Consumer Recycled Polyester / 5% Post-Consumer Recycled Polyester Backing None Finish None Width 66" Weight 10.8 oz Repeat 0.83"L 0.26"W Directional Directional	Testing: Flammability ASTM E84 Class I or A Lightfastness Class 4/40 hrs. min.
Certifications: UL Approved Facts Compliant LEED	Sustainability Terratex™ - 100% Recycled & Recyclable; PFAS-free; PVC-Free; Antimicrobial-free
Cleaning Code WS & Bleach Cleanable	Application Vertical Surface

Cleaning And Care Information

S: Solvent **W:** Water-Based Cleaner **WS:** Water/Solvent Cleaner **IC:** Inherently Cleanable

BC: Bleach Cleanable - Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

Dye Transfer Disclaimer

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. AIS will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.


Additional Information

Theory


Grade A Vertical




Bisque



Camel




Chive




Citrus



Cotton




Lagoon




Marina



Pewter



Shadow



Spice



Truffle

Technical Information

AIS

Pattern: Theory

Grade: A

Characteristics: Content 100% Pre-Consumer Recycled Polyester Backing None Finish None Width 66" Weight 10.8 oz Repeat None Directional Directional	Testing: Flammability ASTM E84 Class I or A Lightfastness Class 4/40 hrs. min.
Certifications: UL Approved Facts Compliant LEED	Sustainability Terratex™ - 100% Recycled & Recyclable; PFAS-free, PVC-free; Antimicrobial-free
Cleaning Code WS & Bleach Cleanable	Application Vertical Surface

Cleaning And Care Information

S: Solvent **W:** Water-Based Cleaner **WS:** Water/Solvent Cleaner **IC:** Inherently Cleanable

BC: Bleach Cleanable - Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

Dye Transfer Disclaimer

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. AIS will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

Additional Information